

**Ethiopia**

**Central Statistical Agency, Ministry of Finance and Economic Development**

**Livestock Sample Survey 2011-2012 (2004 E.C)**

**Study documentation**

May 21, 2012

# Metadata Production

<b>Metadata Producer(s)</b>	Central Statistical Agency (CSA) , Ministry of Finance and Economic Development , Production and documentation of the study International Household Survey Network (IHSN) , Review of the metadata
<b>Production Date</b>	March 4, 2012
<b>Version</b>	Version 1.0
<b>Identification</b>	DDI-ETH-CSA-AgSSLV-2012-v1.0

This document was generated using the [IHSN Microdata Management Toolkit](#)

# Table of Contents

<a href="#">Overview</a>	<a href="#">1</a>
<a href="#">Scope &amp; Coverage</a>	<a href="#">1</a>
<a href="#">Producers &amp; Sponsors</a>	<a href="#">2</a>
<a href="#">Sampling</a>	<a href="#">2</a>
<a href="#">Data Collection</a>	<a href="#">2</a>
<a href="#">Data Processing &amp; Appraisal</a>	<a href="#">3</a>
<a href="#">Accessibility</a>	<a href="#">3</a>
<a href="#">Rights &amp; Disclaimer</a>	<a href="#">4</a>
<a href="#">Files Description</a>	<a href="#">5</a>
<a href="#">BEEHIVE</a>	<a href="#">5</a>
<a href="#">CAMEL</a>	<a href="#">5</a>
<a href="#">CATTLEFEED</a>	<a href="#">5</a>
<a href="#">CATTLE</a>	<a href="#">5</a>
<a href="#">COWCAMEL-MILK</a>	<a href="#">5</a>
<a href="#">DISEASE</a>	<a href="#">5</a>
<a href="#">DONKEY</a>	<a href="#">5</a>
<a href="#">EGG</a>	<a href="#">5</a>
<a href="#">EXTENSION</a>	<a href="#">5</a>
<a href="#">GOAT</a>	<a href="#">6</a>
<a href="#">HHINFO</a>	<a href="#">6</a>
<a href="#">HONEY</a>	<a href="#">6</a>
<a href="#">HORSE</a>	<a href="#">6</a>
<a href="#">MULE</a>	<a href="#">6</a>
<a href="#">NEWBIRTH</a>	<a href="#">6</a>
<a href="#">POULTRY</a>	<a href="#">6</a>
<a href="#">SHEEP</a>	<a href="#">6</a>
<a href="#">VACCIN</a>	<a href="#">6</a>
<a href="#">Variables List</a>	<a href="#">7</a>
<a href="#">BEEHIVE</a>	<a href="#">7</a>
<a href="#">CAMEL</a>	<a href="#">7</a>
<a href="#">CATTLEFEED</a>	<a href="#">8</a>
<a href="#">CATTLE</a>	<a href="#">9</a>
<a href="#">COWCAMEL-MILK</a>	<a href="#">11</a>
<a href="#">DISEASE</a>	<a href="#">11</a>
<a href="#">DONKEY</a>	<a href="#">12</a>
<a href="#">EGG</a>	<a href="#">13</a>
<a href="#">EXTENSION</a>	<a href="#">13</a>
<a href="#">GOAT</a>	<a href="#">14</a>
<a href="#">HHINFO</a>	<a href="#">15</a>
<a href="#">HONEY</a>	<a href="#">16</a>
<a href="#">HORSE</a>	<a href="#">16</a>
<a href="#">MULE</a>	<a href="#">18</a>
<a href="#">NEWBIRTH</a>	<a href="#">19</a>
<a href="#">POULTRY</a>	<a href="#">19</a>
<a href="#">SHEEP</a>	<a href="#">20</a>
<a href="#">VACCIN</a>	<a href="#">22</a>
<a href="#">Variables Description</a>	<a href="#">23</a>
<a href="#">BEEHIVE</a>	<a href="#">23</a>
<a href="#">CAMEL</a>	<a href="#">26</a>
<a href="#">CATTLEFEED</a>	<a href="#">33</a>
<a href="#">CATTLE</a>	<a href="#">37</a>
<a href="#">COWCAMEL-MILK</a>	<a href="#">47</a>
<a href="#">DISEASE</a>	<a href="#">50</a>
<a href="#">DONKEY</a>	<a href="#">53</a>

<a href="#">EGG</a> .....	<a href="#">61</a>
<a href="#">EXTENSION</a> .....	<a href="#">64</a>
<a href="#">GOAT</a> .....	<a href="#">67</a>
<a href="#">HHINFO</a> .....	<a href="#">76</a>
<a href="#">HONEY</a> .....	<a href="#">79</a>
<a href="#">HORSE</a> .....	<a href="#">83</a>
<a href="#">MULE</a> .....	<a href="#">91</a>
<a href="#">NEWBIRTH</a> .....	<a href="#">98</a>
<a href="#">POULTRY</a> .....	<a href="#">102</a>
<a href="#">SHEEP</a> .....	<a href="#">112</a>
<a href="#">VACCIN</a> .....	<a href="#">122</a>
<a href="#">Documentation</a> .....	<a href="#">126</a>

## Ethiopia (2011-2012) Livestock Sample Survey 2011-2012 (2004 E.C) (AgSSLV 2011-2012)

Overview	
Type	Agricultural Survey [ag/oth]
Identification	ETH-CSA-AgSSLV-2012-v1.0
Version	Version 1.0: Edited and non anonymized dataset, for internal use only.
<p><b>Abstract</b></p> <p>Ethiopia is believed to have the largest livestock population in Africa. This livestock sector has been contributing considerable portion to the economy of the country, and still promising to rally round the economic development of the country. It is eminent that livestock products and by-products in the form of meat, milk, honey, eggs, cheese, and butter supply etc. provide the needed animal protein that contribute to the improvement of the nutritional status of the people. Livestock also plays an important role in providing export commodities, such as live animals, hides, and skins to earn foreign exchanges to the country. On the other hand, draught animals provide power for the cultivation of the smallholdings and for crop threshing virtually all over the country and are also essential modes of transport to take holders and their families long-distances, to convey their agricultural products to the market places and bring back their domestic necessities. Livestock as well confer a certain degree of security in times of crop failure, as they are a “near-cash” capital stock. Furthermore, livestock provides farmyard manure that is commonly applied to improve soil fertility and also used as a source of energy such as dung cake as a fuel for fires and as a bio-gas energy. Most rural households are also used manure to make plaster for walls and floors.</p> <p>Due to the very important role that the livestock sector plays in the economy of the country, formulation of development plan regarding the sector is indispensable. It is therefore imperative that livestock development plans should be formulated on the basis of reliable statistical data, and hence, timely and accurate livestock data are required for the formulation, implementation, monitoring, and evaluation of development plan and program in the sector. These livestock data can be generated usually using surveys and censuses. In this regard, subsequent surveys and a solitary agricultural census have been carried out by the Central Statistical Agency (CSA) to make available data on livestock though they were not comprehensive. The 2011/12 Annual Agricultural Sample Survey was also conducted to produce these same data so as to keep hold of continuity and update users in general.</p> <p>In this report: estimates of livestock that include cattle, sheep, goats, draught animals (horses, mules, donkeys and camels), poultry and beehives were made based on the information obtained from the holders within the sampled agricultural households in rural sedentary areas of the country as to the reference date (November 10, 2011 or Hidar 1, 2004 E.C.) and reference period (November 11, 2010 to November 10, 2011 or Hidar 2, 2003 E.C. to Hidar 1, 2004 E.C.). The report comprises the results obtained from the livestock survey as well as brief discussions made on the results. The survey results at regional and zonal levels for the sedentary rural areas are presented in Statistical Tables 3.1 - 3.30. The standard errors (SE) and coefficients of variation (CV) are given in Annex Tables 1 - 10, for some variables.</p>	
Kind of Data	Sample survey data [ssd]
Unit of Analysis	- Agricultural households - Holders - Livestocks

### Scope & Coverage

#### Scope

The scope of Livestock Sample Survey includes:

- Identification particulars: Geographic area information; Holder sex, education status family size and type of holding
- Livestock population and livestock products: This section covered information regarding number of cattle, sheep, goats, horses, mules, donkeys, camels by age and purposes; poultry, honey production per beehive, milk and egg; livestock diseases and treatments; number of births, purchases, sales, slaughters, and deaths of livestock; livestock diseases, treatment and vaccination ; and livestock feeds utilization.

### **Geographic Coverage**

The 2011/12 (2004 E.C.) Annual Livestock Sample Survey covered the rural agricultural population in all the regions of the country except the non-sedentary population of three zones of Afar & six zones of Somali regions.

### **Universe**

Households, who were engaged in growing crops and/or breeding and raising livestock in private or in partnership with others in the selected sample.

## **Producers & Sponsors**

<b>Primary Investigator(s)</b>	Central Statistical Agency, Ministry of Finance and Economic Development
<b>Funding Agency/ies</b>	Government of Ethiopia (GoE)

## **Sampling**

### **Sampling Procedure**

#### **SAMPLING FRAME**

The list containing EAs of all regions and their respective agricultural households obtained from the 2007 (1999 E.C). Population and Housing Census Frame was used as the sampling frame in order to select EAs (Primary Sampling Units). Consequently, all sample EAs were selected from this frame based on the design proposed for the survey. Second stage sampling units households, on the other hand, were selected from a fresh list of households that were prepared for each EA at the beginning of the survey.

#### **SAMPLE DESIGN**

A two stage stratified cluster sample design was used to select the sample in which the clusters or primary sampling units (PSUs) were enumeration areas and second stage sampling units were agricultural households. Each zones/special wereda of the four regions (Tigray, Amahara, Oromiya and SNNP) was further stratified in to three agro-ecologies (Kolla, Dega and Weyina Dega). Except Harari and Dire Dawa, where each region as a whole is considered to be the domain of estimation, every zone/special wereda in each region was taken as a stratum for which major findings of the survey are reported.

### **Deviations from Sample Design**

A total of 2,280 enumeration areas (EAs) were selected. However, due to various reasons that are beyond control, in 7 EAs the survey could not be successful and hence interrupted. Thus, all in all the survey succeeded to cover 2,273 EAs (99.69%) throughout the regions. The Livestock Sample Survey was conducted on the basis of 30 agricultural households selected from each EA. Regarding the ultimate sampling units, it was intended to cover a total of 68,400 agricultural households, however, 67,767 (99.07%) were actually covered by the survey.

### **Response Rate**

The Livestock Sample Survey was conducted on the basis of 30 agricultural households selected from each EA. Regarding the ultimate sampling units, it was intended to cover a total of 68,400 agricultural households, however, 67,767 (99.07%) were actually covered by the survey.

## **Data Collection**

<b>Data Collection Dates</b>	start 2011 end 2012
------------------------------	------------------------

<b>Data Collection Mode</b>	Face-to-face [f2f]
<b>Data Collection Notes</b>	
<p>The entire 25 Branch Statistical Offices of the CSA participated in the survey undertaking, especially in organizing the second stage training, in deploying the field staff to their respective sites of assignment, and retrieving completed questionnaires and submitting them to the head office for data processing. They were also responsible in administering the financial and logistic aspect of the survey within the areas of their assignment. In the data collection, enumerators and field supervisors were involved with an average supervisor-enumerator ratio of 1 to 3 or 4. To accomplish the data collection operation, all the enumerators were supplied with the necessary survey equipment at the completion of the training. To assist the data collection activities in deployment, supervision, and retrieval of completed questionnaires, reasonably adequate four-wheel vehicles were used.</p>	
<b>Questionnaires</b>	
<p>The 2011-2012 Livestock Sample Survey used structured questionnaire to collect data on livestock and livestock characteristics.</p> <p>The questionnaire is organized in to two parts:</p> <ul style="list-style-type: none"> <li>- Part 1: Identification particulars: This part contains area identification of the selected household. It dealt with area identification of respondents such as Region, Zone, wereda, Farmer's association, Enumeration area household number, holder number, and type of holding.</li> <li>- Part 2: Livestock population and products: This part of the questionnaire dealt with number of cattle, sheep, goats, horses, mules, donkeys, camels by age and purposes; poultry, honey production per beehive, milk and egg; livestock diseases and treatments; number of births, purchases, sales, slaughters, and deaths of livestock; livestock diseases, treatment and vaccination ; and livestock feeds utilization.</li> </ul> <p>Questionnaire used in the field for data collection purpose was prepared in Amharic language. English version of the questionnaire is presented in APPENDIX III of the 2011-2012 survey report which is provided in this metadata.</p>	
<b>Data Collector(s)</b>	Central Statistical Agency (CSA) , Ministry of Finance and Economic Development

## Data Processing & Appraisal

### Data Editing

#### Editing, Coding, and Verification

The editing and coding instruction manuals were prepared, and intensive training was given to the editor-coders. Those trained editors-coders were accomplished the editing and coding tasks. In due course, professional staff members were assigned to facilitate the editing and coding activities and the edited and coded questionnaires were verified by statistical technicians as well as by professionals.

#### Data Entry, Cleaning, and Processing

The data were entered in personal computers by data encoders using CSpro (Census and survey Processing system) software. Then the data were checked and cleaned by regular staff members. Finally, the data processing activity was also done by personal computers (PCs) to produce results that were indicated in the tabulation plan.

### Estimates of Sampling Error

Estimation procedure of totals, ratios & sampling error, and the measurement of precision of estimates (CV) are given in Appendix-I of the 2011-2012 Livestock Sample Survey report which is provided with this metadata.

## Accessibility

<b>Access Authority</b>	Central Statistical Agency of Ethiopia (Ministry of Finance and Economic Development) , <a href="http://www.csa.gov.et">http://www.csa.gov.et</a> , <a href="mailto:csa@csa.gov.et">csa@csa.gov.et</a>
<b>Contact(s)</b>	Data Administrator (Central Statistical Agency of Ethiopia) , <a href="http://www.csa.gov.et">http://www.csa.gov.et</a> , <a href="mailto:data@csa.gov.et">data@csa.gov.et</a>

**Access Conditions**

The Central Statistical Agency (CSA) is committed to achieving excellence in the provision of timely, reliable and affordable official statistics for informed decision making in order to maximize the welfare of all Ethiopians. This is achieved through the collection and analysis of censuses, surveys and the use of administrative data as well as the dissemination a range of statistical products and providing assistance and services to users.

A microdata dissemination policy is established by CSA to address the conditions and the manner in which anonymized microdata files may be released to users for research purposes. It also strives to identify the different levels of anonymization for different categories of data use. This policy is available at CSA website ([www.csa.gov.et](http://www.csa.gov.et) <<http://www.csa.gov.et>>).

CSA will release microdata files for use by researchers for scientific research purposes when:

The Director General is satisfied that all reasonable steps have been taken to prevent the identification of individual respondents

The release of the data will substantially enhance the analytic value of the data that have been collected

For all but purely public files, researchers disclose the nature and objectives of their intended research,

It can be demonstrated that there are no credible alternative sources for these data, and

The researchers have signed an appropriate undertaking.

Terms and conditions of use of public data files are the following:

The data and other materials provided by CSA will not be redistributed or sold to other individuals, institutions, or organizations without the written agreement of CSA.

The data will be used for statistical and scientific research purposes only. They will be used solely for reporting of aggregated information, and not for investigation of specific individuals or organizations.

No attempt will be made to re-identify respondents, and no use will be made of the identity of any person or establishment discovered inadvertently. Any such discovery would immediately be reported to the CSA.

No attempt will be made to produce links among datasets provided by CSA, or among data from the CSA and other datasets that could identify individuals or organizations.

Any books, articles, conference papers, theses, dissertations, reports, or other publications that employ data obtained from CSA will cite the source of data in accordance with the Citation Requirement provided with each dataset.

An electronic copy of all reports and publications based on the requested data will be sent to CSA.

The original collector of the data, CSA, and the relevant funding agencies bear no responsibility for use of the data or for interpretations or inferences based upon such uses.

Cost Recovery Policy:

It is the policy of CSA to encourage broad use of its products by making them affordable for users. Accordingly, CSA attempts to ensure that the costs of creating anonymized microdata files are built-in to the survey budget. At the same time, CSA attempts to recover costs associated with the provisions of special services that benefit only a specific group. Information on the price of each dataset is available at CSA website ([www.csa.gov.et](http://www.csa.gov.et) <<http://www.csa.gov.et>>).

**Citation Requirements**

The following statement must be used as citation:

"Central Statistical Agency of Ethiopia (CSA). Livestock Sample Survey (AgSSLV 2010-2011)"

**Rights & Disclaimer****Disclaimer**

The user of the data acknowledges that the original collector of the data, the authorized distributor of the data, and the relevant funding agency bear no responsibility for use of the data or for interpretations or inferences based upon such uses.

**Copyright**

(c) 2009, Central Statistical Agency of Ethiopia

# Files Description

Dataset contains 18 file(s)

<b>BEEHIVE</b>	
# Cases	71617
# Variable(s)	13

<b>CAMEL</b>	
# Cases	8392
# Variable(s)	30

<b>CATTLFEED</b>	
# Cases	401397
# Variable(s)	12

<b>CATTLE</b>	
# Cases	70788
# Variable(s)	53

<b>COWCAMEL-MILK</b>	
# Cases	66499
# Variable(s)	15

<b>DISEASE</b>	
# Cases	113251
# Variable(s)	10

<b>DONKEY</b>	
# Cases	24555
# Variable(s)	25

<b>EGG</b>	
# Cases	42259
# Variable(s)	16

<b>EXTENSION</b>	
# Cases	69931

<b># Variable(s)</b>	9
----------------------	---

  

<b>GOAT</b>	
<b># Cases</b>	25912
<b># Variable(s)</b>	45

  

<b>HHINFO</b>	
<b># Cases</b>	71667
<b># Variable(s)</b>	15

  

<b>HONEY</b>	
<b># Cases</b>	12674
<b># Variable(s)</b>	13

  

<b>HORSE</b>	
<b># Cases</b>	11397
<b># Variable(s)</b>	25

  

<b>MULE</b>	
<b># Cases</b>	8080
<b># Variable(s)</b>	25

  

<b>NEWBIRTH</b>	
<b># Cases</b>	188486
<b># Variable(s)</b>	16

  

<b>POULTRY</b>	
<b># Cases</b>	42507
<b># Variable(s)</b>	35

  

<b>SHEEP</b>	
<b># Cases</b>	28482
<b># Variable(s)</b>	46

  

<b>VACCIN</b>	
<b># Cases</b>	53239
<b># Variable(s)</b>	15

# Variables List

Dataset contains 418 variable(s)

File BEEHIVE							
#	Name	Label	Type	Format	Valid	Invalid	Question
1	<a href="#">V01</a>	Region	discrete	numeric-2.0	71617	0	Region
2	<a href="#">V02</a>	Zone	discrete	numeric-2.0	71617	0	Zone
3	<a href="#">V03</a>	Wereda	continuous	numeric-2.0	71617	0	Wereda
4	<a href="#">V04</a>	Farmers Association	continuous	numeric-3.0	71617	0	Farmers Association
5	<a href="#">V05</a>	Enumeration Area	discrete	numeric-2.0	71617	0	Enumeration Area
6	<a href="#">V06</a>	Household Number	continuous	numeric-3.0	71617	0	Household Number
7	<a href="#">V07</a>	Holder Number	discrete	numeric-1.0	71617	0	Holder Number
8	<a href="#">PQ2</a>	Do you have Beehives?	discrete	numeric-1.0	69754	1863	Do you have Beehives?
9	<a href="#">P229</a>	Total beehive	continuous	numeric-3.0	66993	4624	Total beehive
10	<a href="#">P230</a>	Traditional beehives	continuous	numeric-3.0	67152	4465	Traditional beehives
11	<a href="#">P231</a>	Intermediate beehives	discrete	numeric-2.0	66995	4622	-
12	<a href="#">P232</a>	Modern beehives	continuous	numeric-2.0	67005	4612	-
13	<a href="#">PQ3</a>	PQ3	discrete	numeric-1.0	71617	0	Intermediate beehives

File CAMEL							
#	Name	Label	Type	Format	Valid	Invalid	Question
1	<a href="#">V01</a>	Region	discrete	numeric-2.0	8392	0	Region
2	<a href="#">V02</a>	Zone	discrete	numeric-2.0	8392	0	Zone
3	<a href="#">V03</a>	Wereda	discrete	numeric-2.0	8392	0	Wereda
4	<a href="#">V04</a>	Farmers association	continuous	numeric-3.0	8392	0	Farmers association
5	<a href="#">V05</a>	Enumeration	discrete	numeric-2.0	8392	0	Enumeration
6	<a href="#">V06</a>	HH	continuous	numeric-3.0	8392	0	Household Number
7	<a href="#">V07</a>	HHolder	discrete	numeric-1.0	8392	0	Holder Number
8	<a href="#">P178</a>	Total CAMELS of all ages	continuous	numeric-3.0	6153	2239	Total CAMELS of all ages
9	<a href="#">P179</a>	Total CAMELS of all ages	continuous	numeric-2.0	6148	2244	Total CAMELS of all ages
10	<a href="#">P180</a>	Female CAMELS of all ages	continuous	numeric-2.0	6138	2254	Female CAMELS of all ages
11	<a href="#">P181</a>	Total camels age less than 4 years	continuous	numeric-2.0	6121	2271	Total camels age less than 4 years
12	<a href="#">P182</a>	Male camels age less than 4 years	discrete	numeric-2.0	6117	2275	Male camels age less than 4 years
13	<a href="#">P183</a>	Female camels age less than 4 years	continuous	numeric-2.0	6116	2276	Female camels age less than 4 years
14	<a href="#">P184</a>	Total camels age 4 years and older	continuous	numeric-3.0	6146	2246	Total camels age 4 years and older
15	<a href="#">P185</a>	Male camels age 4 years and older	continuous	numeric-2.0	6141	2251	Male camels age 4 years and older

<b>File CAMEL</b>							
#	Name	Label	Type	Format	Valid	Invalid	Question
16	<a href="#">P186</a>	Female camels age 4 years and older	continuous	numeric-2.0	6137	2255	Female camels age 4 years and older
17	<a href="#">P187</a>	Total camels for slaughter age 4 years and older	continuous	numeric-2.0	6100	2292	Total camels for slaughter age 4 years and older
18	<a href="#">P188</a>	Male camels for slaughter age 4 years and older	discrete	numeric-2.0	6021	2371	Male camels for slaughter age 4 years and older
19	<a href="#">P189</a>	Female camels for slaughter age 4 years and older	discrete	numeric-2.0	6019	2373	Female camels for slaughter age 4 years and older
20	<a href="#">P190</a>	Total camles used for draft porpuse age 4 years and older	discrete	numeric-1.0	6098	2294	Total camles used for draft porpuse age 4 years and older
21	<a href="#">P191</a>	Male camles used for draft porpuse age 4 years and older	discrete	numeric-1.0	6097	2295	Male camles used for draft porpuse age 4 years and older
22	<a href="#">P192</a>	Female camles used for draft porpuse age 4 years and older	discrete	numeric-1.0	6097	2295	Female camles used for draft porpuse age 4 years and older
23	<a href="#">P193</a>	Total camels for milk purpose age 4 years and older	continuous	numeric-2.0	6109	2283	Total camels for milk purpose age 4 years and older
24	<a href="#">P194</a>	Female camels for milk purpose age 4 years and older	continuous	numeric-2.0	6110	2282	Female camels for milk purpose age 4 years and older
25	<a href="#">P195</a>	Total camels for transportation porpuse age 4 years and older	continuous	numeric-2.0	6132	2260	Total camels for transportation porpuse age 4 years and older
26	<a href="#">P196</a>	Male camels for transportation porpuse age 4 years and older	discrete	numeric-2.0	6130	2262	Male camels for transportation porpuse age 4 years and older
27	<a href="#">P197</a>	Female camels for transportation porpuse age 4 years and older	continuous	numeric-2.0	6117	2275	Female camels for transportation porpuse age 4 years and older
28	<a href="#">P198</a>	Total camels for other purpose age 4 years and older	continuous	numeric-2.0	6110	2282	Total camels for other purpose age 4 years and older
29	<a href="#">P199</a>	Male camels for other purpose age 4 years and older	continuous	numeric-2.0	6103	2289	Male camels for other purpose age 4 years and older
30	<a href="#">P200</a>	Female camels for other purpose age 4 years and older	continuous	numeric-2.0	6109	2283	Female camels for other purpose age 4 years and older

<b>File CATTLEFEED</b>							
#	Name	Label	Type	Format	Valid	Invalid	Question
1	<a href="#">V01</a>	Region	discrete	numeric-2.0	401397	0	Region
2	<a href="#">V02</a>	Zone	discrete	numeric-2.0	401397	0	Zone
3	<a href="#">V03</a>	Wereda	continuous	numeric-2.0	401397	0	Wereda
4	<a href="#">V04</a>	Farmers Association	continuous	numeric-3.0	401397	0	Farmers Association
5	<a href="#">V05</a>	Enumeration Area	discrete	numeric-2.0	401397	0	Enumeration Area

<b>File CATTLEFEED</b>							
#	Name	Label	Type	Format	Valid	Invalid	Question
6	<a href="#">V06</a>	Household number	continuous	numeric-3.0	401397	0	Household number
7	<a href="#">V07</a>	Holder Number	discrete	numeric-1.0	401397	0	Holder Number
8	<a href="#">PQ181</a>	Serial Number	discrete	numeric-1.0	401397	0	Serial Number
9	<a href="#">PQ182</a>	Type of livestock feed	discrete	numeric-1.0	401397	0	Type of livestock feed
10	<a href="#">PQ183</a>	Utilized	discrete	numeric-1.0	392641	8756	Utilized
11	<a href="#">PQ184</a>	Percentage used	continuous	numeric-3.0	401397	0	Percentage used
12	<a href="#">PQ185</a>	Source of Food	discrete	numeric-1.0	363651	37746	Source of Food

<b>File CATTLE</b>							
#	Name	Label	Type	Format	Valid	Invalid	Question
1	<a href="#">V01</a>	Region	discrete	numeric-2.0	70788	0	Region
2	<a href="#">V02</a>	Zone	discrete	numeric-2.0	70788	0	Zone
3	<a href="#">V03</a>	Wereda	continuous	numeric-2.0	70788	0	Wereda
4	<a href="#">V04</a>	FA	continuous	numeric-3.0	70788	0	Farmers Association
5	<a href="#">V05</a>	EA	discrete	numeric-2.0	70788	0	Enumeration Area
6	<a href="#">V06</a>	HH	continuous	numeric-3.0	70788	0	Household Number
7	<a href="#">V07</a>	HHolder	discrete	numeric-1.0	70788	0	Holder Number
8	<a href="#">P01</a>	Total cattle of all age	continuous	numeric-3.0	70304	484	Total cattle of all age
9	<a href="#">P02</a>	Male cattle of all age	continuous	numeric-3.0	70043	745	Male cattle of all age
10	<a href="#">P03</a>	Female cattle of all age	continuous	numeric-3.0	70092	696	Female cattle of all age
11	<a href="#">P04</a>	Total cattle age less than 6 months	continuous	numeric-2.0	69022	1766	Total cattle age less than 6 months
12	<a href="#">P05</a>	Male cattle age less than 6 months	discrete	numeric-2.0	68805	1983	Male cattle age less than 6 months
13	<a href="#">P06</a>	Female cattle age less than 6 months	discrete	numeric-2.0	68820	1968	Female cattle age less than 6 months
14	<a href="#">P07</a>	Total cattle age 6 months to 1 year	continuous	numeric-2.0	68963	1825	Total cattle age 6 months to 1 year
15	<a href="#">P08</a>	Male cattle age 6 months to 1 year	discrete	numeric-2.0	68787	2001	Male cattle age 6 months to 1 year
16	<a href="#">P09</a>	Female cattle age 6 months to 1 year	continuous	numeric-2.0	68768	2020	Female cattle age 6 months to 1 year
17	<a href="#">P10</a>	Total cattle age 1 year to 3 years	continuous	numeric-2.0	69356	1432	Total cattle age 1 year to 3 years
18	<a href="#">P11</a>	Male cattle age 1 year to 3 years	continuous	numeric-2.0	69030	1758	Male cattle age 1 year to 3 years
19	<a href="#">P12</a>	Female cattle age 1 year to 3 years	continuous	numeric-2.0	69077	1711	Female cattle age 1 year to 3 years
20	<a href="#">P13</a>	Total cattle age 3 years to 10 years	continuous	numeric-3.0	70160	628	Total Cattle age 3 years to 10 years
21	<a href="#">P14</a>	Male cattle age 3 years to 10 years	continuous	numeric-2.0	69699	1089	Male Cattle age 3 years to 10 years
22	<a href="#">P15</a>	Female cattle age 3 years to 10 years	continuous	numeric-3.0	69933	855	Female Cattle age 3 years to 10 years

<b>File CATTLE</b>							
#	Name	Label	Type	Format	Valid	Invalid	Question
23	<a href="#">P16</a>	Total beef cattle age 3 years to 10 years	continuous	numeric-2.0	68550	2238	Total beef cattle age 3 years to 10 years
24	<a href="#">P17</a>	Male beef cattle age 3 years to 10 years	continuous	numeric-2.0	68536	2252	Male beef cattle age 3 years to 10 years
25	<a href="#">P18</a>	Female beef cattle age 3 years to 10 years	continuous	numeric-2.0	68513	2275	Female beef cattle age 3 years to 10 years
26	<a href="#">P19</a>	Total breeding cattle age 3 years to 10 years	continuous	numeric-3.0	69659	1129	Total breeding cattle age 3 years to 10 years
27	<a href="#">P20</a>	Male breeding cattle age 3 years to 10 years	continuous	numeric-2.0	68758	2030	Male breeding cattle age 3 years to 10 years
28	<a href="#">P21</a>	Female breeding cattle age 3 years to 10 years	continuous	numeric-2.0	69632	1156	Female breeding cattle age 3 years to 10 years
29	<a href="#">P22</a>	Total Dairy cows age 3 years to 10 years	continuous	numeric-2.0	68839	1949	Total Dairy cows age 3 years to 10 years
30	<a href="#">P23</a>	Female Dairy cows age 3 years to 10 years	continuous	numeric-2.0	68835	1953	Female Dairy cows age 3 years to 10 years
31	<a href="#">P24</a>	Total cows gave milk for the last 12 months age 3 years to 10 years	continuous	numeric-2.0	69374	1414	Total Cows gave milk for the last 12 months age 3 years to 10 years
32	<a href="#">P25</a>	Female cows gave milk for the last 12 months age 3 years to 10 years	continuous	numeric-2.0	69370	1418	Female cows gave milk for the last 12 months age 3 years to 10 years
33	<a href="#">P26</a>	Total Draft cattle age 3 years to 10 years	continuous	numeric-2.0	69589	1199	Total Draft cattle age 3 years to 10 years
34	<a href="#">P27</a>	Male Draft cattle age 3 years to 10 years	continuous	numeric-2.0	69566	1222	Male Draft cattle age 3 years to 10 years
35	<a href="#">P28</a>	Female Draft cattle age 3 years to 10 years	discrete	numeric-1.0	68628	2160	Female Draft cattle age 3 years to 10 years
36	<a href="#">P29</a>	Total cattle for other purposes age 3 years to 10 years	continuous	numeric-2.0	68691	2097	Total cattle for other purposes age 3 years to 10 years
37	<a href="#">P30</a>	Male cattle for other purposes age 3 years to 10 years	continuous	numeric-2.0	68595	2193	Male cattle for other purposes age 3 years to 10 years
38	<a href="#">P31</a>	Female cattle for other purposes age 3 years to 10 years	continuous	numeric-2.0	68639	2149	Female cattle for other purposes age 3 years to 10 years
39	<a href="#">P32</a>	Total cattle 10 years and older	continuous	numeric-2.0	68743	2045	Total cattle 10 years and older
40	<a href="#">P33</a>	Male cattle 10 years and older	discrete	numeric-2.0	68658	2130	Male cattle 10 years and older
41	<a href="#">P34</a>	Female cattle 10 years and older	continuous	numeric-2.0	68653	2135	Female cattle 10 years and older
42	<a href="#">P35</a>	Total Grand	continuous	numeric-3.0	70304	484	Total Grand
43	<a href="#">P36</a>	Male Total Grand	continuous	numeric-3.0	70043	745	Male Total Grand
44	<a href="#">P37</a>	Female Total Grand	continuous	numeric-3.0	70092	696	Female Total Grand
45	<a href="#">P38</a>	Total Local breed	continuous	numeric-3.0	70267	521	Total Local breed
46	<a href="#">P39</a>	Male Total Local breed	continuous	numeric-3.0	70008	780	Male Total Local breed
47	<a href="#">P40</a>	Female Total Local breed	continuous	numeric-3.0	70068	720	Female Total Local breed

<b>File CATTLE</b>							
#	Name	Label	Type	Format	Valid	Invalid	Question
48	<a href="#">P41</a>	Total Exotic	discrete	numeric-1.0	68508	2280	Total Exotic
49	<a href="#">P42</a>	Male Total Exotic	discrete	numeric-1.0	68499	2289	Male Total Exotic
50	<a href="#">P43</a>	Female Total Exotic	discrete	numeric-1.0	68498	2290	Female Total Exotic
51	<a href="#">P44</a>	Total Hybrid	continuous	numeric-2.0	68528	2260	Total Hybrid
52	<a href="#">P45</a>	Male Total Hybrid	discrete	numeric-2.0	68507	2281	Male Total Hybrid
53	<a href="#">P46</a>	Female Total Hybrid	discrete	numeric-2.0	68514	2274	Female Total Hybrid

<b>File COWCAMEL-MILK</b>							
#	Name	Label	Type	Format	Valid	Invalid	Question
1	<a href="#">V01</a>	Region	discrete	numeric-2.0	66499	0	Region
2	<a href="#">V02</a>	Zone	discrete	numeric-2.0	66499	0	Zone
3	<a href="#">V03</a>	Wereda	continuous	numeric-2.0	66499	0	Wereda
4	<a href="#">V04</a>	FA	continuous	numeric-3.0	66499	0	Farmers Association
5	<a href="#">V05</a>	EA	discrete	numeric-2.0	66499	0	Enumeration Area
6	<a href="#">V06</a>	HH	continuous	numeric-3.0	66499	0	Household Number
7	<a href="#">V07</a>	HHolder	discrete	numeric-1.0	66499	0	Holder Number
8	<a href="#">P239</a>	cows that give milk during the reference period	continuous	numeric-2.0	64653	1846	Cows that give milk during the reference period
9	<a href="#">P240</a>	Average number of months cows actually milked	continuous	numeric-3.0	64795	1704	Average number of months cows actually milked
10	<a href="#">P241</a>	Average lactation period of cows in months	continuous	numeric-3.0	65430	1069	Average lactation period of cows in months
11	<a href="#">P242</a>	Milk production - per day per cow in liters	continuous	numeric-7.0	64406	2093	Milk production - per day per cow in liters
12	<a href="#">P243</a>	Camels that give milk during the reference period	continuous	numeric-2.0	62183	4316	Camels that give milk during the reference period
13	<a href="#">P244</a>	Average number of months camels actually milked	continuous	numeric-2.0	62184	4315	Average number of months camels actually milked
14	<a href="#">P245</a>	Average lactation period of camels in months	continuous	numeric-2.0	62185	4314	Average lactation period of camels in months
15	<a href="#">P246</a>	Milk production - per day per camel	continuous	numeric-5.0	62179	4320	Milk production - per day per camel

<b>File DISEASE</b>							
#	Name	Label	Type	Format	Valid	Invalid	Question
1	<a href="#">V01</a>	Region	discrete	numeric-2.0	113251	0	Region
2	<a href="#">V02</a>	Zone	discrete	numeric-2.0	113251	0	Zone
3	<a href="#">V03</a>	Wereda	continuous	numeric-2.0	113251	0	Wereda
4	<a href="#">V04</a>	FA	continuous	numeric-3.0	113251	0	Farmers Association
5	<a href="#">V05</a>	EA	discrete	numeric-2.0	113251	0	Enumeration Area

<b>File DISEASE</b>							
#	Name	Label	Type	Format	Valid	Invalid	Question
6	<a href="#">V06</a>	Household Number	continuous	numeric-3.0	113251	0	Household Number
7	<a href="#">V07</a>	HHolder	discrete	numeric-1.0	113251	0	Holder Number
8	<a href="#">PQ151</a>	Ser. No.	discrete	numeric-1.0	113251	0	Serial Number
9	<a href="#">PQ153</a>	Total Afflicted	continuous	numeric-9.0	113251	0	Total Afflicted
10	<a href="#">PQ154</a>	Total Treated	continuous	numeric-8.0	113251	0	Total Treated

<b>File DONKEY</b>							
#	Name	Label	Type	Format	Valid	Invalid	Question
1	<a href="#">V01</a>	Region	discrete	numeric-2.0	24555	0	Region
2	<a href="#">V02</a>	Zone	discrete	numeric-2.0	24555	0	Zone
3	<a href="#">V03</a>	Wereda	continuous	numeric-2.0	24555	0	Wereda
4	<a href="#">V04</a>	FA	continuous	numeric-3.0	24555	0	Farmers Association
5	<a href="#">V05</a>	EA	discrete	numeric-2.0	24555	0	Enumeration Area
6	<a href="#">V06</a>	Household Number	continuous	numeric-3.0	24555	0	Household Number
7	<a href="#">V07</a>	HHolder	discrete	numeric-1.0	24555	0	HHolder
8	<a href="#">P160</a>	Total ASSES of all ages	continuous	numeric-2.0	22981	1574	Total ASSES of all ages
9	<a href="#">P161</a>	Male ASSES of all ages	discrete	numeric-1.0	22727	1828	Male ASSES of all ages
10	<a href="#">P162</a>	Female ASSES of all ages	continuous	numeric-2.0	22760	1795	Female ASSES of all ages
11	<a href="#">P163</a>	Total Asses age less than 3 years	continuous	numeric-2.0	22545	2010	Total Asses age less than 3 years
12	<a href="#">P164</a>	Male Asses age less than 3 years	discrete	numeric-1.0	22437	2118	Male Asses age less than 3 years
13	<a href="#">P165</a>	Female Asses age less than 3 years	continuous	numeric-2.0	22428	2127	Female Asses age less than 3 years
14	<a href="#">P166</a>	Total Asses age 3 years and older	discrete	numeric-2.0	22928	1627	Total Asses age 3 years and older
15	<a href="#">P167</a>	Male Asses age 3 years and older	discrete	numeric-1.0	22621	1934	Male Asses age 3 years and older
16	<a href="#">P168</a>	Female Asses age 3 years and older	discrete	numeric-1.0	22728	1827	Female Asses age 3 years and older
17	<a href="#">P169</a>	Total Asses for draft purpose age 3 years and older	discrete	numeric-1.0	22455	2100	Total Asses for draft purpose age 3 years and older
18	<a href="#">P170</a>	Male Asses for draft purpose age 3 years and older	discrete	numeric-1.0	22369	2186	Male Asses for draft purpose age 3 years and older
19	<a href="#">P171</a>	Female Asses for draft purpose age 3 years and older	discrete	numeric-1.0	22370	2185	Female Asses for draft purpose age 3 years and older
20	<a href="#">P172</a>	Total Asses for transportation age 3 years and older	discrete	numeric-2.0	22760	1795	Total Asses for transportation age 3 years and older
21	<a href="#">P173</a>	Male Asses for transportation age 3 years and older	discrete	numeric-1.0	22550	2005	Male Asses for transportation age 3 years and older

File DONKEY							
#	Name	Label	Type	Format	Valid	Invalid	Question
22	<a href="#">P174</a>	Female Asses for transportation age 3 years and older	discrete	numeric-1.0	22619	1936	Female Asses for transportation age 3 years and older
23	<a href="#">P175</a>	Total Asses for other purpose age 3 years and older	discrete	numeric-1.0	22288	2267	Total Asses for other purpose age 3 years and older
24	<a href="#">P176</a>	Male Asses for other purpose age 3 years and older	discrete	numeric-1.0	22263	2292	Male Asses for other purpose age 3 years and older
25	<a href="#">P177</a>	Female Asses for other purpose age 3 years and older	discrete	numeric-1.0	22277	2278	Female Asses for other purpose age 3 years and older

File EGG							
#	Name	Label	Type	Format	Valid	Invalid	Question
1	<a href="#">V01</a>	Region	discrete	numeric-2.0	42259	0	Region
2	<a href="#">V02</a>	Zone	discrete	numeric-2.0	42259	0	Zone
3	<a href="#">V03</a>	Wereda	continuous	numeric-2.0	42259	0	Wereda
4	<a href="#">V04</a>	FA	continuous	numeric-3.0	42259	0	Farmers Association
5	<a href="#">V05</a>	EA	discrete	numeric-2.0	42259	0	Enumeration Area
6	<a href="#">V06</a>	HH	continuous	numeric-3.0	42259	0	Household number
7	<a href="#">V07</a>	HHolder	discrete	numeric-1.0	42259	0	Holder information
8	<a href="#">P247</a>	Egg production - per hen per clutch_Ind	continuous	numeric-4.0	41332	927	Egg production - per hen per clutch Indigenes
9	<a href="#">P248</a>	Egg production - per hen per clutch_Hybrid	continuous	numeric-3.0	40017	2242	Egg production - per hen per clutch_Hybrid
10	<a href="#">P249</a>	Egg production - per hen per clutch_Foreign	continuous	numeric-3.0	39996	2263	Egg production - per hen per clutch_Foreign
11	<a href="#">P250</a>	Average number of clutch_ind	continuous	numeric-3.0	41327	932	Average number of clutch Indigenes
12	<a href="#">P251</a>	Average number of clutch_Hybrid	continuous	numeric-3.0	40023	2236	Average number of clutch_Hybrid
13	<a href="#">P252</a>	Average number of clutch_Foreign	continuous	numeric-3.0	40005	2254	Average number of clutch_Foreign
14	<a href="#">P253</a>	Total number of clutch during the reference period_Ind	continuous	numeric-3.0	41308	951	Total number of clutch during the reference period Indigenes
15	<a href="#">P254</a>	Total number of clutch during the reference period_Hybrid	continuous	numeric-4.0	40028	2231	Total number of clutch during the reference period_Hybrid
16	<a href="#">P255</a>	Total number of clutch during the reference period_Foreign	discrete	numeric-1.0	34623	7636	Total number of clutch during the reference period_Foreign

File EXTENSION							
#	Name	Label	Type	Format	Valid	Invalid	Question
1	<a href="#">V01</a>	Region	discrete	numeric-2.0	69931	0	Region

File EXTENSION							
#	Name	Label	Type	Format	Valid	Invalid	Question
2	<a href="#">V02</a>	Zone	discrete	numeric-2.0	69931	0	Zone
3	<a href="#">V03</a>	Wereda	continuous	numeric-2.0	69931	0	Wereda
4	<a href="#">V04</a>	FA	continuous	numeric-3.0	69931	0	Farmers association
5	<a href="#">V05</a>	EA	discrete	numeric-2.0	69931	0	Enumeration Area
6	<a href="#">V06</a>	HH	continuous	numeric-3.0	69931	0	Household Number
7	<a href="#">V07</a>	HHHolder	discrete	numeric-1.0	69931	0	Holder Number
8	<a href="#">PQ19</a>	Livestock Extention	discrete	numeric-1.0	69298	633	Livestock Extention
9	<a href="#">PQ20</a>	Type of Extention	discrete	numeric-1.0	60834	9097	Type of Extention

File GOAT							
#	Name	Label	Type	Format	Valid	Invalid	Question
1	<a href="#">V01</a>	Region	discrete	numeric-2.0	25912	0	Region
2	<a href="#">V02</a>	Zone	discrete	numeric-2.0	25912	0	Zone
3	<a href="#">V03</a>	Wereda	continuous	numeric-2.0	25912	0	Wereda
4	<a href="#">V04</a>	FA	continuous	numeric-3.0	25912	0	Farmers association
5	<a href="#">V05</a>	EA	discrete	numeric-2.0	25912	0	Enumeration Area
6	<a href="#">V06</a>	HH	continuous	numeric-3.0	25912	0	Household Number
7	<a href="#">V07</a>	HHHolder	discrete	numeric-1.0	25912	0	Holder Number
8	<a href="#">P86</a>	Total GOATS of all ages	continuous	numeric-3.0	24367	1545	Total GOATS of all ages
9	<a href="#">P87</a>	Male GOATS of all ages	continuous	numeric-3.0	24212	1700	Male GOATS of all ages
10	<a href="#">P88</a>	Female GOATS of all ages	continuous	numeric-3.0	24339	1573	Female GOATS of all ages
11	<a href="#">P89</a>	Total goats age less than 6 months	continuous	numeric-2.0	24124	1788	Total goats age less than 6 months
12	<a href="#">P90</a>	Male goats age less than 6 months	continuous	numeric-2.0	24010	1902	Male goats age less than 6 months
13	<a href="#">P91</a>	Female goats age less than 6 months	continuous	numeric-2.0	24020	1892	Female goats age less than 6 months
14	<a href="#">P92</a>	Total goats age 6 months to 1 year	continuous	numeric-2.0	23901	2011	Total goats age 6 months to 1 year
15	<a href="#">P93</a>	Male goats age 6 months to 1 year	continuous	numeric-2.0	23826	2086	Male goats age 6 months to 1 year
16	<a href="#">P94</a>	Female goats age 6 months to 1 year	continuous	numeric-2.0	23825	2087	Female goats age 6 months to 1 year
17	<a href="#">P95</a>	Total goats age 1year to 2 years	continuous	numeric-3.0	23939	1973	Total goats age 1year to 2 years
18	<a href="#">P96</a>	Male goats age 1year to 2 years	continuous	numeric-2.0	23827	2085	Male goats age 1year to 2 years
19	<a href="#">P97</a>	Female goats age 1year to 2 years	continuous	numeric-2.0	23893	2019	Female goats age 1year to 2 years
20	<a href="#">P98</a>	Total goats age 2 years and olders	continuous	numeric-3.0	24263	1649	Total goats age 2 years and olders
21	<a href="#">P99</a>	Male goats age 2 years and olders	continuous	numeric-3.0	23929	1983	Male goats age 2 years and olders

<b>File GOAT</b>							
#	Name	Label	Type	Format	Valid	Invalid	Question
22	<a href="#">P100</a>	Female goats age 2 years and olders	continuous	numeric-3.0	24248	1664	Female goats age 2 years and olders
23	<a href="#">P101</a>	Total goats for meat age 2 years and older	continuous	numeric-2.0	23724	2188	Total goats for meat age 2 years and older
24	<a href="#">P102</a>	Male goats for meat age 2 years and older	continuous	numeric-2.0	23721	2191	Male goats for meat age 2 years and older
25	<a href="#">P103</a>	Female goats for meat age 2 years and older	discrete	numeric-2.0	23649	2263	Female goats for meat age 2 years and older
26	<a href="#">P104</a>	Total Dairy goats age 2 years and older	continuous	numeric-3.0	23654	2258	Total Dairy goats age 2 years and older
27	<a href="#">P105</a>	Female Dairy goats age 2 years and older	continuous	numeric-3.0	23649	2263	Female Dairy goats age 2 years and older
28	<a href="#">P106</a>	Total goats for breeding only age 2 years and older	continuous	numeric-3.0	24280	1632	Total goats for breeding only age 2 years and older
29	<a href="#">P107</a>	Male goats for breeding only age 2 years and older	continuous	numeric-2.0	23915	1997	Male goats for breeding only age 2 years and older
30	<a href="#">P108</a>	Female goats for breeding only age 2 years and older	continuous	numeric-3.0	24277	1635	Female goats for breeding only age 2 years and older
31	<a href="#">P109</a>	Total goats for other porpuses age 2 years and older	discrete	numeric-2.0	23629	2283	Total goats for other porpuses age 2 years and older
32	<a href="#">P110</a>	Male goats for other porpuses age 2 years and older	discrete	numeric-2.0	23623	2289	Male goats for other porpuses age 2 years and older
33	<a href="#">P111</a>	Female goats for other porpuses age 2 years and older	discrete	numeric-2.0	23620	2292	Female goats for other porpuses age 2 years and older
34	<a href="#">P112</a>	Total Grand	continuous	numeric-3.0	24367	1545	-
35	<a href="#">P113</a>	Male Total Grand	continuous	numeric-3.0	24212	1700	Male Total Grand
36	<a href="#">P114</a>	Female Total Grand	continuous	numeric-3.0	24339	1573	Female Total Grand
37	<a href="#">P115</a>	Total Local breed	continuous	numeric-3.0	24346	1566	-
38	<a href="#">P116</a>	Male Total Local breed	continuous	numeric-3.0	24196	1716	-
39	<a href="#">P117</a>	Female Total Local breed	continuous	numeric-3.0	24320	1592	-
40	<a href="#">P118</a>	Total Exotic	discrete	numeric-1.0	23627	2285	-
41	<a href="#">P119</a>	Male Total Exotic	discrete	numeric-1.0	23618	2294	-
42	<a href="#">P120</a>	Female Total Exotic	discrete	numeric-1.0	23618	2294	-
43	<a href="#">P121</a>	Total HYbrid	discrete	numeric-1.0	23624	2288	-
44	<a href="#">P122</a>	Male Total HYbrid	discrete	numeric-1.0	23617	2295	-
45	<a href="#">P123</a>	Female Total HYbrid	discrete	numeric-1.0	23619	2293	-

<b>File HHINFO</b>							
#	Name	Label	Type	Format	Valid	Invalid	Question
1	<a href="#">V01</a>	Region	discrete	numeric-2.0	71667	0	Region
2	<a href="#">V02</a>	Zone	discrete	numeric-2.0	71667	0	Zone
3	<a href="#">V03</a>	Wereda	continuous	numeric-2.0	71667	0	Wereda

File HHINFO							
#	Name	Label	Type	Format	Valid	Invalid	Question
4	<a href="#">V04</a>	FA	continuous	numeric-3.0	71667	0	Farmers association
5	<a href="#">V05</a>	EA	discrete	numeric-2.0	71667	0	Enumeration Area
6	<a href="#">V06</a>	HH	continuous	numeric-3.0	71667	0	Household number
7	<a href="#">V07</a>	HHHolder	discrete	numeric-1.0	71667	0	Holder Number
8	<a href="#">V09</a>	AGE	continuous	numeric-2.0	71667	0	AGE
9	<a href="#">V10</a>	SEX	discrete	numeric-1.0	71601	66	SEX
10	<a href="#">V11</a>	EDUC	discrete	numeric-2.0	64693	6974	Educational Status
11	<a href="#">V12</a>	HH_SIZE	continuous	numeric-2.0	71649	18	Household Size
12	<a href="#">V13</a>	Type	discrete	numeric-1.0	71661	6	Type of Agriculture
13	<a href="#">PQ1</a>	PQ1	discrete	numeric-1.0	71661	6	Did You Have Livestock and/or Beehives on November 10, 2010?
14	<a href="#">WGT</a>	WGT	continuous	numeric-6.0	71667	0	Weight
15	<a href="#">RATE</a>	RATE	continuous	numeric-9.7	71667	0	Rate

File HONEY							
#	Name	Label	Type	Format	Valid	Invalid	Question
1	<a href="#">V01</a>	Region	discrete	numeric-2.0	12674	0	Region
2	<a href="#">V02</a>	Zone	discrete	numeric-2.0	12674	0	Zone
3	<a href="#">V03</a>	Wereda	continuous	numeric-2.0	12674	0	Wereda
4	<a href="#">V04</a>	FA	continuous	numeric-3.0	12674	0	Farmers association
5	<a href="#">V05</a>	EA	discrete	numeric-2.0	12674	0	Farmers association
6	<a href="#">V06</a>	HH	continuous	numeric-3.0	12674	0	Household Number
7	<a href="#">V07</a>	HHHolder	discrete	numeric-1.0	12674	0	Holder Number
8	<a href="#">P233</a>	Average honey production/ Traditional hive/harvest	continuous	numeric-7.0	10517	2157	Average honey production/ Traditional hive/harvest
9	<a href="#">P234</a>	Number of harvests/ Traditional hive/yaer	continuous	numeric-2.0	10455	2219	Number of harvests/Traditional hive/ yaer
10	<a href="#">P235</a>	Average honey production/ intermediate hive/harvest	continuous	numeric-7.0	10386	2288	Average honey production/ intermediate hive/harvest
11	<a href="#">P236</a>	Number of harvests/ Intermediate hive/year	discrete	numeric-2.0	10387	2287	Number of harvests/Intermediate hive/year
12	<a href="#">P237</a>	Average honey production/ modern hive/harvest	continuous	numeric-7.0	10390	2284	Average honey production/modern hive/harvest
13	<a href="#">P238</a>	Number of harvest/Modern hive/year	discrete	numeric-2.0	10396	2278	Number of harvest/Modern hive/year

File HORSE							
#	Name	Label	Type	Format	Valid	Invalid	Question
1	<a href="#">V01</a>	Region	discrete	numeric-2.0	11397	0	Region
2	<a href="#">V02</a>	Zone	discrete	numeric-2.0	11397	0	Zone
3	<a href="#">V03</a>	Wereda	continuous	numeric-2.0	11397	0	Wereda
4	<a href="#">V04</a>	FA	continuous	numeric-3.0	11397	0	Farmers association

File HORSE							
#	Name	Label	Type	Format	Valid	Invalid	Question
5	<a href="#">V05</a>	EA	discrete	numeric-2.0	11397	0	Enumeration Area
6	<a href="#">V06</a>	HH	continuous	numeric-3.0	11397	0	Household Number
7	<a href="#">V07</a>	HHholder	discrete	numeric-1.0	11397	0	Holder number
8	<a href="#">P124</a>	Total HORSES of all ages	discrete	numeric-2.0	9276	2121	Total HORSES of all ages
9	<a href="#">P125</a>	Male HORSES of all ages	discrete	numeric-1.0	9201	2196	Male HORSES of all ages
10	<a href="#">P126</a>	Female HORSES of all ages	discrete	numeric-2.0	9224	2173	Female HORSES of all ages
11	<a href="#">P127</a>	Total horses age less than 3 years	discrete	numeric-2.0	9161	2236	Total horses age less than 3 years
12	<a href="#">P128</a>	Male horses age less than 3 years	discrete	numeric-1.0	9128	2269	Male horses age less than 3 years
13	<a href="#">P129</a>	Female horses age less than 3 years	discrete	numeric-1.0	9133	2264	Female horses age less than 3 years
14	<a href="#">P130</a>	Total horses age 3 years and older	discrete	numeric-2.0	9264	2133	Total horses age 3 years and older
15	<a href="#">P131</a>	Male horses age 3 years and older	discrete	numeric-1.0	9185	2212	Male horses age 3 years and older
16	<a href="#">P132</a>	Female horses age 3 years and older	discrete	numeric-1.0	9210	2187	Female horses age 3 years and older
17	<a href="#">P133</a>	Total horses used primarily for draft purpose age 3 years and older	discrete	numeric-1.0	9163	2234	Total horses used primarily for draft purpose age 3 years and older
18	<a href="#">P134</a>	Male horses used primarily for draft purpose age 3 years and older	discrete	numeric-1.0	9134	2263	Male horses used primarily for draft purpose age 3 years and older
19	<a href="#">P135</a>	Female horses used primarily for draft purpose age 3 years and older	discrete	numeric-1.0	9147	2250	Female horses used primarily for draft purpose age 3 years and older
20	<a href="#">P136</a>	Total horses for transportaion age 3 years and older	discrete	numeric-2.0	9207	2190	Total horses for transportaion age 3 years and older
21	<a href="#">P137</a>	Male horses for transportaion age 3 years and older	discrete	numeric-1.0	9160	2237	Male horses for transportaion age 3 years and older
22	<a href="#">P138</a>	Female horses for transportaion age 3 years and older	discrete	numeric-1.0	9166	2231	-
23	<a href="#">P139</a>	Total horses for other purposes age 3 years and older	discrete	numeric-1.0	9119	2278	Total horses for other purposes age 3 years and older
24	<a href="#">P140</a>	Male horses for other purposes age 3 years and older	discrete	numeric-1.0	9103	2294	Male horses for other purposes age 3 years and older
25	<a href="#">P141</a>	Female horses for other purposes age 3 years and older	discrete	numeric-1.0	9113	2284	Female horses for other purposes age 3 years and older

File MULE							
#	Name	Label	Type	Format	Valid	Invalid	Question
1	<a href="#">V01</a>	Region	discrete	numeric-2.0	8080	0	Region
2	<a href="#">V02</a>	Zone	discrete	numeric-2.0	8080	0	Zone
3	<a href="#">V03</a>	Wereda	continuous	numeric-2.0	8080	0	Wereda
4	<a href="#">V04</a>	FA	continuous	numeric-3.0	8080	0	Farmers association
5	<a href="#">V05</a>	EA	discrete	numeric-2.0	8080	0	Enumeration Area
6	<a href="#">V06</a>	HH	continuous	numeric-3.0	8080	0	Household Number
7	<a href="#">V07</a>	HHHolder	discrete	numeric-1.0	8080	0	Holder Number
8	<a href="#">P142</a>	Total MULES of all ages	discrete	numeric-2.0	5843	2237	-
9	<a href="#">P143</a>	Male MULES of all ages	discrete	numeric-2.0	5807	2273	Male MULES of all ages
10	<a href="#">P144</a>	Female MULES of all ages	discrete	numeric-1.0	5819	2261	-
11	<a href="#">P145</a>	Total mules age less than 3 years	discrete	numeric-1.0	5811	2269	Total mules age less than 3 years
12	<a href="#">P146</a>	Male mules age less than 3 years	discrete	numeric-1.0	5794	2286	Male mules age less than 3 years
13	<a href="#">P147</a>	Female mules age less than 3 years	discrete	numeric-1.0	5796	2284	Female mules age less than 3 years
14	<a href="#">P148</a>	Total mules age 3 years and older	discrete	numeric-1.0	5826	2254	Total mules age 3 years and older
15	<a href="#">P149</a>	Male mules age 3 years and older	discrete	numeric-1.0	5798	2282	Male mules age 3 years and older
16	<a href="#">P150</a>	Female mules age 3 years and older	discrete	numeric-1.0	5808	2272	Female mules age 3 years and older
17	<a href="#">P151</a>	Total mules used primarily for draft porpuse age 3 years and older	discrete	numeric-1.0	5792	2288	Total mules used primarily for draft porpuse age 3 years and older
18	<a href="#">P152</a>	Male mules used primarily for draft porpuse age 3 years and older	discrete	numeric-1.0	5786	2294	Male mules used primarily for draft porpuse age 3 years and older
19	<a href="#">P153</a>	Female mules used primarily for draft porpuse age 3 years and older	discrete	numeric-1.0	5787	2293	Female mules used primarily for draft porpuse age 3 years and older
20	<a href="#">P154</a>	Total mules for transportation purposes age 3 years and older	discrete	numeric-1.0	5829	2251	Total mules for transportation purposes age 3 years and older
21	<a href="#">P155</a>	Male mules for transportation purposes age 3 years and older	discrete	numeric-1.0	5798	2282	Male mules for transportation purposes age 3 years and older
22	<a href="#">P156</a>	Female mules for transportation purposes age 3 years and older	discrete	numeric-1.0	5814	2266	Female mules for transportation purposes age 3 years and older
23	<a href="#">P157</a>	Total mules for other porpuse age 3 years and older	discrete	numeric-1.0	5793	2287	Total mules for other porpuse age 3 years and older
24	<a href="#">P158</a>	Male mules for other porpuse age 3 years and older	discrete	numeric-1.0	5787	2293	-
25	<a href="#">P159</a>	Female mules for other porpuse age 3 years and older	discrete	numeric-1.0	5787	2293	Female mules for other porpuse age 3 years and older

File NEWBIRTH							
#	Name	Label	Type	Format	Valid	Invalid	Question
1	<a href="#">V01</a>	Region	discrete	numeric-2.0	188486	0	Region
2	<a href="#">V02</a>	Zone	discrete	numeric-2.0	188486	0	Zone
3	<a href="#">V03</a>	Wereda	continuous	numeric-2.0	188486	0	Wereda
4	<a href="#">V04</a>	FA	continuous	numeric-3.0	188486	0	Farmers association
5	<a href="#">V05</a>	EA	discrete	numeric-2.0	188486	0	Enumeration Area
6	<a href="#">V06</a>	HH	continuous	numeric-3.0	188486	0	Household Number
7	<a href="#">V07</a>	HHHolder	discrete	numeric-1.0	188486	0	Holder Number
8	<a href="#">PQ161</a>	Serial No.	discrete	numeric-1.0	188486	0	Serial Number
9	<a href="#">PQ163</a>	Born	continuous	numeric-9.0	188486	0	Born
10	<a href="#">PQ164</a>	Bought	continuous	numeric-9.0	188486	0	Bought
11	<a href="#">PQ165</a>	Gift	continuous	numeric-9.0	188486	0	Gift
12	<a href="#">PQ166</a>	Sold	continuous	numeric-9.0	188485	1	-
13	<a href="#">PQ167</a>	Slaughtered	continuous	numeric-9.0	188486	0	-
14	<a href="#">PQ168</a>	Given out	continuous	numeric-9.0	188486	0	-
15	<a href="#">PQ169</a>	Toatl Died due to diseases	continuous	numeric-9.0	188486	0	-
16	<a href="#">PQ1610</a>	Total Died due to other reason	continuous	numeric-9.0	188486	0	-

File POULTRY							
#	Name	Label	Type	Format	Valid	Invalid	Question
1	<a href="#">V01</a>	Region	discrete	numeric-2.0	42507	0	Region
2	<a href="#">V02</a>	Zone	discrete	numeric-2.0	42507	0	Zone
3	<a href="#">V03</a>	Wereda	continuous	numeric-2.0	42507	0	Wereda
4	<a href="#">V04</a>	FA	continuous	numeric-3.0	42507	0	Farmers association
5	<a href="#">V05</a>	EA	discrete	numeric-2.0	42507	0	Enumeration Area
6	<a href="#">V06</a>	HH	continuous	numeric-3.0	42507	0	Household Number
7	<a href="#">V07</a>	HHHolder	discrete	numeric-1.0	42507	0	Holder Number
8	<a href="#">P201</a>	poultry Total	continuous	numeric-2.0	41506	1001	Total poultry
9	<a href="#">P202</a>	poultry Total_ind	continuous	numeric-2.0	41506	1001	Indigenes Total poultry
10	<a href="#">P203</a>	poultry Total_hybrid	continuous	numeric-2.0	41506	1001	Hybrid Total poultry
11	<a href="#">P204</a>	poultry Total_foreign	continuous	numeric-2.0	41506	1001	Foreign total poultry
12	<a href="#">P205</a>	Laying hens	continuous	numeric-2.0	40349	2158	Laying hens
13	<a href="#">P206</a>	Laying hens_ind	continuous	numeric-2.0	40259	2248	Laying hens Indigenes
14	<a href="#">P207</a>	Laying hens_hybrid	continuous	numeric-2.0	39116	3391	Laying hens hybrid
15	<a href="#">P208</a>	Laying hens_foreign	discrete	numeric-2.0	39083	3424	Laying hens foreign
16	<a href="#">P209</a>	Non-laying hens	discrete	numeric-2.0	38415	4092	Non-laying hens
17	<a href="#">P210</a>	Non-laying hens Indigenes	discrete	numeric-2.0	38400	4107	Non-laying hensIndigenes
18	<a href="#">P211</a>	Non-laying hens_hybrid	discrete	numeric-1.0	38296	4211	Non-laying hens_hybrid
19	<a href="#">P212</a>	Non-laying hens_foreign	discrete	numeric-1.0	38290	4217	Non-laying hens_foreign

<b>File POULTRY</b>							
#	Name	Label	Type	Format	Valid	Invalid	Question
20	<a href="#">P213</a>	Cocks-males	discrete	numeric-2.0	39262	3245	Cocks-males
21	<a href="#">P214</a>	Cocks-males Indigenes	discrete	numeric-2.0	39206	3301	Cocks-males Indigenes
22	<a href="#">P215</a>	Cocks-males_hybrid	discrete	numeric-1.0	38668	3839	Cocks-males_hybrid
23	<a href="#">P216</a>	Cocks-males foreign	discrete	numeric-1.0	38644	3863	ocks-males foreign
24	<a href="#">P217</a>	Cockerels	discrete	numeric-2.0	38479	4028	Cockerels
25	<a href="#">P218</a>	Cockerels Indigenes	discrete	numeric-2.0	38462	4045	Cockerels Indigenes
26	<a href="#">P219</a>	Cockerels_hybrid	discrete	numeric-1.0	38275	4232	Cockerels hybrid
27	<a href="#">P220</a>	Cockerels_foreign	discrete	numeric-1.0	38265	4242	Cockerels foreign
28	<a href="#">P221</a>	Pullets	continuous	numeric-2.0	38830	3677	Pullets
29	<a href="#">P222</a>	Pullets Indigenes	continuous	numeric-2.0	38779	3728	Pullets Indigenes
30	<a href="#">P223</a>	Pullets_hybrid	discrete	numeric-2.0	38422	4085	Pullets hybrid
31	<a href="#">P224</a>	Pullets_foreign	discrete	numeric-1.0	38404	4103	Pullets foreign
32	<a href="#">P225</a>	Chicks	continuous	numeric-2.0	39098	3409	Chicks
33	<a href="#">P226</a>	Chicks Indigenes	continuous	numeric-2.0	39061	3446	Chicks Indigenes
34	<a href="#">P227</a>	Chicks_hybrid	continuous	numeric-2.0	38553	3954	Chicks hybrid
35	<a href="#">P228</a>	Chicks_foreign	discrete	numeric-2.0	38545	3962	Chicks foreign

<b>File SHEEP</b>							
#	Name	Label	Type	Format	Valid	Invalid	Question
1	<a href="#">V01</a>	Region	discrete	numeric-2.0	28482	0	Region
2	<a href="#">V02</a>	Zone	discrete	numeric-2.0	28482	0	Zone
3	<a href="#">V03</a>	Wereda	continuous	numeric-2.0	28482	0	Wereda
4	<a href="#">V04</a>	FA	continuous	numeric-3.0	28482	0	Farmers association
5	<a href="#">V05</a>	EA	discrete	numeric-2.0	28482	0	Enumeration Area
6	<a href="#">V06</a>	HH	continuous	numeric-3.0	28482	0	Household Number
7	<a href="#">V07</a>	HHolder	discrete	numeric-1.0	28482	0	Holder Number
8	<a href="#">P47</a>	Total sheep of all age	continuous	numeric-3.0	27042	1440	Total sheep of all age
9	<a href="#">P48</a>	Male sheep of all age	continuous	numeric-3.0	26798	1684	Male sheep of all age
10	<a href="#">P49</a>	Female sheep of all age	continuous	numeric-3.0	26990	1492	Female sheep of all age
11	<a href="#">P50</a>	Total sheep age less than 6 months	continuous	numeric-2.0	26696	1786	Total sheep age less than 6 months
12	<a href="#">P51</a>	Male sheep age less than 6 months	continuous	numeric-2.0	26575	1907	Male sheep age less than 6 months
13	<a href="#">P52</a>	Female sheep age less than 6 months	continuous	numeric-2.0	26567	1915	Female sheep age less than 6 months
14	<a href="#">P53</a>	Total sheep age 6 months to 1 year	continuous	numeric-2.0	26446	2036	Total sheep age 6 months to 1 year
15	<a href="#">P54</a>	Male sheep age 6 months to 1 year	continuous	numeric-2.0	26350	2132	Male sheep age 6 months to 1 year
16	<a href="#">P55</a>	Female sheep age 6 months to 1 year	continuous	numeric-2.0	26356	2126	Female sheep age 6 months to 1 year

<b>File SHEEP</b>							
#	Name	Label	Type	Format	Valid	Invalid	Question
17	<a href="#">P56</a>	Total sheep age 1 years to 2 years	continuous	numeric-3.0	26491	1991	Total sheep age 1 years to 2 years
18	<a href="#">P57</a>	Male sheep age 1 years to 2 years	continuous	numeric-2.0	26341	2141	Male sheep age 1 years to 2 years
19	<a href="#">P58</a>	Female sheep age 1 years to 2 years	continuous	numeric-2.0	26421	2061	Female sheep age 1 years to 2 years
20	<a href="#">P59</a>	Total sheep age 2 years and older	continuous	numeric-3.0	26908	1574	Total sheep age 2 years and older
21	<a href="#">P60</a>	Male sheep age 2 years and older	continuous	numeric-2.0	26426	2056	Male sheep age 2 years and older
22	<a href="#">P61</a>	Female sheep age 2 years and older	continuous	numeric-3.0	26890	1592	Female sheep age 2 years and older
23	<a href="#">P62</a>	Total sheep for meet age 2 years and older	continuous	numeric-2.0	26254	2228	Total sheep for meet age 2 years and older
24	<a href="#">P63</a>	Male sheep for meet age 2 years and older	continuous	numeric-2.0	26247	2235	Male sheep for meet age 2 years and older
25	<a href="#">P64</a>	Female sheep for meet age 2 years and older	continuous	numeric-2.0	26199	2283	Female sheep for meet age 2 years and older
26	<a href="#">P65</a>	Total sheep for Wool only age 2 years and older	discrete	numeric-2.0	26193	2289	Total sheep for Wool only age 2 years and older
27	<a href="#">P66</a>	Male sheep for Wool only age 2 years and older	discrete	numeric-1.0	26187	2295	Male sheep for Wool only age 2 years and older
28	<a href="#">P67</a>	Female sheep for Wool only age 2 years and older	discrete	numeric-2.0	26188	2294	Female sheep for Wool only age 2 years and older
29	<a href="#">P68</a>	Total sheep for breeding only age 2 years and older	continuous	numeric-3.0	26933	1549	Total sheep for breeding only age 2 years and older
30	<a href="#">P69</a>	Male sheep for breeding only age 2 years and older	continuous	numeric-2.0	26445	2037	Male sheep for breeding only age 2 years and older
31	<a href="#">P70</a>	Female sheep for breeding only age 2 years and older	continuous	numeric-3.0	26924	1558	Female sheep for breeding only age 2 years and older
32	<a href="#">P71</a>	Total sheep for other purpose age 2 years and older	discrete	numeric-2.0	26212	2270	Total sheep for other purpose age 2 years and older
33	<a href="#">P72</a>	Male sheep for other purpose age 2 years and older	discrete	numeric-2.0	26202	2280	Male sheep for other purpose age 2 years and older
34	<a href="#">P73</a>	Female sheep for other purpose age 2 years and older	discrete	numeric-2.0	26194	2288	Female sheep for other purpose age 2 years and older
35	<a href="#">P74</a>	Total Grand	continuous	numeric-3.0	27042	1440	Total Grand
36	<a href="#">P75</a>	Male Total Grand	continuous	numeric-3.0	26798	1684	Male Total Grand
37	<a href="#">P76</a>	Female Total Grand	continuous	numeric-3.0	26990	1492	Female Total Grand
38	<a href="#">P77</a>	Total Local breed	continuous	numeric-3.0	27022	1460	Total Local breed
39	<a href="#">P78</a>	Male Local breed	continuous	numeric-3.0	26786	1696	Male Local breed
40	<a href="#">P79</a>	Female Total Local breed	continuous	numeric-3.0	26974	1508	Female Total Local breed
41	<a href="#">P80</a>	Total Exotic	discrete	numeric-1.0	26196	2286	Total Exotic
42	<a href="#">P81</a>	Male Total Exotic	discrete	numeric-1.0	26189	2293	Male Total Exotic
43	<a href="#">P82</a>	Female Total Exotic	discrete	numeric-1.0	26188	2294	Female Total Exotic

<b>File SHEEP</b>							
#	Name	Label	Type	Format	Valid	Invalid	Question
44	<a href="#">P83</a>	Total Hybrid	discrete	numeric-1.0	26192	2290	Total Hybrid
45	<a href="#">P84</a>	Male Total Hybrid	discrete	numeric-1.0	26187	2295	Male Total Hybrid
46	<a href="#">P85</a>	Female Total Hybrid	discrete	numeric-1.0	26188	2294	Female Total Hybrid

<b>File VACCIN</b>							
#	Name	Label	Type	Format	Valid	Invalid	Question
1	<a href="#">V01</a>	Region	discrete	numeric-2.0	53239	0	Region
2	<a href="#">V02</a>	Zone	discrete	numeric-2.0	53239	0	Zone
3	<a href="#">V03</a>	Wereda	continuous	numeric-2.0	53239	0	Wereda
4	<a href="#">V04</a>	FA	continuous	numeric-3.0	53239	0	Farmers association
5	<a href="#">V05</a>	Enumeration Area	discrete	numeric-2.0	53239	0	Enumeration Area
6	<a href="#">V06</a>	HH	continuous	numeric-3.0	53239	0	Household Number
7	<a href="#">V07</a>	HHolder	discrete	numeric-1.0	53239	0	Holder Number
8	<a href="#">PQ171</a>	Serial No.	discrete	numeric-1.0	53239	0	Serial Number
9	<a href="#">PQ173</a>	Total vaccinated	continuous	numeric-9.0	53239	0	Total vaccinated
10	<a href="#">PQ174</a>	Vaccinated for "Abasenga"	continuous	numeric-8.0	53239	0	Vaccinated for "Abasenga"
11	<a href="#">PQ175</a>	Vaccinated for "Abagorba"	continuous	numeric-8.0	53239	0	Vaccinated for "Abagorba"
12	<a href="#">PQ176</a>	Vaccinated for Tuberculosis	continuous	numeric-9.0	53239	0	Vaccinated for Tuberculosis
13	<a href="#">PQ177</a>	Vaccinated for "Gororsa"	continuous	numeric-8.0	53239	0	Vaccinated for "Gororsa"
14	<a href="#">PQ178</a>	Vaccinated for "Desta"	continuous	numeric-8.0	53239	0	Vaccinated for "Desta"
15	<a href="#">PQ179</a>	Vaccinated for Other Disease	continuous	numeric-9.0	53239	0	Vaccinated for Other Disease

# Variables Description

Dataset contains 418 variable(s)

File BEEHIVE			
#1 V01: Region			
Information	[Type= discrete] [Format=numeric] [Range= 1-15] [Missing=*]		
Statistics [NW/ W]	[Valid=71617 /-] [Invalid=0 /-]		
Literal question	Region		
Value	Label	Cases	Percentage
1	Tigray	4910	6.9%
2	Afar	1486	2.1%
3	Amhara	13525	18.9%
4	Oromia	23336	32.6%
5	Somalia	2085	2.9%
6	Benshangul_Gumz	2969	4.1%
7	S.N.N.P.R	19413	27.1%
12	Gambella	2436	3.4%
13	Harari	725	1.0%
14	Addis_Ababa	0	0.0%
15	Dire_Dawa	732	1.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
#2 V02: Zone			
Information	[Type= discrete] [Format=numeric] [Range= 1-21] [Missing=*]		
Statistics [NW/ W]	[Valid=71617 /-] [Invalid=0 /-] [Mean=7.198 /-] [StdDev=5.384 /-]		
Literal question	Zone		
Value	Label	Cases	Percentage
1		8698	12.1%
2		7220	10.1%
3		6940	9.7%
4		6777	9.5%
5		4882	6.8%
6		4590	6.4%
7		3958	5.5%
8		3364	4.7%
9		4101	5.7%
10		3617	5.1%
11		2715	3.8%
12		2371	3.3%
13		1880	2.6%
14		1767	2.5%
15		612	0.9%
16		614	0.9%
17		2339	3.3%
18		1836	2.6%
19		1819	2.5%

<b>File BEEHIVE</b>			
<b>#2 V02: Zone</b>			
Value	Label	Cases	Percentage
20		911	1.3%
21		606	0.8%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b>#3 V03: Wereda</b>			
Information	[Type= continuous] [Format=numeric] [Range= 1-24] [Missing=*]		
Statistics [NW/ W]	[Valid=71617 /-] [Invalid=0 /-] [Mean=5.752 /-] [StdDev=4.66 /-]		
Literal question	Wereda		
<b>#4 V04: Farmers Association</b>			
Information	[Type= continuous] [Format=numeric] [Range= 1-403] [Missing=*]		
Statistics [NW/ W]	[Valid=71617 /-] [Invalid=0 /-] [Mean=14.741 /-] [StdDev=19.858 /-]		
Literal question	Farmers Association		
<b>#5 V05: Enumeration Area</b>			
Information	[Type= discrete] [Format=numeric] [Range= 1-17] [Missing=*]		
Statistics [NW/ W]	[Valid=71617 /-] [Invalid=0 /-] [Mean=3.014 /-] [StdDev=2.091 /-]		
Literal question	Enumeration Area		
Value	Label	Cases	Percentage
1		19859	27.7%
2		16542	23.1%
3		12257	17.1%
4		8512	11.9%
5		5840	8.2%
6		3726	5.2%
7		2167	3.0%
8		1095	1.5%
9		792	1.1%
10		274	0.4%
11		250	0.3%
12		181	0.3%
13		61	0.1%
16		30	0.0%
17		31	0.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b>#6 V06: Household Number</b>			
Information	[Type= continuous] [Format=numeric] [Range= 0-999] [Missing=*]		
Statistics [NW/ W]	[Valid=71617 /-] [Invalid=0 /-] [Mean=88.207 /-] [StdDev=60.007 /-]		
Literal question	Household Number		
<b>#7 V07: Holder Number</b>			
Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]		
Statistics [NW/ W]	[Valid=71617 /-] [Invalid=0 /-] [Mean=1.079 /-] [StdDev=0.393 /-]		
Literal question	Holder Number		

## File BEEHIVE

### #7 V07: Holder Number

Value	Label	Cases	Percentage
0		4	0.0%
1		67497	94.2%
2		3199	4.5%
3		655	0.9%
4		152	0.2%
5		37	0.1%
6		13	0.0%
7		12	0.0%
8		6	0.0%
9		42	0.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### #8 PQ2: Do you have Beehives?

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-4] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=69754 /-] [Invalid=1863 /-]
<b>Literal question</b>	Do you have Beehives?

Value	Label	Cases	Percentage
0		153	0.2%
1	Yes	64287	92.2%
2	No	5313	7.6%
4		1	0.0%
Sysmiss		1863	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### #9 P229: Total beehive

<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-110] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=66993 /-] [Invalid=4624 /-] [Mean=0.441 /-] [StdDev=2.711 /-]
<b>Literal question</b>	Total beehive

### #10 P230: Traditional beehives

<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-110] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=67152 /-] [Invalid=4465 /-] [Mean=0.432 /-] [StdDev=2.686 /-]
<b>Literal question</b>	Traditional beehives

### #11 P231: Intermediate beehives

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-20] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=66995 /-] [Invalid=4622 /-] [Mean=0.00546 /-] [StdDev=0.165 /-]		
Value	Label	Cases	Percentage
0		66819	99.7%
1		106	0.2%
2		35	0.1%
3		17	0.0%
4		3	0.0%
5		4	0.0%

## File BEEHIVE

### #11 P231: Intermediate beehives

Value	Label	Cases	Percentage
6		4	0.0%
7		2	0.0%
10		2	0.0%
12		1	0.0%
17		1	0.0%
20		1	0.0%
Systemmiss		4622	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### #12 P232: Modern beehives

**Information** [Type= continuous] [Format=numeric] [Range= 0-60] [Missing=\*]

**Statistics [NW/ W]** [Valid=67005 /-] [Invalid=4612 /-] [Mean=0.0102 /-] [StdDev=0.296 /-]

### #13 PQ3: PQ3

**Information** [Type= discrete] [Format=numeric] [Range= 0-2] [Missing=\*]

**Statistics [NW/ W]** [Valid=71617 /-] [Invalid=0 /-]

**Literal question** Intermediate beehives

Value	Label	Cases	Percentage
0		1697	2.4%
1	Yes	19111	26.7%
2	No	50809	70.9%

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## File CAMEL

### #1 V01: Region

**Information** [Type= discrete] [Format=numeric] [Range= 1-15] [Missing=\*]

**Statistics [NW/ W]** [Valid=8392 /-] [Invalid=0 /-]

**Literal question** Region

Value	Label	Cases	Percentage
1	Tigray	454	5.4%
2	Afar	766	9.1%
3	Amhara	1443	17.2%
4	Oromia	1901	22.7%
5	Somalia	1050	12.5%
6	Benshangul_Gumz	275	3.3%
7	S.N.N.P.R	1583	18.9%
12	Gambella	243	2.9%
13	Harari	304	3.6%
14	Addis_Ababa	0	0.0%
15	Dire_Dawa	373	4.4%

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### #2 V02: Zone

**Information** [Type= discrete] [Format=numeric] [Range= 1-21] [Missing=\*]

**File CAMEL****#2 V02: Zone**

<b>Statistics [NW/ W]</b>	[Valid=8392 /-] [Invalid=0 /-] [Mean=6.271 /-] [StdDev=5.124 /-]
---------------------------	--

<b>Literal question</b>	Zone
-------------------------	------

Value	Label	Cases	Percentage
1		1843	22.0%
2		867	10.3%
3		751	8.9%
4		620	7.4%
5		409	4.9%
6		376	4.5%
7		444	5.3%
8		275	3.3%
9		778	9.3%
10		368	4.4%
11		350	4.2%
12		397	4.7%
13		146	1.7%
14		137	1.6%
16		31	0.4%
17		224	2.7%
18		56	0.7%
19		159	1.9%
20		119	1.4%
21		42	0.5%

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

**#3 V03: Wereda**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-21] [Missing=*]
--------------------	---

<b>Statistics [NW/ W]</b>	[Valid=8392 /-] [Invalid=0 /-] [Mean=4.991 /-] [StdDev=4.223 /-]
---------------------------	--

<b>Literal question</b>	Wereda
-------------------------	--------

Value	Label	Cases	Percentage
1		1929	23.0%
2		1152	13.7%
3		992	11.8%
4		831	9.9%
5		637	7.6%
6		474	5.6%
7		452	5.4%
8		421	5.0%
9		261	3.1%
10		220	2.6%
11		170	2.0%
12		228	2.7%
13		135	1.6%
14		137	1.6%

<b>File CAMEL</b>			
<b>#3 V03: Wereda</b>			
Value	Label	Cases	Percentage
15		59	0.7%
16		120	1.4%
17		65	0.8%
18		79	0.9%
21		30	0.4%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b>#4 V04: Farmers association</b>			
Information	[Type= continuous] [Format=numeric] [Range= 1-403] [Missing=*]		
Statistics [NW/ W]	[Valid=8392 /-] [Invalid=0 /-] [Mean=14.64 /-] [StdDev=21.855 /-]		
Literal question	Farmers association		
<b>#5 V05: Enumeration</b>			
Information	[Type= discrete] [Format=numeric] [Range= 1-17] [Missing=*]		
Statistics [NW/ W]	[Valid=8392 /-] [Invalid=0 /-] [Mean=2.758 /-] [StdDev=1.97 /-]		
Literal question	Enumeration		
Value	Label	Cases	Percentage
1		2676	31.9%
2		1975	23.5%
3		1366	16.3%
4		1137	13.5%
5		557	6.6%
6		236	2.8%
7		234	2.8%
8		137	1.6%
9		20	0.2%
10		8	0.1%
11		10	0.1%
13		3	0.0%
16		30	0.4%
17		3	0.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b>#6 V06: HH</b>			
Information	[Type= continuous] [Format=numeric] [Range= 0-635] [Missing=*]		
Statistics [NW/ W]	[Valid=8392 /-] [Invalid=0 /-] [Mean=83.838 /-] [StdDev=60.378 /-]		
Literal question	Household Number		
<b>#7 V07: HHolder</b>			
Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]		
Statistics [NW/ W]	[Valid=8392 /-] [Invalid=0 /-] [Mean=1.079 /-] [StdDev=0.538 /-]		
Literal question	Holder Number		
Value	Label	Cases	Percentage
0		2	0.0%

<b>File CAMEL</b>			
<b>#7 V07: HHolder</b>			
Value	Label	Cases	Percentage
1		8094	96.4%
2		128	1.5%
3		98	1.2%
4		30	0.4%
5		13	0.2%
6		2	0.0%
7		4	0.0%
8		4	0.0%
9		17	0.2%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b>#8 P178: Total CAMELS of all ages</b>			
Information	[Type= continuous] [Format=numeric] [Range= 0-140] [Missing=*]		
Statistics [NW/ W]	[Valid=6153 /-] [Invalid=2239 /-] [Mean=1.946 /-] [StdDev=6.165 /-]		
Literal question	Total CAMELS of all ages		
<b>#9 P179: Total CAMELS of all ages</b>			
Information	[Type= continuous] [Format=numeric] [Range= 0-53] [Missing=*]		
Statistics [NW/ W]	[Valid=6148 /-] [Invalid=2244 /-] [Mean=0.619 /-] [StdDev=1.788 /-]		
Literal question	Total CAMELS of all ages		
<b>#10 P180: Female CAMELS of all ages</b>			
Information	[Type= continuous] [Format=numeric] [Range= 0-99] [Missing=*]		
Statistics [NW/ W]	[Valid=6138 /-] [Invalid=2254 /-] [Mean=1.331 /-] [StdDev=4.837 /-]		
Literal question	Female CAMELS of all ages		
<b>#11 P181: Total camels age less than 4 years</b>			
Information	[Type= continuous] [Format=numeric] [Range= 0-48] [Missing=*]		
Statistics [NW/ W]	[Valid=6121 /-] [Invalid=2271 /-] [Mean=0.563 /-] [StdDev=2.078 /-]		
Literal question	Total camels age less than 4 years		
<b>#12 P182: Male camels age less than 4 years</b>			
Information	[Type= discrete] [Format=numeric] [Range= 0-20] [Missing=*]		
Statistics [NW/ W]	[Valid=6117 /-] [Invalid=2275 /-] [Mean=0.218 /-] [StdDev=0.766 /-]		
Literal question	Male camels age less than 4 years		
Value	Label	Cases	Percentage
0		5306	86.7%
1		512	8.4%
2		204	3.3%
3		52	0.9%
4		21	0.3%
5		9	0.1%
6		1	0.0%
7		4	0.1%
8		1	0.0%

## File CAMEL

### #12 P182: Male camels age less than 4 years

Value	Label	Cases	Percentage
9		2	0.0%
10		1	0.0%
13		2	0.0%
15		1	0.0%
20		1	0.0%
Sysmiss		2275	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### #13 P183: Female camels age less than 4 years

<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-39] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=6116 /-] [Invalid=2276 /-] [Mean=0.345 /-] [StdDev=1.572 /-]
<b>Literal question</b>	Female camels age less than 4 years

### #14 P184: Total camels age 4 years and older

<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-110] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=6146 /-] [Invalid=2246 /-] [Mean=1.383 /-] [StdDev=4.473 /-]
<b>Literal question</b>	Total camels age 4 years and older

### #15 P185: Male camels age 4 years and older

<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-40] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=6141 /-] [Invalid=2251 /-] [Mean=0.401 /-] [StdDev=1.281 /-]
<b>Literal question</b>	Male camels age 4 years and older

### #16 P186: Female camels age 4 years and older

<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-70] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=6137 /-] [Invalid=2255 /-] [Mean=0.984 /-] [StdDev=3.635 /-]
<b>Literal question</b>	Female camels age 4 years and older

### #17 P187: Total camels for slaughter age 4 years and older

<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-25] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=6100 /-] [Invalid=2292 /-] [Mean=0.099 /-] [StdDev=0.843 /-]
<b>Literal question</b>	Total camels for slaughter age 4 years and older

### #18 P188: Male camels for slaughter age 4 years and older

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-15] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=6021 /-] [Invalid=2371 /-] [Mean=0.0593 /-] [StdDev=0.511 /-]
<b>Literal question</b>	Male camels for slaughter age 4 years and older

Value	Label	Cases	Percentage
0		5869	97.5%
1		76	1.3%
2		37	0.6%
3		8	0.1%
4		12	0.2%
5		8	0.1%
6		2	0.0%

## File CAMEL

### #18 P188: Male camels for slaughter age 4 years and older

Value	Label	Cases	Percentage
7		3	0.0%
8		3	0.0%
10		1	0.0%
13		1	0.0%
15		1	0.0%
Sysmiss		2371	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### #19 P189: Female camels for slaughter age 4 years and older

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-15] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=6019 /-] [Invalid=2373 /-] [Mean=0.041 /-] [StdDev=0.489 /-]
<b>Literal question</b>	Female camels for slaughter age 4 years and older

Value	Label	Cases	Percentage
0		5946	98.8%
1		17	0.3%
2		19	0.3%
3		15	0.2%
4		9	0.1%
5		3	0.0%
6		2	0.0%
7		1	0.0%
9		3	0.0%
10		1	0.0%
12		1	0.0%
13		1	0.0%
15		1	0.0%
Sysmiss		2373	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### #20 P190: Total camles used for draft porpuse age 4 years and older

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=6098 /-] [Invalid=2294 /-] [Mean=0.0105 /-] [StdDev=0.209 /-]
<b>Literal question</b>	Total camles used for draft porpuse age 4 years and older

Value	Label	Cases	Percentage
0		6065	99.5%
1		22	0.4%
2		7	0.1%
3		1	0.0%
8		2	0.0%
9		1	0.0%
Sysmiss		2294	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

<b>File CAMEL</b>			
<b>#21 P191: Male camles used for draft porpuse age 4 years and older</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-7] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=6097 /-] [Invalid=2295 /-] [Mean=0.00738 /-] [StdDev=0.143 /-]		
<b>Literal question</b>	Male camles used for draft porpuse age 4 years and older		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
0		6070	99.6%
1		18	0.3%
2		6	0.1%
3		1	0.0%
5		1	0.0%
7		1	0.0%
Sysmiss		2295	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b>#22 P192: Female camles used for draft porpuse age 4 years and older</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-6] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=6097 /-] [Invalid=2295 /-] [Mean=0.00312 /-] [StdDev=0.103 /-]		
<b>Literal question</b>	Female camles used for draft porpuse age 4 years and older		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
0		6088	99.9%
1		5	0.1%
2		2	0.0%
4		1	0.0%
6		1	0.0%
Sysmiss		2295	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b>#23 P193: Total camels for milk purpose age 4 years and older</b>			
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-64] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=6109 /-] [Invalid=2283 /-] [Mean=0.481 /-] [StdDev=2.021 /-]		
<b>Literal question</b>	Total camels for milk purpose age 4 years and older		
<b>#24 P194: Female camels for milk purpose age 4 years and older</b>			
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-64] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=6110 /-] [Invalid=2282 /-] [Mean=0.481 /-] [StdDev=2.021 /-]		
<b>Literal question</b>	Female camels for milk purpose age 4 years and older		
<b>#25 P195: Total camels for transportation porpuse age 4 years and older</b>			
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-50] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=6132 /-] [Invalid=2260 /-] [Mean=0.388 /-] [StdDev=1.861 /-]		
<b>Literal question</b>	Total camels for transportation porpuse age 4 years and older		
<b>#26 P196: Male camels for transportation porpuse age 4 years and older</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-17] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=6130 /-] [Invalid=2262 /-] [Mean=0.252 /-] [StdDev=0.743 /-]		
<b>Literal question</b>	Male camels for transportation porpuse age 4 years and older		

## File CAMEL

### #26 P196: Male camels for transportation purpose age 4 years and older

Value	Label	Cases	Percentage
0		5116	83.5%
1		717	11.7%
2		191	3.1%
3		53	0.9%
4		25	0.4%
5		9	0.1%
6		11	0.2%
7		2	0.0%
8		2	0.0%
9		1	0.0%
10		2	0.0%
17		1	0.0%
Sysmiss		2262	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### #27 P197: Female camels for transportation purpose age 4 years and older

<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-49] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=6117 /-] [Invalid=2275 /-] [Mean=0.137 /-] [StdDev=1.557 /-]
<b>Literal question</b>	Female camels for transportation purpose age 4 years and older

### #28 P198: Total camels for other purpose age 4 years and older

<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-80] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=6110 /-] [Invalid=2282 /-] [Mean=0.337 /-] [StdDev=2.322 /-]
<b>Literal question</b>	Total camels for other purpose age 4 years and older

### #29 P199: Male camels for other purpose age 4 years and older

<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-40] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=6103 /-] [Invalid=2289 /-] [Mean=0.069 /-] [StdDev=0.733 /-]
<b>Literal question</b>	Male camels for other purpose age 4 years and older

### #30 P200: Female camels for other purpose age 4 years and older

<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-47] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=6109 /-] [Invalid=2283 /-] [Mean=0.268 /-] [StdDev=1.833 /-]
<b>Literal question</b>	Female camels for other purpose age 4 years and older

## File CATTLEFEED

### #1 V01: Region

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-15] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=401397 /-] [Invalid=0 /-]
<b>Literal question</b>	Region

Value	Label	Cases	Percentage
1	Tigray	27916	7.0%
2	Afar	7954	2.0%
3	Amhara	76769	19.1%

## File CATTLEFEED

### #1 V01: Region

Value	Label	Cases	Percentage
4	Oromia	130057	32.4%
5	Somalia	12110	3.0%
6	Benshangul_Gumz	16656	4.1%
7	S.N.N.P.R	109301	27.2%
12	Gambella	12190	3.0%
13	Harari	4153	1.0%
14	Addis_Ababa	0	0.0%
15	Dire_Dawa	4291	1.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### #2 V02: Zone

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-21] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=401397 /-] [Invalid=0 /-] [Mean=7.205 /-] [StdDev=5.37 /-]
<b>Literal question</b>	Zone

Value	Label	Cases	Percentage
1		48433	12.1%
2		41405	10.3%
3		38201	9.5%
4		36411	9.1%
5		27367	6.8%
6		26145	6.5%
7		22180	5.5%
8		18779	4.7%
9		24177	6.0%
10		20738	5.2%
11		15474	3.9%
12		13525	3.4%
13		10742	2.7%
14		9510	2.4%
15		3420	0.9%
16		3362	0.8%
17		12817	3.2%
18		9788	2.4%
19		10078	2.5%
20		5349	1.3%
21		3496	0.9%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### #3 V03: Wereda

<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 1-24] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=401397 /-] [Invalid=0 /-] [Mean=5.776 /-] [StdDev=4.661 /-]
<b>Literal question</b>	Wereda

### #4 V04: Farmers Association

<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 1-403] [Missing=*]
--------------------	--

File CATTLEFEED			
<b>#4 V04: Farmers Association</b>			
Statistics [NW/ W]	[Valid=401397 /-] [Invalid=0 /-] [Mean=14.473 /-] [StdDev=17.226 /-]		
Literal question	Farmers Association		
<b>#5 V05: Enumeration Area</b>			
Information	[Type= discrete] [Format=numeric] [Range= 1-17] [Missing=*]		
Statistics [NW/ W]	[Valid=401397 /-] [Invalid=0 /-] [Mean=3.018 /-] [StdDev=2.09 /-]		
Literal question	Enumeration Area		
Value	Label	Cases	Percentage
1		110825	27.6%
2		92663	23.1%
3		68623	17.1%
4		47932	11.9%
5		33118	8.3%
6		21043	5.2%
7		12149	3.0%
8		5952	1.5%
9		4471	1.1%
10		1582	0.4%
11		1364	0.3%
12		961	0.2%
13		348	0.1%
16		180	0.0%
17		186	0.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b>#6 V06: Household number</b>			
Information	[Type= continuous] [Format=numeric] [Range= 0-999] [Missing=*]		
Statistics [NW/ W]	[Valid=401397 /-] [Invalid=0 /-] [Mean=88.205 /-] [StdDev=60.022 /-]		
Literal question	Household number		
<b>#7 V07: Holder Number</b>			
Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]		
Statistics [NW/ W]	[Valid=401397 /-] [Invalid=0 /-] [Mean=1.071 /-] [StdDev=0.385 /-]		
Literal question	Holder Number		
Value	Label	Cases	Percentage
0		18	0.0%
1		380987	94.9%
2		15668	3.9%
3		3292	0.8%
4		798	0.2%
5		204	0.1%
6		70	0.0%
7		72	0.0%
8		36	0.0%
9		252	0.1%

**File CATTLEFEED****#7 V07: Holder Number**

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

**#8 PQ181: Serial Number**

**Information** [Type= discrete] [Format=numeric] [Range= 1-6] [Missing=\*]

**Statistics [NW/ W]** [Valid=401397 /-] [Invalid=0 /-] [Mean=3.484 /-] [StdDev=1.711 /-]

**Literal question** Serial Number

Value	Label	Cases	Percentage
1		68169	17.0%
2		67524	16.8%
3		66507	16.6%
4		66553	16.6%
5		66287	16.5%
6		66357	16.5%

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

**#9 PQ182: Type of livestock feed**

**Information** [Type= discrete] [Format=numeric] [Range= 1-6] [Missing=\*]

**Statistics [NW/ W]** [Valid=401397 /-] [Invalid=0 /-]

**Literal question** Type of livestock feed

Value	Label	Cases	Percentage
1	Grazing	68168	17.0%
2	Crop Residue	67565	16.8%
3	Improved Pasture	66493	16.6%
4	Hay	66545	16.6%
5	Grain Byproduct	66282	16.5%
6	Others	66344	16.5%

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

**#10 PQ183: Utilized**

**Information** [Type= discrete] [Format=numeric] [Range= 0-8] [Missing=\*]

**Statistics [NW/ W]** [Valid=392641 /-] [Invalid=8756 /-]

**Literal question** Utilized

Value	Label	Cases	Percentage
0		206	0.1%
1	Yes	148886	37.9%
2	No	243535	62.0%
3		6	0.0%
4		1	0.0%
5		1	0.0%
6		1	0.0%
7		2	0.0%
8		3	0.0%
Sysmiss		8756	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## File CATTLEFEED

### #11 PQ184: Percentage used

<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-930] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=401397 /-] [Invalid=0 /-] [Mean=15.798 /-] [StdDev=27.768 /-]
<b>Literal question</b>	Percentage used

### #12 PQ185: Source of Food

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=363651 /-] [Invalid=37746 /-]
<b>Literal question</b>	Source of Food

Value	Label	Cases	Percentage
0		215315	59.2%
1	Own property	90004	24.8%
2	Purchased	9552	2.6%
3	Public property	22328	6.1%
4	1 & 2	8977	2.5%
5	1 & 3	13242	3.6%
6	2 & 3	344	0.1%
7	1, 2 & 3	707	0.2%
8	Other	3182	0.9%
Sysmiss		37746	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## File CATTLE

### #1 V01: Region

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-15] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=70788 /-] [Invalid=0 /-]
<b>Literal question</b>	Region

Value	Label	Cases	Percentage
1	Tigray	4832	6.8%
2	Afar	1474	2.1%
3	Amhara	13365	18.9%
4	Oromia	23072	32.6%
5	Somalia	2087	2.9%
6	Benshangul_Gumz	2965	4.2%
7	S.N.N.P.R	19126	27.0%
12	Gambella	2411	3.4%
13	Harari	725	1.0%
14	Addis_Ababa	0	0.0%
15	Dire_Dawa	731	1.0%

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### #2 V02: Zone

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-21] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=70788 /-] [Invalid=0 /-] [Mean=7.193 /-] [StdDev=5.383 /-]
<b>Literal question</b>	Zone

## File CATTLE

### #2 V02: Zone

Value	Label	Cases	Percentage
1		8647	12.2%
2		7178	10.1%
3		6800	9.6%
4		6698	9.5%
5		4777	6.7%
6		4568	6.5%
7		3870	5.5%
8		3325	4.7%
9		4076	5.8%
10		3607	5.1%
11		2716	3.8%
12		2363	3.3%
13		1840	2.6%
14		1747	2.5%
15		544	0.8%
16		588	0.8%
17		2340	3.3%
18		1783	2.5%
19		1814	2.6%
20		911	1.3%
21		596	0.8%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### #3 V03: Wereda

<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 1-24] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=70788 /-] [Invalid=0 /-] [Mean=5.754 /-] [StdDev=4.653 /-]
<b>Literal question</b>	Wereda

### #4 V04: FA

<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 1-403] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=70788 /-] [Invalid=0 /-] [Mean=14.662 /-] [StdDev=19.017 /-]
<b>Literal question</b>	Farmers Association

### #5 V05: EA

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-17] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=70788 /-] [Invalid=0 /-] [Mean=3.011 /-] [StdDev=2.085 /-]
<b>Literal question</b>	Enumeration Area

Value	Label	Cases	Percentage
1		19570	27.6%
2		16421	23.2%
3		12128	17.1%
4		8459	11.9%
5		5732	8.1%
6		3708	5.2%

## File CATTLE

### #5 V05: EA

Value	Label	Cases	Percentage
7		2142	3.0%
8		1058	1.5%
9		747	1.1%
10		274	0.4%
11		249	0.4%
12		181	0.3%
13		61	0.1%
16		30	0.0%
17		28	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### #6 V06: HH

Information	[Type= continuous] [Format=numeric] [Range= 0-999] [Missing=*]
Statistics [NW/ W]	[Valid=70788 /-] [Invalid=0 /-] [Mean=88.117 /-] [StdDev=59.925 /-]
Literal question	Household Number

### #7 V07: HHolder

Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]
Statistics [NW/ W]	[Valid=70788 /-] [Invalid=0 /-] [Mean=1.076 /-] [StdDev=0.378 /-]
Literal question	Holder Number

Value	Label	Cases	Percentage
0		4	0.0%
1		66769	94.3%
2		3164	4.5%
3		622	0.9%
4		139	0.2%
5		30	0.0%
6		10	0.0%
7		9	0.0%
8		6	0.0%
9		35	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### #8 P01: Total cattle of all age

Information	[Type= continuous] [Format=numeric] [Range= 0-263] [Missing=*]
Statistics [NW/ W]	[Valid=70304 /-] [Invalid=484 /-] [Mean=3.716 /-] [StdDev=5.279 /-]
Literal question	Total cattle of all age

### #9 P02: Male cattle of all age

Information	[Type= continuous] [Format=numeric] [Range= 0-120] [Missing=*]
Statistics [NW/ W]	[Valid=70043 /-] [Invalid=745 /-] [Mean=1.587 /-] [StdDev=2.128 /-]
Literal question	Male cattle of all age

### #10 P03: Female cattle of all age

Information	[Type= continuous] [Format=numeric] [Range= 0-143] [Missing=*]
-------------	--

**File CATTLE****#10 P03: Female cattle of all age**

<b>Statistics [NW/ W]</b>	[Valid=70092 /-] [Invalid=696 /-] [Mean=2.141 /-] [StdDev=3.618 /-]
---------------------------	---

<b>Literal question</b>	Female cattle of all age
-------------------------	--------------------------

**#11 P04: Total cattle age less than 6 months**

<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-26] [Missing=*]
--------------------	---

<b>Statistics [NW/ W]</b>	[Valid=69022 /-] [Invalid=1766 /-] [Mean=0.365 /-] [StdDev=0.82 /-]
---------------------------	---

<b>Literal question</b>	Total cattle age less than 6 months
-------------------------	-------------------------------------

**#12 P05: Male cattle age less than 6 months**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-14] [Missing=*]
--------------------	---

<b>Statistics [NW/ W]</b>	[Valid=68805 /-] [Invalid=1983 /-] [Mean=0.174 /-] [StdDev=0.477 /-]
---------------------------	--

<b>Literal question</b>	Male cattle age less than 6 months
-------------------------	------------------------------------

Value	Label	Cases	Percentage
0		58884	85.6%
1		8373	12.2%
2		1257	1.8%
3		194	0.3%
4		54	0.1%
5		25	0.0%
6		9	0.0%
7		2	0.0%
8		3	0.0%
9		1	0.0%
10		1	0.0%
11		1	0.0%
14		1	0.0%
Sysmiss		1983	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

**#13 P06: Female cattle age less than 6 months**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-16] [Missing=*]
--------------------	---

<b>Statistics [NW/ W]</b>	[Valid=68820 /-] [Invalid=1968 /-] [Mean=0.193 /-] [StdDev=0.548 /-]
---------------------------	--

<b>Literal question</b>	Female cattle age less than 6 months
-------------------------	--------------------------------------

Value	Label	Cases	Percentage
0		58384	84.8%
1		8535	12.4%
2		1391	2.0%
3		333	0.5%
4		87	0.1%
5		33	0.0%
6		21	0.0%
7		13	0.0%
8		5	0.0%
9		4	0.0%
10		8	0.0%

## File CATTLE

### #13 P06: Female cattle age less than 6 months

Value	Label	Cases	Percentage
11		1	0.0%
12		1	0.0%
13		2	0.0%
14		1	0.0%
16		1	0.0%
Sysmiss		1968	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### #14 P07: Total cattle age 6 months to 1 year

<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-36] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=68963 /-] [Invalid=1825 /-] [Mean=0.341 /-] [StdDev=0.838 /-]
<b>Literal question</b>	Total cattle age 6 months to 1 year

### #15 P08: Male cattle age 6 months to 1 year

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-15] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=68787 /-] [Invalid=2001 /-] [Mean=0.159 /-] [StdDev=0.465 /-]
<b>Literal question</b>	Male cattle age 6 months to 1 year

Value	Label	Cases	Percentage
0		59766	86.9%
1		7612	11.1%
2		1120	1.6%
3		193	0.3%
4		49	0.1%
5		33	0.0%
6		7	0.0%
7		2	0.0%
11		2	0.0%
13		1	0.0%
14		1	0.0%
15		1	0.0%
Sysmiss		2001	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### #16 P09: Female cattle age 6 months to 1 year

<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-24] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=68768 /-] [Invalid=2020 /-] [Mean=0.183 /-] [StdDev=0.575 /-]
<b>Literal question</b>	Female cattle age 6 months to 1 year

### #17 P10: Total cattle age 1 year to 3 years

<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-72] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=69356 /-] [Invalid=1432 /-] [Mean=0.613 /-] [StdDev=1.296 /-]
<b>Literal question</b>	Total cattle age 1 year to 3 years

### #18 P11: Male cattle age 1 year to 3 years

<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-29] [Missing=*]
--------------------	---

<b>File CATTLE</b>	
<b>#18 P11: Male cattle age 1 year to 3 years</b>	
Statistics [NW/ W]	[Valid=69030 /-] [Invalid=1758 /-] [Mean=0.269 /-] [StdDev=0.646 /-]
Literal question	Male cattle age 1 year to 3 years
<b>#19 P12: Female cattle age 1 year to 3 years</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-46] [Missing=*]
Statistics [NW/ W]	[Valid=69077 /-] [Invalid=1711 /-] [Mean=0.347 /-] [StdDev=0.923 /-]
Literal question	Female cattle age 1 year to 3 years
<b>#20 P13: Total cattle age 3 years to 10 years</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-205] [Missing=*]
Statistics [NW/ W]	[Valid=70160 /-] [Invalid=628 /-] [Mean=2.333 /-] [StdDev=3.29 /-]
Literal question	Total Cattle age 3 years to 10 years
<b>#21 P14: Male cattle age 3 years to 10 years</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-90] [Missing=*]
Statistics [NW/ W]	[Valid=69699 /-] [Invalid=1089 /-] [Mean=0.957 /-] [StdDev=1.414 /-]
Literal question	Male Cattle age 3 years to 10 years
<b>#22 P15: Femal cattle age 3 years to 10 years</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-115] [Missing=*]
Statistics [NW/ W]	[Valid=69933 /-] [Invalid=855 /-] [Mean=1.387 /-] [StdDev=2.342 /-]
Literal question	Female Cattle age 3 years to 10 years
<b>#23 P16: Total beef cattle age 3 years to 10 years</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-36] [Missing=*]
Statistics [NW/ W]	[Valid=68550 /-] [Invalid=2238 /-] [Mean=0.0345 /-] [StdDev=0.338 /-]
Literal question	Total beef cattle age 3 years to 10 years
<b>#24 P17: Male beef cattle age 3 years to 10 years</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-26] [Missing=*]
Statistics [NW/ W]	[Valid=68536 /-] [Invalid=2252 /-] [Mean=0.0278 /-] [StdDev=0.273 /-]
Literal question	Male beef cattle age 3 years to 10 years
<b>#25 P18: Female beef cattle age 3 years to 10 years</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-36] [Missing=*]
Statistics [NW/ W]	[Valid=68513 /-] [Invalid=2275 /-] [Mean=0.00677 /-] [StdDev=0.177 /-]
Literal question	Female beef cattle age 3 years to 10 years
<b>#26 P19: Total breeding cattle age 3 years to 10 years</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-118] [Missing=*]
Statistics [NW/ W]	[Valid=69659 /-] [Invalid=1129 /-] [Mean=0.819 /-] [StdDev=2.024 /-]
Literal question	Total breeding cattle age 3 years to 10 years
<b>#27 P20: Male breeding cattle age 3 years to 10 years</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-45] [Missing=*]
Statistics [NW/ W]	[Valid=68758 /-] [Invalid=2030 /-] [Mean=0.0646 /-] [StdDev=0.485 /-]
Literal question	Male breeding cattle age 3 years to 10 years

<b>File CATTLE</b>			
<b>#28 P21: Female breeding cattle age 3 years to 10 years</b>			
Information	[Type= continuous] [Format=numeric] [Range= 0-92] [Missing=*]		
Statistics [NW/ W]	[Valid=69632 /-] [Invalid=1156 /-] [Mean=0.756 /-] [StdDev=1.781 /-]		
Literal question	Female breeding cattle age 3 years to 10 years		
<b>#29 P22: Total Dairy cows age 3 years to 10 years</b>			
Information	[Type= continuous] [Format=numeric] [Range= 0-50] [Missing=*]		
Statistics [NW/ W]	[Valid=68839 /-] [Invalid=1949 /-] [Mean=0.562 /-] [StdDev=1.288 /-]		
Literal question	Total Dairy cows age 3 years to 10 years		
<b>#30 P23: Female Dairy cows age 3 years to 10 years</b>			
Information	[Type= continuous] [Format=numeric] [Range= 0-50] [Missing=*]		
Statistics [NW/ W]	[Valid=68835 /-] [Invalid=1953 /-] [Mean=0.562 /-] [StdDev=1.29 /-]		
Literal question	Female Dairy cows age 3 years to 10 years		
<b>#31 P24: Total cows gave milk for the last 12 months age 3 years to 10 years</b>			
Information	[Type= continuous] [Format=numeric] [Range= 0-32] [Missing=*]		
Statistics [NW/ W]	[Valid=69374 /-] [Invalid=1414 /-] [Mean=0.453 /-] [StdDev=1.012 /-]		
Literal question	Total Cows gave milk for the last 12 months age 3 years to 10 years		
<b>#32 P25: Female cows gave milk for the last 12 months age 3 years to 10 years</b>			
Information	[Type= continuous] [Format=numeric] [Range= 0-32] [Missing=*]		
Statistics [NW/ W]	[Valid=69370 /-] [Invalid=1418 /-] [Mean=0.453 /-] [StdDev=1.013 /-]		
Literal question	Female cows gave milk for the last 12 months age 3 years to 10 years		
<b>#33 P26: Total Draft cattle age 3 years to 10 years</b>			
Information	[Type= continuous] [Format=numeric] [Range= 0-80] [Missing=*]		
Statistics [NW/ W]	[Valid=69589 /-] [Invalid=1199 /-] [Mean=0.85 /-] [StdDev=1.173 /-]		
Literal question	Total Draft cattle age 3 years to 10 years		
<b>#34 P27: Male Draft cattle age 3 years to 10 years</b>			
Information	[Type= continuous] [Format=numeric] [Range= 0-80] [Missing=*]		
Statistics [NW/ W]	[Valid=69566 /-] [Invalid=1222 /-] [Mean=0.839 /-] [StdDev=1.161 /-]		
Literal question	Male Draft cattle age 3 years to 10 years		
<b>#35 P28: Female Draft cattle age 3 years to 10 years</b>			
Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]		
Statistics [NW/ W]	[Valid=68628 /-] [Invalid=2160 /-] [Mean=0.0121 /-] [StdDev=0.152 /-]		
Literal question	Female Draft cattle age 3 years to 10 years		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
0		68039	99.1%
1		417	0.6%
2		131	0.2%
3		28	0.0%
4		5	0.0%
5		2	0.0%
6		3	0.0%

## File CATTLE

### #35 P28: Female Draft cattle age 3 years to 10 years

Value	Label	Cases	Percentage
7		2	0.0%
8		1	0.0%
Sysmiss		2160	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### #36 P29: Total cattle for other purposes age 3 years to 10 years

<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-59] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=68691 /-] [Invalid=2097 /-] [Mean=0.125 /-] [StdDev=0.666 /-]
<b>Literal question</b>	Total cattle for other purposes age 3 years to 10 years

### #37 P30: Male cattle for other purposes age 3 years to 10 years

<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-29] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=68595 /-] [Invalid=2193 /-] [Mean=0.0422 /-] [StdDev=0.335 /-]
<b>Literal question</b>	Male cattle for other purposes age 3 years to 10 years

### #38 P31: Female cattle for other purposes age 3 years to 10 years

<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-30] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=68639 /-] [Invalid=2149 /-] [Mean=0.0829 /-] [StdDev=0.452 /-]
<b>Literal question</b>	Female cattle for other purposes age 3 years to 10 years

### #39 P32: Total cattle 10 years and older

<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-31] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=68743 /-] [Invalid=2045 /-] [Mean=0.0914 /-] [StdDev=0.49 /-]
<b>Literal question</b>	Total cattle 10 years and older

### #40 P33: Male cattle 10 years and older

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-10] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=68658 /-] [Invalid=2130 /-] [Mean=0.0433 /-] [StdDev=0.273 /-]
<b>Literal question</b>	Male cattle 10 years and older

Value	Label	Cases	Percentage
0		66459	96.8%
1		1610	2.3%
2		482	0.7%
3		64	0.1%
4		28	0.0%
5		6	0.0%
6		3	0.0%
7		2	0.0%
8		2	0.0%
10		2	0.0%
Sysmiss		2130	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### #41 P34: Female cattle 10 years and older

<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-25] [Missing=*]
--------------------	---

File CATTLE			
<b>#41 P34: Female cattle 10 years and older</b>			
Statistics [NW/ W]	[Valid=68653 /-] [Invalid=2135 /-] [Mean=0.0481 /-] [StdDev=0.334 /-]		
Literal question	Female cattle 10 years and older		
<b>#42 P35: Total Grand</b>			
Information	[Type= continuous] [Format=numeric] [Range= 0-263] [Missing=*]		
Statistics [NW/ W]	[Valid=70304 /-] [Invalid=484 /-] [Mean=3.716 /-] [StdDev=5.279 /-]		
Literal question	Total Grand		
<b>#43 P36: Male Total Grand</b>			
Information	[Type= continuous] [Format=numeric] [Range= 0-120] [Missing=*]		
Statistics [NW/ W]	[Valid=70043 /-] [Invalid=745 /-] [Mean=1.587 /-] [StdDev=2.128 /-]		
Literal question	Male Total Grand		
<b>#44 P37: Female Total Grand</b>			
Information	[Type= continuous] [Format=numeric] [Range= 0-143] [Missing=*]		
Statistics [NW/ W]	[Valid=70092 /-] [Invalid=696 /-] [Mean=2.141 /-] [StdDev=3.618 /-]		
Literal question	Female Total Grand		
<b>#45 P38: Total Local breed</b>			
Information	[Type= continuous] [Format=numeric] [Range= 0-263] [Missing=*]		
Statistics [NW/ W]	[Valid=70267 /-] [Invalid=521 /-] [Mean=3.684 /-] [StdDev=5.269 /-]		
Literal question	Total Local breed		
<b>#46 P39: Male Total Local breed</b>			
Information	[Type= continuous] [Format=numeric] [Range= 0-120] [Missing=*]		
Statistics [NW/ W]	[Valid=70008 /-] [Invalid=780 /-] [Mean=1.575 /-] [StdDev=2.121 /-]		
Literal question	Male Total Local breed		
<b>#47 P40: Female Total Local breed</b>			
Information	[Type= continuous] [Format=numeric] [Range= 0-143] [Missing=*]		
Statistics [NW/ W]	[Valid=70068 /-] [Invalid=720 /-] [Mean=2.121 /-] [StdDev=3.614 /-]		
Literal question	Female Total Local breed		
<b>#48 P41: Total Exotic</b>			
Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]		
Statistics [NW/ W]	[Valid=68508 /-] [Invalid=2280 /-] [Mean=0.00403 /-] [StdDev=0.114 /-]		
Literal question	Total Exotic		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
0		68373	99.8%
1		67	0.1%
2		38	0.1%
3		11	0.0%
4		9	0.0%
5		2	0.0%
6		4	0.0%
7		3	0.0%

<b>File CATTLE</b>			
<b>#48 P41: Total Exotic</b>			
Value	Label	Cases	Percentage
9		1	0.0%
Sysmiss		2280	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b>#49 P42: Male Total Exotic</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-4] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=68499 /-] [Invalid=2289 /-] [Mean=0.00127 /-] [StdDev=0.045 /-]		
<b>Literal question</b>	Male Total Exotic		
Value	Label	Cases	Percentage
0		68432	99.9%
1		51	0.1%
2		14	0.0%
4		2	0.0%
Sysmiss		2289	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b>#50 P43: Female Total Exotic</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-7] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=68498 /-] [Invalid=2290 /-] [Mean=0.00276 /-] [StdDev=0.0853 /-]		
<b>Literal question</b>	Female Total Exotic		
Value	Label	Cases	Percentage
0		68394	99.8%
1		54	0.1%
2		33	0.0%
3		10	0.0%
5		5	0.0%
7		2	0.0%
Sysmiss		2290	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b>#51 P44: Total Hybrid</b>			
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-26] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=68528 /-] [Invalid=2260 /-] [Mean=0.027 /-] [StdDev=0.298 /-]		
<b>Literal question</b>	Total Hybrid		
<b>#52 P45: Male Total Hybrid</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-13] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=68507 /-] [Invalid=2281 /-] [Mean=0.00985 /-] [StdDev=0.145 /-]		
<b>Literal question</b>	Male Total Hybrid		
Value	Label	Cases	Percentage
0		68010	99.3%
1		384	0.6%
2		87	0.1%
3		13	0.0%

## File CATTLE

### #52 P45: Male Total Hybrid

Value	Label	Cases	Percentage
4		8	0.0%
5		1	0.0%
8		2	0.0%
12		1	0.0%
13		1	0.0%
Sysmiss		2281	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### #53 P46: Female Total Hybrid

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-14] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=68514 /-] [Invalid=2274 /-] [Mean=0.0171 /-] [StdDev=0.195 /-]
<b>Literal question</b>	Female Total Hybrid

Value	Label	Cases	Percentage
0		67758	98.9%
1		491	0.7%
2		172	0.3%
3		61	0.1%
4		20	0.0%
5		6	0.0%
6		2	0.0%
7		3	0.0%
14		1	0.0%
Sysmiss		2274	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## File COWCAMEL-MILK

### #1 V01: Region

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-15] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=66499 /-] [Invalid=0 /-]
<b>Literal question</b>	Region

Value	Label	Cases	Percentage
1	Tigray	4720	7.1%
2	Afar	1456	2.2%
3	Amhara	12131	18.2%
4	Oromia	21998	33.1%
5	Somalia	1946	2.9%
6	Benshangul_Gumz	2800	4.2%
7	S.N.N.P.R	17931	27.0%
12	Gambella	2208	3.3%
13	Harari	660	1.0%
14	Addis_Ababa	0	0.0%
15	Dire_Dawa	649	1.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## File COWCAMEL-MILK

### #2 V02: Zone

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-21] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=66499 /-] [Invalid=0 /-] [Mean=7.257 /-] [StdDev=5.41 /-]
<b>Literal question</b>	Zone

Value	Label	Cases	Percentage
1		7862	11.8%
2		6715	10.1%
3		6410	9.6%
4		6673	10.0%
5		4164	6.3%
6		4182	6.3%
7		3666	5.5%
8		3164	4.8%
9		3727	5.6%
10		3334	5.0%
11		2541	3.8%
12		2295	3.5%
13		1766	2.7%
14		1737	2.6%
15		545	0.8%
16		506	0.8%
17		2282	3.4%
18		1747	2.6%
19		1808	2.7%
20		890	1.3%
21		485	0.7%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### #3 V03: Wereda

<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 1-24] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=66499 /-] [Invalid=0 /-] [Mean=5.782 /-] [StdDev=4.683 /-]
<b>Literal question</b>	Wereda

### #4 V04: FA

<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 1-403] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=66499 /-] [Invalid=0 /-] [Mean=14.829 /-] [StdDev=20.388 /-]
<b>Literal question</b>	Farmers Association

### #5 V05: EA

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-17] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=66499 /-] [Invalid=0 /-] [Mean=3.006 /-] [StdDev=2.087 /-]
<b>Literal question</b>	Enumeration Area

Value	Label	Cases	Percentage
1		18535	27.9%
2		15275	23.0%

## File COWCAMEL-MILK

### #5 V05: EA

Value	Label	Cases	Percentage
3		11370	17.1%
4		8111	12.2%
5		5298	8.0%
6		3442	5.2%
7		2006	3.0%
8		997	1.5%
9		688	1.0%
10		252	0.4%
11		240	0.4%
12		169	0.3%
13		55	0.1%
16		30	0.0%
17		31	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### #6 V06: HH

<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-999] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=66499 /-] [Invalid=0 /-] [Mean=88.134 /-] [StdDev=60.077 /-]
<b>Literal question</b>	Household Number

### #7 V07: HHolder

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=66499 /-] [Invalid=0 /-] [Mean=1.073 /-] [StdDev=0.384 /-]
<b>Literal question</b>	Holder Number

Value	Label	Cases	Percentage
0		4	0.0%
1		62955	94.7%
2		2730	4.1%
3		580	0.9%
4		131	0.2%
5		31	0.0%
6		12	0.0%
7		12	0.0%
8		6	0.0%
9		38	0.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### #8 P239: cows that give milk during the reference period

<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-33] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=64653 /-] [Invalid=1846 /-] [Mean=0.828 /-] [StdDev=1.271 /-]
<b>Literal question</b>	Cows that give milk during the reference period

### #9 P240: Average number of months cows actually milked

<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-700] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=64795 /-] [Invalid=1704 /-] [Mean=3.206 /-] [StdDev=4.564 /-]

<b>File COWCAMEL-MILK</b>			
<b>#9 P240: Average number of months cows actually milked</b>			
Literal question	Average number of months cows actually milked		
<b>#10 P241: Average lactation period of cows in months</b>			
Information	[Type= continuous] [Format=numeric] [Range= 0-700] [Missing=*]		
Statistics [NW/ W]	[Valid=65430 /-] [Invalid=1069 /-] [Mean=8.208 /-] [StdDev=6.183 /-]		
Literal question	Average lactation period of cows in months		
<b>#11 P242: Milk production - per day per cow in liters</b>			
Information	[Type= continuous] [Format=numeric] [Range= 0-3000000] [Missing=*]		
Statistics [NW/ W]	[Valid=64406 /-] [Invalid=2093 /-] [Mean=886.321 /-] [StdDev=17059.235 /-]		
Literal question	Milk production - per day per cow in liters		
<b>#12 P243: Camels that give milk during the reference period</b>			
Information	[Type= continuous] [Format=numeric] [Range= 0-23] [Missing=*]		
Statistics [NW/ W]	[Valid=62183 /-] [Invalid=4316 /-] [Mean=0.0377 /-] [StdDev=0.407 /-]		
Literal question	Camles that give milk during the reference period		
<b>#13 P244: Average number of months cmels actually milked</b>			
Information	[Type= continuous] [Format=numeric] [Range= 0-24] [Missing=*]		
Statistics [NW/ W]	[Valid=62184 /-] [Invalid=4315 /-] [Mean=0.152 /-] [StdDev=1.234 /-]		
Literal question	Average number of months cmels actually milked		
<b>#14 P245: Average lactation period of camels in months</b>			
Information	[Type= continuous] [Format=numeric] [Range= 0-51] [Missing=*]		
Statistics [NW/ W]	[Valid=62185 /-] [Invalid=4314 /-] [Mean=0.831 /-] [StdDev=3.265 /-]		
Literal question	Average lactation period of camels in months		
<b>#15 P246: Milk production - per day per camel</b>			
Information	[Type= continuous] [Format=numeric] [Range= 0-46000] [Missing=*]		
Statistics [NW/ W]	[Valid=62179 /-] [Invalid=4320 /-] [Mean=65.896 /-] [StdDev=743.526 /-]		
Literal question	Milk production - per day per camel		
<b>File DISEASE</b>			
<b>#1 V01: Region</b>			
Information	[Type= discrete] [Format=numeric] [Range= 1-15] [Missing=*]		
Statistics [NW/ W]	[Valid=113251 /-] [Invalid=0 /-]		
Literal question	Region		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
1	Tigray	6682	5.9%
2	Afar	3734	3.3%
3	Amhara	21008	18.5%
4	Oromia	34199	30.2%
5	Somalia	5892	5.2%
6	Benshangul_Gumz	5615	5.0%
7	S.N.N.P.R	27240	24.1%

<b>File DISEASE</b>			
<b>#1 V01: Region</b>			
Value	Label	Cases	Percentage
12	Gambella	3449	3.0%
13	Harari	2597	2.3%
14	Addis_Ababa	0	0.0%
15	Dire_Dawa	2835	2.5%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b>#2 V02: Zone</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-21] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=113251 /-] [Invalid=0 /-] [Mean=6.941 /-] [StdDev=5.398 /-]		
<b>Literal question</b>	Zone		
Value	Label	Cases	Percentage
1		17571	15.5%
2		11980	10.6%
3		10522	9.3%
4		9012	8.0%
5		6784	6.0%
6		6735	5.9%
7		6819	6.0%
8		5020	4.4%
9		7910	7.0%
10		4704	4.2%
11		4443	3.9%
12		3784	3.3%
13		2782	2.5%
14		2160	1.9%
15		583	0.5%
16		765	0.7%
17		3759	3.3%
18		2452	2.2%
19		3302	2.9%
20		1371	1.2%
21		793	0.7%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b>#3 V03: Wereda</b>			
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 1-24] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=113251 /-] [Invalid=0 /-] [Mean=5.563 /-] [StdDev=4.573 /-]		
<b>Literal question</b>	Wereda		
<b>#4 V04: FA</b>			
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 1-403] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=113251 /-] [Invalid=0 /-] [Mean=14.515 /-] [StdDev=19.497 /-]		
<b>Literal question</b>	Farmers Association		

<b>File DISEASE</b>			
<b>#5 V05: EA</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-17] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=113251 /-] [Invalid=0 /-] [Mean=2.868 /-] [StdDev=2.03 /-]		
<b>Literal question</b>	Enumeration Area		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
1		34241	30.2%
2		26097	23.0%
3		19228	17.0%
4		14083	12.4%
5		8563	7.6%
6		4345	3.8%
7		3262	2.9%
8		1741	1.5%
9		795	0.7%
10		210	0.2%
11		177	0.2%
12		141	0.1%
13		51	0.0%
16		240	0.2%
17		77	0.1%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b>#6 V06: Household Number</b>			
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-652] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=113251 /-] [Invalid=0 /-] [Mean=87.326 /-] [StdDev=60.183 /-]		
<b>Literal question</b>	Household Number		
<b>#7 V07: HHolder</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=113251 /-] [Invalid=0 /-] [Mean=1.067 /-] [StdDev=0.477 /-]		
<b>Literal question</b>	Holder Number		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
0		17	0.0%
1		109319	96.5%
2		2242	2.0%
3		986	0.9%
4		283	0.2%
5		124	0.1%
6		21	0.0%
7		36	0.0%
8		39	0.0%
9		184	0.2%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b>#8 PQ151: Ser. No.</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]		

**File DISEASE****#8 PQ151: Ser. No.**

<b>Statistics [NW/ W]</b>	[Valid=113251 /-] [Invalid=0 /-] [Mean=4.092 /-] [StdDev=2.665 /-]
---------------------------	--

<b>Literal question</b>	Serial Number
-------------------------	---------------

Value	Label	Cases	Percentage
1		28143	24.9%
2		15218	13.4%
3		14050	12.4%
4		8108	7.2%
5		10081	8.9%
6		7122	6.3%
7		7123	6.3%
8		23406	20.7%

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

**#9 PQ153: Total Afflicted**

<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-300000000] [Missing=*]
--------------------	--

<b>Statistics [NW/ W]</b>	[Valid=113251 /-] [Invalid=0 /-] [Mean=2290028.672 /-] [StdDev=5164093.497 /-]
---------------------------	--

<b>Literal question</b>	Total Afflicted
-------------------------	-----------------

**#10 PQ154: Total Treated**

<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-860000000] [Missing=*]
--------------------	--

<b>Statistics [NW/ W]</b>	[Valid=113251 /-] [Invalid=0 /-] [Mean=537506.244 /-] [StdDev=2117718.349 /-]
---------------------------	---

<b>Literal question</b>	Total Treated
-------------------------	---------------

**File DONKEY****#1 V01: Region**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-15] [Missing=*]
--------------------	---

<b>Statistics [NW/ W]</b>	[Valid=24555 /-] [Invalid=0 /-]
---------------------------	---------------------------------

<b>Definition</b>	Region
-------------------	--------

<b>Literal question</b>	Region
-------------------------	--------

Value	Label	Cases	Percentage
1	Tigray	2218	9.0%
2	Afar	666	2.7%
3	Amhara	5944	24.2%
4	Oromia	8413	34.3%
5	Somalia	1392	5.7%
6	Benshangul_Gumz	838	3.4%
7	S.N.N.P.R	3884	15.8%
12	Gambella	250	1.0%
13	Harari	459	1.9%
14	Addis_Ababa	0	0.0%
15	Dire_Dawa	491	2.0%

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

**#2 V02: Zone**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-21] [Missing=*]
--------------------	---

**File DONKEY****#2 V02: Zone**

<b>Statistics [NW/ W]</b>	[Valid=24555 /-] [Invalid=0 /-] [Mean=6.868 /-] [StdDev=5.252 /-]
---------------------------	---

<b>Literal question</b>	Zone
-------------------------	------

Value	Label	Cases	Percentage
1		3548	14.4%
2		2741	11.2%
3		2053	8.4%
4		1940	7.9%
5		1697	6.9%
6		1547	6.3%
7		1596	6.5%
8		1391	5.7%
9		1549	6.3%
10		1243	5.1%
11		908	3.7%
12		792	3.2%
13		644	2.6%
14		495	2.0%
15		52	0.2%
16		211	0.9%
17		632	2.6%
18		259	1.1%
19		530	2.2%
20		424	1.7%
21		303	1.2%

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

**#3 V03: Wereda**

<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 1-24] [Missing=*]
--------------------	---

<b>Statistics [NW/ W]</b>	[Valid=24555 /-] [Invalid=0 /-] [Mean=5.891 /-] [StdDev=4.693 /-]
---------------------------	---

<b>Literal question</b>	Wereda
-------------------------	--------

**#4 V04: FA**

<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 1-403] [Missing=*]
--------------------	--

<b>Statistics [NW/ W]</b>	[Valid=24555 /-] [Invalid=0 /-] [Mean=14.429 /-] [StdDev=16.254 /-]
---------------------------	---

<b>Literal question</b>	Farmers Association
-------------------------	---------------------

**#5 V05: EA**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-17] [Missing=*]
--------------------	---

<b>Statistics [NW/ W]</b>	[Valid=24555 /-] [Invalid=0 /-] [Mean=3.043 /-] [StdDev=2.089 /-]
---------------------------	---

<b>Literal question</b>	Enumeration Area
-------------------------	------------------

Value	Label	Cases	Percentage
1		6484	26.4%
2		5746	23.4%
3		4374	17.8%
4		2919	11.9%

<b>File DONKEY</b>			
<b>#5 V05: EA</b>			
Value	Label	Cases	Percentage
5		2100	8.6%
6		1240	5.0%
7		780	3.2%
8		431	1.8%
9		185	0.8%
10		90	0.4%
11		102	0.4%
12		42	0.2%
13		27	0.1%
16		30	0.1%
17		5	0.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b>#6 V06: Household Number</b>			
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-999] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=24555 /-] [Invalid=0 /-] [Mean=87.471 /-] [StdDev=59.804 /-]		
<b>Literal question</b>	Household Number		
<b>#7 V07: HHolder</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=24555 /-] [Invalid=0 /-] [Mean=1.038 /-] [StdDev=0.367 /-]		
<b>Literal question</b>	HHolder		
Value	Label	Cases	Percentage
0		2	0.0%
1		24072	98.0%
2		286	1.2%
3		113	0.5%
4		31	0.1%
5		14	0.1%
6		2	0.0%
7		4	0.0%
8		5	0.0%
9		26	0.1%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b>#8 P160: Total ASSES of all ages</b>			
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-40] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=22981 /-] [Invalid=1574 /-] [Mean=1.247 /-] [StdDev=0.913 /-]		
<b>Literal question</b>	Total ASSES of all ages		
<b>#9 P161: Male ASSES of all ages</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=22727 /-] [Invalid=1828 /-] [Mean=0.599 /-] [StdDev=0.654 /-]		
<b>Literal question</b>	Male ASSES of all ages		

**File DONKEY****#9 P161: Male ASSES of all ages**

Value	Label	Cases	Percentage
0		10804	47.5%
1		10503	46.2%
2		1227	5.4%
3		145	0.6%
4		30	0.1%
5		7	0.0%
6		7	0.0%
7		2	0.0%
9		2	0.0%
Sysmiss		1828	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

**#10 P162: Female ASSES of all ages**

<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-37] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=22760 /-] [Invalid=1795 /-] [Mean=0.661 /-] [StdDev=0.811 /-]
<b>Literal question</b>	Female ASSES of all ages

**#11 P163: Total Asses age less than 3 years**

<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-34] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=22545 /-] [Invalid=2010 /-] [Mean=0.297 /-] [StdDev=0.559 /-]
<b>Literal question</b>	Total Asses age less than 3 years

**#12 P164: Male Asses age less than 3 years**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-4] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=22437 /-] [Invalid=2118 /-] [Mean=0.154 /-] [StdDev=0.381 /-]
<b>Literal question</b>	Male Asses age less than 3 years

Value	Label	Cases	Percentage
0		19143	85.3%
1		3151	14.0%
2		134	0.6%
3		7	0.0%
4		2	0.0%
Sysmiss		2118	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

**#13 P165: Female Asses age less than 3 years**

<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-32] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=22428 /-] [Invalid=2127 /-] [Mean=0.144 /-] [StdDev=0.426 /-]
<b>Literal question</b>	Female Asses age less than 3 years

**#14 P166: Total Asses age 3 years and older**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-13] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=22928 /-] [Invalid=1627 /-] [Mean=0.964 /-] [StdDev=0.669 /-]
<b>Literal question</b>	Total Asses age 3 years and older

## File DONKEY

### #14 P166: Total Asses age 3 years and older

Value	Label	Cases	Percentage
0		4464	19.5%
1		15549	67.8%
2		2407	10.5%
3		382	1.7%
4		84	0.4%
5		25	0.1%
6		9	0.0%
7		2	0.0%
8		2	0.0%
9		3	0.0%
13		1	0.0%
Sysmiss		1627	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### #15 P167: Male Asses age 3 years and older

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=22621 /-] [Invalid=1934 /-] [Mean=0.453 /-] [StdDev=0.601 /-]
<b>Literal question</b>	Male Asses age 3 years and older

Value	Label	Cases	Percentage
0		13367	59.1%
1		8446	37.3%
2		695	3.1%
3		82	0.4%
4		16	0.1%
5		6	0.0%
6		5	0.0%
7		2	0.0%
9		2	0.0%
Sysmiss		1934	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### #16 P168: Female Asses age 3 years and older

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=22728 /-] [Invalid=1827 /-] [Mean=0.522 /-] [StdDev=0.609 /-]
<b>Literal question</b>	Female Asses age 3 years and older

Value	Label	Cases	Percentage
0		12050	53.0%
1		9645	42.4%
2		920	4.0%
3		91	0.4%
4		16	0.1%
5		4	0.0%
6		1	0.0%

**File DONKEY****#16 P168: Female Asses age 3 years and older**

Value	Label	Cases	Percentage
8		1	0.0%
Sysmiss		1827	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

**#17 P169: Total Asses for draft purpose age 3 years and older**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=22455 /-] [Invalid=2100 /-] [Mean=0.165 /-] [StdDev=0.447 /-]
<b>Literal question</b>	Total Asses for draft purpose age 3 years and older

Value	Label	Cases	Percentage
0		19308	86.0%
1		2688	12.0%
2		389	1.7%
3		51	0.2%
4		16	0.1%
5		2	0.0%
9		1	0.0%
Sysmiss		2100	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

**#18 P170: Male Asses for draft purpose age 3 years and older**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=22369 /-] [Invalid=2186 /-] [Mean=0.0795 /-] [StdDev=0.307 /-]
<b>Literal question</b>	Male Asses for draft purpose age 3 years and older

Value	Label	Cases	Percentage
0		20768	92.8%
1		1449	6.5%
2		138	0.6%
3		9	0.0%
4		2	0.0%
5		2	0.0%
9		1	0.0%
Sysmiss		2186	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

**#19 P171: Female Asses for draft purpose age 3 years and older**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-4] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=22370 /-] [Invalid=2185 /-] [Mean=0.086 /-] [StdDev=0.308 /-]
<b>Literal question</b>	Female Asses for draft purpose age 3 years and older

Value	Label	Cases	Percentage
0		20611	92.1%
1		1608	7.2%
2		140	0.6%
3		9	0.0%
4		2	0.0%

**File DONKEY****#19 P171: Female Asses for draft purpose age 3 years and older**

Value	Label	Cases	Percentage
Sysmiss		2185	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

**#20 P172: Total Asses for transportation age 3 years and older**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-13] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=22760 /-] [Invalid=1795 /-] [Mean=0.781 /-] [StdDev=0.71 /-]
<b>Literal question</b>	Total Asses for transportation age 3 years and older

Value	Label	Cases	Percentage
0		7896	34.7%
1		12522	55.0%
2		1935	8.5%
3		304	1.3%
4		68	0.3%
5		21	0.1%
6		8	0.0%
7		2	0.0%
8		2	0.0%
9		1	0.0%
13		1	0.0%
Sysmiss		1795	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

**#21 P173: Male Asses for transportation age 3 years and older**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=22550 /-] [Invalid=2005 /-] [Mean=0.371 /-] [StdDev=0.57 /-]
<b>Literal question</b>	Male Asses for transportation age 3 years and older

Value	Label	Cases	Percentage
0		14961	66.3%
1		6953	30.8%
2		542	2.4%
3		68	0.3%
4		13	0.1%
5		5	0.0%
6		5	0.0%
7		2	0.0%
9		1	0.0%
Sysmiss		2005	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

**#22 P174: Female Asses for transportation age 3 years and older**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=22619 /-] [Invalid=1936 /-] [Mean=0.416 /-] [StdDev=0.584 /-]
<b>Literal question</b>	Female Asses for transportation age 3 years and older

**File DONKEY****#22 P174: Female Asses for transportation age 3 years and older**

Value	Label	Cases	Percentage
0		14164	62.6%
1		7617	33.7%
2		747	3.3%
3		73	0.3%
4		13	0.1%
5		4	0.0%
8		1	0.0%
Sysmiss		1936	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

**#23 P175: Total Asses for other purpose age 3 years and older**

Value	Label	Cases	Percentage
0		21538	96.6%
1		642	2.9%
2		89	0.4%
3		16	0.1%
4		2	0.0%
5		1	0.0%
Sysmiss		2267	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

**#24 P176: Male Asses for other purpose age 3 years and older**

Value	Label	Cases	Percentage
0		22024	98.9%
1		219	1.0%
2		18	0.1%
3		2	0.0%
Sysmiss		2292	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

**#25 P177: Female Asses for other purpose age 3 years and older**

Value	Label	Cases	Percentage
0		21719	97.5%
1		502	2.3%
2		51	0.2%

**File DONKEY****#25 P177: Female Asses for other purpose age 3 years and older**

Value	Label	Cases	Percentage
3		4	0.0%
4		1	0.0%
Sysmiss		2278	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

**File EGG****#1 V01: Region**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-15] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=42259 /-] [Invalid=0 /-]
<b>Literal question</b>	Region

Value	Label	Cases	Percentage
1	Tigray	3659	8.7%
2	Afar	392	0.9%
3	Amhara	9159	21.7%
4	Oromia	12944	30.6%
5	Somalia	789	1.9%
6	Benshangul_Gumz	2171	5.1%
7	S.N.N.P.R	10608	25.1%
12	Gambella	1509	3.6%
13	Harari	463	1.1%
14	Addis_Ababa	0	0.0%
15	Dire_Dawa	565	1.3%

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

**#2 V02: Zone**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-21] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=42259 /-] [Invalid=0 /-] [Mean=6.974 /-] [StdDev=5.347 /-]
<b>Literal question</b>	Zone

Value	Label	Cases	Percentage
1		5435	12.9%
2		4566	10.8%
3		4297	10.2%
4		4080	9.7%
5		2852	6.7%
6		2421	5.7%
7		2368	5.6%
8		2121	5.0%
9		2670	6.3%
10		1926	4.6%
11		1417	3.4%
12		1413	3.3%
13		1041	2.5%
14		764	1.8%

**File EGG****#2 V02: Zone**

Value	Label	Cases	Percentage
15		336	0.8%
16		341	0.8%
17		1115	2.6%
18		1056	2.5%
19		1078	2.6%
20		605	1.4%
21		357	0.8%

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

**#3 V03: Wereda**

<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 1-24] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=42259 /-] [Invalid=0 /-] [Mean=5.694 /-] [StdDev=4.608 /-]
<b>Literal question</b>	Wereda

**#4 V04: FA**

<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 1-403] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=42259 /-] [Invalid=0 /-] [Mean=14.371 /-] [StdDev=18.084 /-]
<b>Literal question</b>	Farmers Association

**#5 V05: EA**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-17] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=42259 /-] [Invalid=0 /-] [Mean=3.017 /-] [StdDev=2.076 /-]
<b>Literal question</b>	Enumeration Area

Value	Label	Cases	Percentage
1		11548	27.3%
2		9804	23.2%
3		7214	17.1%
4		5154	12.2%
5		3453	8.2%
6		2281	5.4%
7		1343	3.2%
8		631	1.5%
9		367	0.9%
10		145	0.3%
11		134	0.3%
12		96	0.2%
13		41	0.1%
16		30	0.1%
17		18	0.0%

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

**#6 V06: HH**

<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-999] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=42259 /-] [Invalid=0 /-] [Mean=88.568 /-] [StdDev=59.678 /-]
<b>Literal question</b>	Household number

<b>File EGG</b>			
<b>#7 V07: HHolder</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=42259 /-] [Invalid=0 /-] [Mean=1.05 /-] [StdDev=0.335 /-]		
<b>Literal question</b>	Holder information		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
0		2	0.0%
1		40784	96.5%
2		1091	2.6%
3		265	0.6%
4		63	0.1%
5		21	0.0%
6		4	0.0%
7		4	0.0%
8		4	0.0%
9		21	0.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b>#8 P247: Egg production - per hen per clutch_Ind</b>			
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-8012] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=41332 /-] [Invalid=927 /-] [Mean=10.863 /-] [StdDev=40.018 /-]		
<b>Literal question</b>	Egg production - per hen per clutch Indigenes		
<b>#9 P248: Egg production - per hen per clutch_Hybrid</b>			
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-366] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=40017 /-] [Invalid=2242 /-] [Mean=0.729 /-] [StdDev=7.282 /-]		
<b>Literal question</b>	Egg production - per hen per clutch_Hybrid		
<b>#10 P249: Egg production - per hen per clutch_Foreign</b>			
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-365] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=39996 /-] [Invalid=2263 /-] [Mean=0.537 /-] [StdDev=9.789 /-]		
<b>Literal question</b>	Egg production - per hen per clutch_Foreign		
<b>#11 P250: Average number of clutch_ind</b>			
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-416] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=41327 /-] [Invalid=932 /-] [Mean=18.577 /-] [StdDev=8.656 /-]		
<b>Literal question</b>	Average number of clutch Indigenes		
<b>#12 P251: Average number of clutch_Hybrid</b>			
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-366] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=40023 /-] [Invalid=2236 /-] [Mean=0.888 /-] [StdDev=8.535 /-]		
<b>Literal question</b>	Average number of clutch_Hybrid		
<b>#13 P252: Average number of clutch_Foreign</b>			
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-368] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=40005 /-] [Invalid=2254 /-] [Mean=0.587 /-] [StdDev=11.3 /-]		
<b>Literal question</b>	Average number of clutch_Foreign		

File EGG			
<b>#14 P253: Total number of clutch during the reference period_Ind</b>			
Information	[Type= continuous] [Format=numeric] [Range= 0-250] [Missing=*]		
Statistics [NW/ W]	[Valid=41308 /-] [Invalid=951 /-] [Mean=3.523 /-] [StdDev=2.509 /-]		
Literal question	Total number of clutch during the reference period Indigenes		
<b>#15 P254: Total number of clutch during the reference period_Hybrid</b>			
Information	[Type= continuous] [Format=numeric] [Range= 0-7000] [Missing=*]		
Statistics [NW/ W]	[Valid=40028 /-] [Invalid=2231 /-] [Mean=0.323 /-] [StdDev=35.001 /-]		
Literal question	Total number of clutch during the reference period_Hybrid		
<b>#16 P255: Total number of clutch during the reference period_Foreign</b>			
Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]		
Statistics [NW/ W]	[Valid=34623 /-] [Invalid=7636 /-] [Mean=0 /-] [StdDev=0 /-]		
Literal question	Total number of clutch during the reference period_Foreign		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
0		34623	100.0%
Sysmiss		7636	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
File EXTENSION			
<b>#1 V01: Region</b>			
Information	[Type= discrete] [Format=numeric] [Range= 1-15] [Missing=*]		
Statistics [NW/ W]	[Valid=69931 /-] [Invalid=0 /-]		
Definition	Region		
Literal question	Region		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
1	Tigray	4813	6.9%
2	Afar	1481	2.1%
3	Amhara	13339	19.1%
4	Oromia	22654	32.4%
5	Somalia	2065	3.0%
6	Benshangul_Gumz	2884	4.1%
7	S.N.N.P.R	18925	27.1%
12	Gambella	2328	3.3%
13	Harari	722	1.0%
14	Addis_Ababa	0	0.0%
15	Dire_Dawa	720	1.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b>#2 V02: Zone</b>			
Information	[Type= discrete] [Format=numeric] [Range= 1-21] [Missing=*]		
Statistics [NW/ W]	[Valid=69931 /-] [Invalid=0 /-] [Mean=7.19 /-] [StdDev=5.387 /-]		
Definition	Zone		
Literal question	Zone		

## File EXTENSION

### #2 V02: Zone

Value	Label	Cases	Percentage
1		8545	12.2%
2		7122	10.2%
3		6767	9.7%
4		6589	9.4%
5		4729	6.8%
6		4489	6.4%
7		3806	5.4%
8		3255	4.7%
9		4058	5.8%
10		3540	5.1%
11		2659	3.8%
12		2338	3.3%
13		1832	2.6%
14		1677	2.4%
15		594	0.8%
16		593	0.8%
17		2289	3.3%
18		1772	2.5%
19		1779	2.5%
20		899	1.3%
21		599	0.9%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### #3 V03: Wereda

<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 1-24] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=69931 /-] [Invalid=0 /-] [Mean=5.757 /-] [StdDev=4.658 /-]
<b>Definition</b>	Wereda
<b>Literal question</b>	Wereda

### #4 V04: FA

<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 1-403] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=69931 /-] [Invalid=0 /-] [Mean=14.716 /-] [StdDev=19.643 /-]
<b>Definition</b>	Farmers association
<b>Literal question</b>	Farmers association

### #5 V05: EA

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-17] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=69931 /-] [Invalid=0 /-] [Mean=3.012 /-] [StdDev=2.089 /-]
<b>Definition</b>	Enumeration
<b>Literal question</b>	Enumeration Area

Value	Label	Cases	Percentage
1		19422	27.8%
2		16135	23.1%

## File EXTENSION

### #5 V05: EA

Value	Label	Cases	Percentage
3		11945	17.1%
4		8306	11.9%
5		5743	8.2%
6		3645	5.2%
7		2097	3.0%
8		1082	1.5%
9		755	1.1%
10		269	0.4%
11		245	0.4%
12		167	0.2%
13		59	0.1%
16		30	0.0%
17		31	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### #6 V06: HH

<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-999] [Missing=*
<b>Statistics [NW/ W]</b>	[Valid=69931 /-] [Invalid=0 /-] [Mean=88.183 /-] [StdDev=59.982 /-]
<b>Definition</b>	Household Number
<b>Literal question</b>	Household Number

### #7 V07: HHolder

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*
<b>Statistics [NW/ W]</b>	[Valid=69931 /-] [Invalid=0 /-] [Mean=1.075 /-] [StdDev=0.389 /-]
<b>Definition</b>	Holder Number
<b>Literal question</b>	Holder Number

Value	Label	Cases	Percentage
0		4	0.0%
1		66149	94.6%
2		2922	4.2%
3		603	0.9%
4		143	0.2%
5		37	0.1%
6		13	0.0%
7		12	0.0%
8		6	0.0%
9		42	0.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### #8 PQ19: Livestock Extention

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*
<b>Statistics [NW/ W]</b>	[Valid=69298 /-] [Invalid=633 /-]
<b>Definition</b>	Livestock Extention
<b>Literal question</b>	Livestock Extention

## File EXTENSION

### #8 PQ19: Livestock Extention

Value	Label	Cases	Percentage
1	Yes	733	1.1%
2	No	68563	98.9%
3		1	0.0%
6		1	0.0%
Sysmiss		633	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### #9 PQ20: Type of Extention

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-6] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=60834 /-] [Invalid=9097 /-]
<b>Definition</b>	Type of Extention
<b>Literal question</b>	Type of Extention

Value	Label	Cases	Percentage
0		60005	98.6%
1	Package for Milk	174	0.3%
2	Package for improved Meat	227	0.4%
3	Package for improved poultry	235	0.4%
4	Package for honey	105	0.2%
5	Two or more Packages	28	0.0%
6	Other	60	0.1%
Sysmiss		9097	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## File GOAT

### #1 V01: Region

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-15] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=25912 /-] [Invalid=0 /-]
<b>Literal question</b>	Region

Value	Label	Cases	Percentage
1	Tigray	1962	7.6%
2	Afar	1261	4.9%
3	Amhara	4428	17.1%
4	Oromia	7204	27.8%
5	Somalia	1748	6.7%
6	Benshangul_Gumz	1270	4.9%
7	S.N.N.P.R	6031	23.3%
12	Gambella	781	3.0%
13	Harari	552	2.1%
14	Addis_Ababa	0	0.0%
15	Dire_Dawa	675	2.6%

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

<b>File GOAT</b>			
<b>#2 V02: Zone</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-21] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=25912 /-] [Invalid=0 /-] [Mean=7.075 /-] [StdDev=5.35 /-]		
<b>Literal question</b>	Zone		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
1		4068	15.7%
2		2800	10.8%
3		2302	8.9%
4		1994	7.7%
5		1292	5.0%
6		1058	4.1%
7		1353	5.2%
8		1044	4.0%
9		1951	7.5%
10		1596	6.2%
11		1059	4.1%
12		1275	4.9%
13		622	2.4%
14		701	2.7%
15		407	1.6%
16		306	1.2%
17		676	2.6%
18		295	1.1%
19		551	2.1%
20		303	1.2%
21		259	1.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b>#3 V03: Wereda</b>			
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 1-24] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=25912 /-] [Invalid=0 /-] [Mean=5.219 /-] [StdDev=4.376 /-]		
<b>Literal question</b>	Wereda		
<b>#4 V04: FA</b>			
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 1-403] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=25912 /-] [Invalid=0 /-] [Mean=14.372 /-] [StdDev=16.318 /-]		
<b>Literal question</b>	Farmers association		
<b>#5 V05: EA</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-17] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=25912 /-] [Invalid=0 /-] [Mean=2.885 /-] [StdDev=2.077 /-]		
<b>Literal question</b>	Enumeration Area		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
1		8123	31.3%
2		5801	22.4%

**File GOAT****#5 V05: EA**

Value	Label	Cases	Percentage
3		4237	16.4%
4		2992	11.5%
5		1995	7.7%
6		1173	4.5%
7		712	2.7%
8		363	1.4%
9		235	0.9%
10		79	0.3%
11		90	0.3%
12		44	0.2%
13		24	0.1%
16		30	0.1%
17		14	0.1%

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

**#6 V06: HH**

<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-635] [Missing=*
<b>Statistics [NW/ W]</b>	[Valid=25912 /-] [Invalid=0 /-] [Mean=86.199 /-] [StdDev=59.981 /-]
<b>Literal question</b>	Household Number

**#7 V07: HHolder**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*
<b>Statistics [NW/ W]</b>	[Valid=25912 /-] [Invalid=0 /-] [Mean=1.051 /-] [StdDev=0.37 /-]
<b>Literal question</b>	Holder Number

Value	Label	Cases	Percentage
0		3	0.0%
1		25102	96.9%
2		533	2.1%
3		174	0.7%
4		51	0.2%
5		18	0.1%
6		4	0.0%
7		5	0.0%
8		4	0.0%
9		18	0.1%

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

**#8 P86: Total GOATS of all ages**

<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-504] [Missing=*
<b>Statistics [NW/ W]</b>	[Valid=24367 /-] [Invalid=1545 /-] [Mean=6.663 /-] [StdDev=11.676 /-]
<b>Literal question</b>	Total GOATS of all ages

**#9 P87: Male GOATS of all ages**

<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-180] [Missing=*
<b>Statistics [NW/ W]</b>	[Valid=24212 /-] [Invalid=1700 /-] [Mean=1.928 /-] [StdDev=3.994 /-]

<b>File GOAT</b>	
<b>#9 P87: Male GOATS of all ages</b>	
Literal question	Male GOATS of all ages
<b>#10 P88: Female GOATS of all ages</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-324] [Missing=*]
Statistics [NW/ W]	[Valid=24339 /-] [Invalid=1573 /-] [Mean=4.753 /-] [StdDev=8.239 /-]
Literal question	Female GOATS of all ages
<b>#11 P89: Total goats age less than 6 months</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-80] [Missing=*]
Statistics [NW/ W]	[Valid=24124 /-] [Invalid=1788 /-] [Mean=1.603 /-] [StdDev=2.425 /-]
Literal question	Total goats age less than 6 months
<b>#12 P90: Male goats age less than 6 months</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-36] [Missing=*]
Statistics [NW/ W]	[Valid=24010 /-] [Invalid=1902 /-] [Mean=0.746 /-] [StdDev=1.229 /-]
Literal question	Male goats age less than 6 months
<b>#13 P91: Female goats age less than 6 months</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-50] [Missing=*]
Statistics [NW/ W]	[Valid=24020 /-] [Invalid=1892 /-] [Mean=0.865 /-] [StdDev=1.554 /-]
Literal question	Female goats age less than 6 months
<b>#14 P92: Total goats age 6 months to 1 year</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-56] [Missing=*]
Statistics [NW/ W]	[Valid=23901 /-] [Invalid=2011 /-] [Mean=0.834 /-] [StdDev=2.032 /-]
Literal question	Total goats age 6 months to 1 year
<b>#15 P93: Male goats age 6 months to 1 year</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-30] [Missing=*]
Statistics [NW/ W]	[Valid=23826 /-] [Invalid=2086 /-] [Mean=0.338 /-] [StdDev=0.953 /-]
Literal question	Male goats age 6 months to 1 year
<b>#16 P94: Female goats age 6 months to 1 year</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-40] [Missing=*]
Statistics [NW/ W]	[Valid=23825 /-] [Invalid=2087 /-] [Mean=0.499 /-] [StdDev=1.376 /-]
Literal question	Female goats age 6 months to 1 year
<b>#17 P95: Total goats age 1year to 2 years</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-164] [Missing=*]
Statistics [NW/ W]	[Valid=23939 /-] [Invalid=1973 /-] [Mean=0.92 /-] [StdDev=2.762 /-]
Literal question	Total goats age 1year to 2 years
<b>#18 P96: Male goats age 1year to 2 years</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-70] [Missing=*]
Statistics [NW/ W]	[Valid=23827 /-] [Invalid=2085 /-] [Mean=0.312 /-] [StdDev=1.121 /-]
Literal question	Male goats age 1year to 2 years

<b>File GOAT</b>			
<b>#19 P97: Female goats age 1year to 2 years</b>			
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-94] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=23893 /-] [Invalid=2019 /-] [Mean=0.611 /-] [StdDev=1.924 /-]		
<b>Literal question</b>	Female goats age 1year to 2 years		
<b>#20 P98: Total goats age 2 years and olders</b>			
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-346] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=24263 /-] [Invalid=1649 /-] [Mean=3.366 /-] [StdDev=6.533 /-]		
<b>Literal question</b>	Total goats age 2 years and olders		
<b>#21 P99: Male goats age 2 years and olders</b>			
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-107] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=23929 /-] [Invalid=1983 /-] [Mean=0.555 /-] [StdDev=2.05 /-]		
<b>Literal question</b>	Male goats age 2 years and olders		
<b>#22 P100: Female goats age 2 years and olders</b>			
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-239] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=24248 /-] [Invalid=1664 /-] [Mean=2.82 /-] [StdDev=4.998 /-]		
<b>Definition</b>	Female goats age 2 years and olders		
<b>Literal question</b>	Female goats age 2 years and olders		
<b>#23 P101: Total goats for meat age 2 years and older</b>			
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-24] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=23724 /-] [Invalid=2188 /-] [Mean=0.174 /-] [StdDev=0.839 /-]		
<b>Literal question</b>	Total goats for meat age 2 years and older		
<b>#24 P102: Male goats for meat age 2 years and older</b>			
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-23] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=23721 /-] [Invalid=2191 /-] [Mean=0.159 /-] [StdDev=0.762 /-]		
<b>Literal question</b>	Male goats for meat age 2 years and older		
<b>#25 P103: Female goats for meat age 2 years and older</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-18] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=23649 /-] [Invalid=2263 /-] [Mean=0.0154 /-] [StdDev=0.245 /-]		
<b>Literal question</b>	Female goats for meat age 2 years and older		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
0		23465	99.2%
1		103	0.4%
2		46	0.2%
3		16	0.1%
4		6	0.0%
5		4	0.0%
6		5	0.0%
7		1	0.0%
9		1	0.0%
13		1	0.0%

<b>File GOAT</b>			
<b>#25 P103: Female goats for meat age 2 years and older</b>			
Value	Label	Cases	Percentage
18		1	0.0%
Sysmiss		2263	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b>#26 P104: Total Dairy goats age 2 years and older</b>			
Information	[Type= continuous] [Format=numeric] [Range= 0-225] [Missing=*]		
Statistics [NW/ W]	[Valid=23654 /-] [Invalid=2258 /-] [Mean=0.376 /-] [StdDev=2.502 /-]		
Literal question	Total Dairy goats age 2 years and older		
<b>#27 P105: Female Dairy goats age 2 years and older</b>			
Information	[Type= continuous] [Format=numeric] [Range= 0-225] [Missing=*]		
Statistics [NW/ W]	[Valid=23649 /-] [Invalid=2263 /-] [Mean=0.376 /-] [StdDev=2.502 /-]		
Literal question	Female Dairy goats age 2 years and older		
<b>#28 P106: Total goats for breeding only age 2 years and older</b>			
Information	[Type= continuous] [Format=numeric] [Range= 0-160] [Missing=*]		
Statistics [NW/ W]	[Valid=24280 /-] [Invalid=1632 /-] [Mean=2.903 /-] [StdDev=5.297 /-]		
Literal question	Total goats for breeding only age 2 years and older		
<b>#29 P107: Male goats for breeding only age 2 years and older</b>			
Information	[Type= continuous] [Format=numeric] [Range= 0-95] [Missing=*]		
Statistics [NW/ W]	[Valid=23915 /-] [Invalid=1997 /-] [Mean=0.421 /-] [StdDev=1.772 /-]		
Literal question	Male goats for breeding only age 2 years and older		
<b>#30 P108: Female goats for breeding only age 2 years and older</b>			
Information	[Type= continuous] [Format=numeric] [Range= 0-112] [Missing=*]		
Statistics [NW/ W]	[Valid=24277 /-] [Invalid=1635 /-] [Mean=2.489 /-] [StdDev=4.153 /-]		
Literal question	Female goats for breeding only age 2 years and older		
<b>#31 P109: Total goats for other purposes age 2 years and older</b>			
Information	[Type= discrete] [Format=numeric] [Range= 0-16] [Missing=*]		
Statistics [NW/ W]	[Valid=23629 /-] [Invalid=2283 /-] [Mean=0.0235 /-] [StdDev=0.265 /-]		
Literal question	Total goats for other purposes age 2 years and older		
Value	Label	Cases	Percentage
0		23310	98.6%
1		192	0.8%
2		78	0.3%
3		29	0.1%
4		7	0.0%
5		4	0.0%
6		6	0.0%
10		1	0.0%
11		1	0.0%
16		1	0.0%
Sysmiss		2283	

**File GOAT****#31 P109: Total goats for other purposes age 2 years and older**

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

**#32 P110: Male goats for other purposes age 2 years and older**

**Information** [Type= discrete] [Format=numeric] [Range= 0-10] [Missing=\*]

**Statistics [NW/ W]** [Valid=23623 /-] [Invalid=2289 /-] [Mean=0.0138 /-] [StdDev=0.182 /-]

**Literal question** Male goats for other purposes age 2 years and older

Value	Label	Cases	Percentage
0		23413	99.1%
1		137	0.6%
2		54	0.2%
3		10	0.0%
4		4	0.0%
5		1	0.0%
6		2	0.0%
9		1	0.0%
10		1	0.0%
Sysmiss		2289	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

**#33 P111: Female goats for other purposes age 2 years and older**

**Information** [Type= discrete] [Format=numeric] [Range= 0-16] [Missing=\*]

**Statistics [NW/ W]** [Valid=23620 /-] [Invalid=2292 /-] [Mean=0.0097 /-] [StdDev=0.176 /-]

**Literal question** Female goats for other purposes age 2 years and older

Value	Label	Cases	Percentage
0		23488	99.4%
1		83	0.4%
2		24	0.1%
3		19	0.1%
4		1	0.0%
5		3	0.0%
6		1	0.0%
16		1	0.0%
Sysmiss		2292	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

**#34 P112: Total Grand**

**Information** [Type= continuous] [Format=numeric] [Range= 0-504] [Missing=\*]

**Statistics [NW/ W]** [Valid=24367 /-] [Invalid=1545 /-] [Mean=6.663 /-] [StdDev=11.676 /-]

**#35 P113: Male Total Grand**

**Information** [Type= continuous] [Format=numeric] [Range= 0-180] [Missing=\*]

**Statistics [NW/ W]** [Valid=24212 /-] [Invalid=1700 /-] [Mean=1.928 /-] [StdDev=3.994 /-]

**Literal question** Male Total Grand

**#36 P114: Female Total Grand**

**Information** [Type= continuous] [Format=numeric] [Range= 0-324] [Missing=\*]

<b>File GOAT</b>			
<b>#36 P114: Female Total Grand</b>			
<b>Statistics [NW/ W]</b>	[Valid=24339 /-] [Invalid=1573 /-] [Mean=4.753 /-] [StdDev=8.239 /-]		
<b>Literal question</b>	Female Total Grand		
<b>#37 P115: Total Local breed</b>			
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-504] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=24346 /-] [Invalid=1566 /-] [Mean=6.654 /-] [StdDev=11.676 /-]		
<b>#38 P116: Male Total Local breed</b>			
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-180] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=24196 /-] [Invalid=1716 /-] [Mean=1.927 /-] [StdDev=3.994 /-]		
<b>Definition</b>	Male Total Local breed		
<b>#39 P117: Female Total Local breed</b>			
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-324] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=24320 /-] [Invalid=1592 /-] [Mean=4.745 /-] [StdDev=8.239 /-]		
<b>Definition</b>	Female Total Local breed		
<b>#40 P118: Total Exotic</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=23627 /-] [Invalid=2285 /-] [Mean=0.00055 /-] [StdDev=0.0556 /-]		
<b>Definition</b>	Total Exotic		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
0		23623	100.0%
1		1	0.0%
2		2	0.0%
8		1	0.0%
Sysmiss		2285	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b>#41 P119: Male Total Exotic</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=23618 /-] [Invalid=2294 /-] [Mean=8.47e-05 /-] [StdDev=0.013 /-]		
<b>Definition</b>	Male Total Exotic		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
0		23617	100.0%
2		1	0.0%
Sysmiss		2294	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b>#42 P120: Female Total Exotic</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-6] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=23618 /-] [Invalid=2294 /-] [Mean=0.000466 /-] [StdDev=0.0436 /-]		
<b>Definition</b>	Female Total Exotic		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
0		23614	100.0%

**File GOAT****#42 P120: Female Total Exotic**

Value	Label	Cases	Percentage
1		1	0.0%
2		2	0.0%
6		1	0.0%
Systemiss		2294	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

**#43 P121: Total HYbrid**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-7] [Missing=*
<b>Statistics [NW/ W]</b>	[Valid=23624 /-] [Invalid=2288 /-] [Mean=0.00106 /-] [StdDev=0.0654 /-]
<b>Definition</b>	Total HYbrid

Value	Label	Cases	Percentage
0		23615	100.0%
1		2	0.0%
2		4	0.0%
3		1	0.0%
5		1	0.0%
7		1	0.0%
Systemiss		2288	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

**#44 P122: Male Total HYbrid**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*
<b>Statistics [NW/ W]</b>	[Valid=23617 /-] [Invalid=2295 /-] [Mean=0.000212 /-] [StdDev=0.0172 /-]
<b>Definition</b>	Male Total HYbrid

Value	Label	Cases	Percentage
0		23613	100.0%
1		3	0.0%
2		1	0.0%
Systemiss		2295	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

**#45 P123: Female Total HYbrid**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-5] [Missing=*
<b>Statistics [NW/ W]</b>	[Valid=23619 /-] [Invalid=2293 /-] [Mean=0.000847 /-] [StdDev=0.0537 /-]
<b>Definition</b>	Female Total HYbrid

Value	Label	Cases	Percentage
0		23611	100.0%
1		2	0.0%
2		4	0.0%
5		2	0.0%
Systemiss		2293	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

File HHINFO			
#1 V01: Region			
Information	[Type= discrete] [Format=numeric] [Range= 1-15] [Missing=*]		
Statistics [NW/ W]	[Valid=71667 /-] [Invalid=0 /-]		
Literal question	Region		
Value	Label	Cases	Percentage
1	Tigray	4914	6.9%
2	Afar	1486	2.1%
3	Amhara	13533	18.9%
4	Oromia	23352	32.6%
5	Somalia	2093	2.9%
6	Benshangul_Gumz	2969	4.1%
7	S.N.N.P.R	19426	27.1%
12	Gambella	2437	3.4%
13	Harari	725	1.0%
14	Addis_Ababa	0	0.0%
15	Dire_Dawa	732	1.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
#2 V02: Zone			
Information	[Type= discrete] [Format=numeric] [Range= 1-21] [Missing=*]		
Statistics [NW/ W]	[Valid=71667 /-] [Invalid=0 /-] [Mean=7.198 /-] [StdDev=5.384 /-]		
Literal question	Zone		
Value	Label	Cases	Percentage
1		8708	12.2%
2		7225	10.1%
3		6944	9.7%
4		6780	9.5%
5		4884	6.8%
6		4591	6.4%
7		3961	5.5%
8		3372	4.7%
9		4103	5.7%
10		3621	5.1%
11		2716	3.8%
12		2372	3.3%
13		1882	2.6%
14		1768	2.5%
15		612	0.9%
16		614	0.9%
17		2340	3.3%
18		1838	2.6%
19		1819	2.5%
20		911	1.3%
21		606	0.8%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			

File HHINFO			
<b>#3 V03: Wereda</b>			
Information	[Type= continuous] [Format=numeric] [Range= 1-24] [Missing=*]		
Statistics [NW/ W]	[Valid=71667 /-] [Invalid=0 /-] [Mean=5.752 /-] [StdDev=4.659 /-]		
Literal question	Wereda		
<b>#4 V04: FA</b>			
Information	[Type= continuous] [Format=numeric] [Range= 1-403] [Missing=*]		
Statistics [NW/ W]	[Valid=71667 /-] [Invalid=0 /-] [Mean=14.738 /-] [StdDev=19.853 /-]		
Literal question	Farmers association		
<b>#5 V05: EA</b>			
Information	[Type= discrete] [Format=numeric] [Range= 1-17] [Missing=*]		
Statistics [NW/ W]	[Valid=71667 /-] [Invalid=0 /-] [Mean=3.014 /-] [StdDev=2.091 /-]		
Literal question	Enumeration Area		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
1		19877	27.7%
2		16550	23.1%
3		12263	17.1%
4		8517	11.9%
5		5849	8.2%
6		3729	5.2%
7		2167	3.0%
8		1096	1.5%
9		792	1.1%
10		274	0.4%
11		250	0.3%
12		181	0.3%
13		61	0.1%
16		30	0.0%
17		31	0.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b>#6 V06: HH</b>			
Information	[Type= continuous] [Format=numeric] [Range= 0-999] [Missing=*]		
Statistics [NW/ W]	[Valid=71667 /-] [Invalid=0 /-] [Mean=88.199 /-] [StdDev=60.01 /-]		
Literal question	Houshold number		
<b>#7 V07: HHolder</b>			
Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]		
Statistics [NW/ W]	[Valid=71667 /-] [Invalid=0 /-] [Mean=1.079 /-] [StdDev=0.393 /-]		
Literal question	Holder Number		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
0		4	0.0%
1		67540	94.2%
2		3205	4.5%
3		656	0.9%

## File HHINFO

### #7 V07: HHolder

Value	Label	Cases	Percentage
4		152	0.2%
5		37	0.1%
6		13	0.0%
7		12	0.0%
8		6	0.0%
9		42	0.1%

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### #8 V09: AGE

<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-99] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=71667 /-] [Invalid=0 /-] [Mean=43.334 /-] [StdDev=17.082 /-]
<b>Literal question</b>	AGE

### #9 V10: SEX

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=71601 /-] [Invalid=66 /-]
<b>Literal question</b>	SEX

Value	Label	Cases	Percentage
0		7	0.0%
1	Male	57566	80.4%
2	Female	14022	19.6%
9		6	0.0%
Sysmiss		66	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### #10 V11: EDUC

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-80] [Missing=*/99]
<b>Statistics [NW/ W]</b>	[Valid=64693 /-] [Invalid=6974 /-]
<b>Literal question</b>	Educational Status

*Frequency table not shown (37 Modalities)*

### #11 V12: HH\_SIZE

<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-99] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=71649 /-] [Invalid=18 /-] [Mean=5.317 /-] [StdDev=2.617 /-]
<b>Literal question</b>	Household Size

### #12 V13: Type

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=71661 /-] [Invalid=6 /-]
<b>Literal question</b>	Type of Agriculture

Value	Label	Cases	Percentage
0		10	0.0%
1	Crop	7340	10.2%
2	Livestock	4812	6.7%

**File HHINFO****#12 V13: Type**

Value	Label	Cases	Percentage
3	Both	59496	83.0%
4		1	0.0%
6		1	0.0%
9		1	0.0%
System		6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

**#13 PQ1: PQ1**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=71661 /-] [Invalid=6 /-]
<b>Literal question</b>	Did You Have Livestock and/or Beehives on November 10, 2010?

Value	Label	Cases	Percentage
0		52	0.1%
1	Yes	65225	91.0%
2	No	6382	8.9%
7		1	0.0%
9		1	0.0%
System		6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

**#14 WGT: WGT**

<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 454-123761] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=71667 /-] [Invalid=0 /-] [Mean=21053.588 /-] [StdDev=14500.922 /-]
<b>Literal question</b>	Weight

**#15 RATE: RATE**

<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0.0050635-1.1002721] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=71667 /-] [Invalid=0 /-] [Mean=0.0691 /-] [StdDev=0.103 /-]
<b>Literal question</b>	Rate

**File HONEY****#1 V01: Region**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-15] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=12674 /-] [Invalid=0 /-]
<b>Literal question</b>	Region

Value	Label	Cases	Percentage
1	Tigray	860	6.8%
2	Afar	301	2.4%
3	Amhara	2437	19.2%
4	Oromia	3829	30.2%
5	Somalia	590	4.7%
6	Benshangul_Gumz	601	4.7%
7	S.N.N.P.R	3012	23.8%
12	Gambella	416	3.3%

## File HONEY

### #1 V01: Region

Value	Label	Cases	Percentage
13	Harari	308	2.4%
14	Addis_Ababa	0	0.0%
15	Dire_Dawa	320	2.5%

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### #2 V02: Zone

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-21] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=12674 /-] [Invalid=0 /-] [Mean=6.882 /-] [StdDev=5.316 /-]
<b>Literal question</b>	Zone

Value	Label	Cases	Percentage
1		1981	15.6%
2		1279	10.1%
3		1198	9.5%
4		1067	8.4%
5		725	5.7%
6		762	6.0%
7		734	5.8%
8		642	5.1%
9		900	7.1%
10		466	3.7%
11		507	4.0%
12		476	3.8%
13		326	2.6%
14		314	2.5%
15		44	0.3%
16		67	0.5%
17		366	2.9%
18		231	1.8%
19		314	2.5%
20		182	1.4%
21		93	0.7%

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### #3 V03: Wereda

<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 1-24] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=12674 /-] [Invalid=0 /-] [Mean=5.55 /-] [StdDev=4.589 /-]
<b>Literal question</b>	Wereda

### #4 V04: FA

<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 1-403] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=12674 /-] [Invalid=0 /-] [Mean=14.423 /-] [StdDev=18.861 /-]
<b>Literal question</b>	Farmers association

### #5 V05: EA

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-16] [Missing=*]
--------------------	---

<b>File HONEY</b>			
<b>#5 V05: EA</b>			
<b>Statistics [NW/ W]</b>	[Valid=12674 /-] [Invalid=0 /-] [Mean=2.857 /-] [StdDev=1.964 /-]		
<b>Literal question</b>	Farmers association		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
1		3741	29.5%
2		3006	23.7%
3		2091	16.5%
4		1695	13.4%
5		923	7.3%
6		506	4.0%
7		384	3.0%
8		193	1.5%
9		55	0.4%
10		12	0.1%
11		26	0.2%
12		12	0.1%
16		30	0.2%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b>#6 V06: HH</b>			
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-572] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=12674 /-] [Invalid=0 /-] [Mean=87.282 /-] [StdDev=59.199 /-]		
<b>Literal question</b>	Household Number		
<b>#7 V07: HHolder</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=12674 /-] [Invalid=0 /-] [Mean=1.066 /-] [StdDev=0.464 /-]		
<b>Literal question</b>	Holder Number		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
0		2	0.0%
1		12232	96.5%
2		251	2.0%
3		114	0.9%
4		33	0.3%
5		13	0.1%
6		3	0.0%
7		4	0.0%
8		4	0.0%
9		18	0.1%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b>#8 P233: Average honey production/Traditional hive/harvest</b>			
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-3000100] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=10517 /-] [Invalid=2157 /-] [Mean=3154.562 /-] [StdDev=33563.417 /-]		
<b>Literal question</b>	Average honey production/Traditional hive/harvest		

<b>File HONEY</b>			
<b>#9 P234: Number of harvests/Traditional hive/yaer</b>			
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-24] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=10455 /-] [Invalid=2219 /-] [Mean=0.845 /-] [StdDev=1.023 /-]		
<b>Literal question</b>	Number of harvests/Traditional hive/yaer		
<b>#10 P235: Average honey production/intermediate hive/harvest</b>			
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-150300] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=10386 /-] [Invalid=2288 /-] [Mean=108.431 /-] [StdDev=1802.914 /-]		
<b>Literal question</b>	Average honey production/intermediate hive/harvest		
<b>#11 P236: Number of harvests/Intermediate hive/year</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-12] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=10387 /-] [Invalid=2287 /-] [Mean=0.0203 /-] [StdDev=0.22 /-]		
<b>Literal question</b>	Number of harvests/Intermediate hive/year		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
0		10255	98.7%
1		76	0.7%
2		43	0.4%
3		11	0.1%
4		1	0.0%
12		1	0.0%
Sysmiss		2287	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b>#12 P237: Average honey production/modern hive/harvest</b>			
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-43750] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=10390 /-] [Invalid=2284 /-] [Mean=320.974 /-] [StdDev=2355.425 /-]		
<b>Literal question</b>	Average honey production/modern hive/harvest		
<b>#13 P238: Number of harvest/Modern hive/year</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-6] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=10396 /-] [Invalid=2278 /-] [Mean=0.0399 /-] [StdDev=0.272 /-]		
<b>Literal question</b>	Number of harvest/Modern hive/year		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
0		10117	97.3%
1		174	1.7%
2		87	0.8%
3		8	0.1%
4		8	0.1%
5		1	0.0%
6		1	0.0%
Sysmiss		2278	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			

<b>File HORSE</b>			
<b>#1 V01: Region</b>			
Information	[Type= discrete] [Format=numeric] [Range= 1-15] [Missing=*]		
Statistics [NW/ W]	[Valid=11397 /-] [Invalid=0 /-]		
Literal question	Region		
Value	Label	Cases	Percentage
1	Tigray	353	3.1%
2	Afar	302	2.6%
3	Amhara	2062	18.1%
4	Oromia	3982	34.9%
5	Somalia	588	5.2%
6	Benshangul_Gumz	291	2.6%
7	S.N.N.P.R	2945	25.8%
12	Gambella	272	2.4%
13	Harari	293	2.6%
14	Addis_Ababa	0	0.0%
15	Dire_Dawa	309	2.7%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b>#2 V02: Zone</b>			
Information	[Type= discrete] [Format=numeric] [Range= 1-21] [Missing=*]		
Statistics [NW/ W]	[Valid=11397 /-] [Invalid=0 /-] [Mean=7.544 /-] [StdDev=5.466 /-]		
Literal question	Zone		
Value	Label	Cases	Percentage
1		1518	13.3%
2		912	8.0%
3		817	7.2%
4		938	8.2%
5		826	7.2%
6		773	6.8%
7		555	4.9%
8		737	6.5%
9		952	8.4%
10		365	3.2%
11		531	4.7%
12		273	2.4%
13		353	3.1%
14		430	3.8%
16		39	0.3%
17		572	5.0%
18		111	1.0%
19		367	3.2%
20		262	2.3%
21		66	0.6%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			

File HORSE			
<b>#3 V03: Wereda</b>			
Information	[Type= continuous] [Format=numeric] [Range= 1-24] [Missing=*]		
Statistics [NW/ W]	[Valid=11397 /-] [Invalid=0 /-] [Mean=5.971 /-] [StdDev=4.903 /-]		
Literal question	Wereda		
<b>#4 V04: FA</b>			
Information	[Type= continuous] [Format=numeric] [Range= 1-403] [Missing=*]		
Statistics [NW/ W]	[Valid=11397 /-] [Invalid=0 /-] [Mean=14.421 /-] [StdDev=18.918 /-]		
Literal question	Farmers association		
<b>#5 V05: EA</b>			
Information	[Type= discrete] [Format=numeric] [Range= 1-16] [Missing=*]		
Statistics [NW/ W]	[Valid=11397 /-] [Invalid=0 /-] [Mean=2.865 /-] [StdDev=1.909 /-]		
Literal question	Enumeration Area		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
1		3183	27.9%
2		2730	24.0%
3		2030	17.8%
4		1551	13.6%
5		938	8.2%
6		350	3.1%
7		321	2.8%
8		192	1.7%
9		65	0.6%
10		2	0.0%
11		1	0.0%
12		4	0.0%
16		30	0.3%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b>#6 V06: HH</b>			
Information	[Type= continuous] [Format=numeric] [Range= 0-494] [Missing=*]		
Statistics [NW/ W]	[Valid=11397 /-] [Invalid=0 /-] [Mean=86.573 /-] [StdDev=57.278 /-]		
Literal question	Household Number		
<b>#7 V07: HHolder</b>			
Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]		
Statistics [NW/ W]	[Valid=11397 /-] [Invalid=0 /-] [Mean=1.077 /-] [StdDev=0.544 /-]		
Literal question	Holder number		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
0		2	0.0%
1		10998	96.5%
2		203	1.8%
3		106	0.9%
4		32	0.3%
5		15	0.1%

**File HORSE****#7 V07: HHolder**

Value	Label	Cases	Percentage
6		3	0.0%
7		5	0.0%
8		6	0.1%
9		27	0.2%

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

**#8 P124: Total HORSES of all ages**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-20] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=9276 /-] [Invalid=2121 /-] [Mean=0.834 /-] [StdDev=1.072 /-]
<b>Literal question</b>	Total HORSES of all ages

Value	Label	Cases	Percentage
0		4219	45.5%
1		3403	36.7%
2		1071	11.5%
3		358	3.9%
4		122	1.3%
5		48	0.5%
6		29	0.3%
7		12	0.1%
8		9	0.1%
9		1	0.0%
10		2	0.0%
13		1	0.0%
20		1	0.0%
Systemiss		2121	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

**#9 P125: Male HORSES of all ages**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=9201 /-] [Invalid=2196 /-] [Mean=0.422 /-] [StdDev=0.666 /-]
<b>Literal question</b>	Male HORSES of all ages

Value	Label	Cases	Percentage
0		5983	65.0%
1		2719	29.6%
2		385	4.2%
3		82	0.9%
4		17	0.2%
5		10	0.1%
6		4	0.0%
8		1	0.0%
Systemiss		2196	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

<b>File HORSE</b>			
<b>#10 P126: Female HORSES of all ages</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-12] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=9224 /-] [Invalid=2173 /-] [Mean=0.418 /-] [StdDev=0.735 /-]		
<b>Literal question</b>	Female HORSES of all ages		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
0		6338	68.7%
1		2160	23.4%
2		569	6.2%
3		105	1.1%
4		35	0.4%
5		10	0.1%
6		4	0.0%
7		1	0.0%
8		1	0.0%
12		1	0.0%
Sysmiss		2173	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b>#11 P127: Total horses age less than 3 years</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-10] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=9161 /-] [Invalid=2236 /-] [Mean=0.167 /-] [StdDev=0.445 /-]		
<b>Literal question</b>	Total horses age less than 3 years		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
0		7820	85.4%
1		1191	13.0%
2		126	1.4%
3		18	0.2%
4		3	0.0%
5		1	0.0%
6		1	0.0%
10		1	0.0%
Sysmiss		2236	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b>#12 P128: Male horses age less than 3 years</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-5] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=9128 /-] [Invalid=2269 /-] [Mean=0.0806 /-] [StdDev=0.295 /-]		
<b>Literal question</b>	Male horses age less than 3 years		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
0		8439	92.5%
1		650	7.1%
2		34	0.4%
3		3	0.0%
4		1	0.0%
5		1	0.0%

**File HORSE****#12 P128: Male horses age less than 3 years**

Value	Label	Cases	Percentage
0		2269	
1			
2			
3			
4			
5			
Sysmiss			

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

**#13 P129: Female horses age less than 3 years**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-5] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=9133 /-] [Invalid=2264 /-] [Mean=0.0869 /-] [StdDev=0.308 /-]
<b>Literal question</b>	Female horses age less than 3 years

Value	Label	Cases	Percentage
0		8398	92.0%
1		685	7.5%
2		44	0.5%
3		4	0.0%
4		1	0.0%
5		1	0.0%
Sysmiss		2264	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

**#14 P130: Total horses age 3 years and older**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-10] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=9264 /-] [Invalid=2133 /-] [Mean=0.676 /-] [StdDev=0.84 /-]
<b>Literal question</b>	Total horses age 3 years and older

Value	Label	Cases	Percentage
0		4504	48.6%
1		3714	40.1%
2		751	8.1%
3		201	2.2%
4		57	0.6%
5		17	0.2%
6		12	0.1%
7		5	0.1%
8		2	0.0%
10		1	0.0%
Sysmiss		2133	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

**#15 P131: Male horses age 3 years and older**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-6] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=9185 /-] [Invalid=2212 /-] [Mean=0.346 /-] [StdDev=0.584 /-]
<b>Literal question</b>	Male horses age 3 years and older

Value	Label	Cases	Percentage
0		6416	69.9%
1		2445	26.6%
2		265	2.9%
3		41	0.4%

**File HORSE****#15 P131: Male horses age 3 years and older**

Value	Label	Cases	Percentage
4		12	0.1%
5		5	0.1%
6		1	0.0%
Systemmiss		2212	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

**#16 P132: Female horses age 3 years and older**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-7] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=9210 /-] [Invalid=2187 /-] [Mean=0.335 /-] [StdDev=0.581 /-]
<b>Literal question</b>	Female horses age 3 years and older

Value	Label	Cases	Percentage
0		6538	71.0%
1		2330	25.3%
2		291	3.2%
3		36	0.4%
4		11	0.1%
5		2	0.0%
7		2	0.0%
Systemmiss		2187	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

**#17 P133: Total horses used primarily for draft purpose age 3 years and older**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-4] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=9163 /-] [Invalid=2234 /-] [Mean=0.0823 /-] [StdDev=0.341 /-]
<b>Literal question</b>	Total horses used primarily for draft purpose age 3 years and older

Value	Label	Cases	Percentage
0		8574	93.6%
1		446	4.9%
2		122	1.3%
3		20	0.2%
4		1	0.0%
Systemmiss		2234	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

**#18 P134: Male horses used primarily for draft purpose age 3 years and older**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-4] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=9134 /-] [Invalid=2263 /-] [Mean=0.0378 /-] [StdDev=0.214 /-]
<b>Literal question</b>	Male horses used primarily for draft purpose age 3 years and older

Value	Label	Cases	Percentage
0		8829	96.7%
1		268	2.9%
2		35	0.4%
3		1	0.0%
4		1	0.0%

**File HORSE****#18 P134: Male horses used primarily for draft purpose age 3 years and older**

Value	Label	Cases	Percentage
0		2263	
1			
2			
3			
4			
5			
6			
7			
8			
9			
10			
11			
12			
13			
14			
15			
16			
17			
18			
19			
20			
21			
22			
23			
24			
25			
26			
27			
28			
29			
30			
31			
32			
33			
34			
35			
36			
37			
38			
39			
40			
41			
42			
43			
44			
45			
46			
47			
48			
49			
50			
51			
52			
53			
54			
55			
56			
57			
58			
59			
60			
61			
62			
63			
64			
65			
66			
67			
68			
69			
70			
71			
72			
73			
74			
75			
76			
77			
78			
79			
80			
81			
82			
83			
84			
85			
86			
87			
88			
89			
90			
91			
92			
93			
94			
95			
96			
97			
98			
99			
100			
101			
102			
103			
104			
105			
106			
107			
108			
109			
110			
111			
112			
113			
114			
115			
116			
117			
118			
119			
120			
121			
122			
123			
124			
125			
126			
127			
128			
129			
130			
131			
132			
133			
134			
135			
136			
137			
138			
139			
140			
141			
142			
143			
144			
145			
146			
147			
148			
149			
150			
151			
152			
153			
154			
155			
156			
157			
158			
159			
160			
161			
162			
163			
164			
165			
166			
167			
168			
169			
170			
171			
172			
173			
174			
175			
176			
177			
178			
179			
180			
181			
182			
183			
184			
185			
186			
187			
188			
189			
190			
191			
192			
193			
194			
195			
196			
197			
198			
199			
200			
201			
202			
203			
204			
205			
206			
207			
208			
209			
210			
211			
212			
213			
214			
215			
216			
217			
218			
219			
220			
221			
222			
223			
224			
225			
226			
227			
228			
229			
230			
231			
232			
233			
234			
235			
236			
237			
238			
239			
240			
241			
242			
243			
244			
245			
246			
247			
248			
249			
250			
251			
252			
253			
254			
255			
256			
257			
258			
259			
260			
261			
262			
263			
264			
265			
266			
267			
268			
269			
270			
271			
272			
273			
274			
275			
276			
277			
278			
279			
280			
281			
282			
283			
284			
285			
286			
287			
288			
289			
290			
291			
292			
293			
294			
295			
296			
297			
298			
299			
300			
301			
302			
303			
304			
305			
306			
307			
308			
309			
310			
311			
312			
313			
314			
315			
316			
317			
318			
319			
320			
321			
322			
323			
324			
325			
326			
327			
328			
329			
330			
331			
332			
333			
334			
335			
336			
337			
338			
339			
340			
341			
342			
343			
344			
345			
346			
347			
348			
349			
350			
351			
352			
353			
354			
355			
356			
357			
358			
359			
360			
361			
362			
363			
364			
365			
366			
367			
368			
369			
370			
371			
372			
373			
374			
375			
376			
377			
378			
379			
380			
381			
382			
383			
384			
385			
386			
387			
388			
389			
390			
391			
392			
393			
394			
395			

## File HORSE

### #21 P137: Male horses for transportaion age 3 years and older

Value	Label	Cases	Percentage
Sysmiss		2237	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### #22 P138: Female horses for transportaion age 3 years and older

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-7] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=9166 /-] [Invalid=2231 /-] [Mean=0.22 /-] [StdDev=0.496 /-]
<b>Definition</b>	Female horses for transportaion age 3 years and older

Value	Label	Cases	Percentage
0		7413	80.9%
1		1536	16.8%
2		186	2.0%
3		22	0.2%
4		6	0.1%
5		1	0.0%
7		2	0.0%
Sysmiss		2231	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### #23 P139: Total horses for other purposes age 3 years and older

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-5] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=9119 /-] [Invalid=2278 /-] [Mean=0.0804 /-] [StdDev=0.326 /-]
<b>Literal question</b>	Total horses for other purposes age 3 years and older

Value	Label	Cases	Percentage
0		8499	93.2%
1		532	5.8%
2		71	0.8%
3		11	0.1%
4		4	0.0%
5		2	0.0%
Sysmiss		2278	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### #24 P140: Male horses for other purposes age 3 years and older

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=9103 /-] [Invalid=2294 /-] [Mean=0.00648 /-] [StdDev=0.0843 /-]
<b>Literal question</b>	Male horses for other purposes age 3 years and older

Value	Label	Cases	Percentage
0		9047	99.4%
1		53	0.6%
2		3	0.0%
Sysmiss		2294	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### #25 P141: Female horses for other purposes age 3 years and older

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-5] [Missing=*]
--------------------	--

**File HORSE****#25 P141: Female horses for other purposes age 3 years and older**

<b>Statistics [NW/ W]</b>	[Valid=9113 /-] [Invalid=2284 /-] [Mean=0.074 /-] [StdDev=0.311 /-]
---------------------------	---

<b>Literal question</b>	Female horses for other purposes age 3 years and older
-------------------------	--

Value	Label	Cases	Percentage
0		8538	93.7%
1		499	5.5%
2		60	0.7%
3		10	0.1%
4		5	0.1%
5		1	0.0%
Systemmiss		2284	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

**File MULE****#1 V01: Region**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-15] [Missing=*]
--------------------	---

<b>Statistics [NW/ W]</b>	[Valid=8080 /-] [Invalid=0 /-]
---------------------------	--------------------------------

<b>Literal question</b>	Region
-------------------------	--------

Value	Label	Cases	Percentage
1	Tigray	363	4.5%
2	Afar	304	3.8%
3	Amhara	1619	20.0%
4	Oromia	2096	25.9%
5	Somalia	589	7.3%
6	Benshangul_Gumuz	293	3.6%
7	S.N.N.P.R	1969	24.4%
12	Gambella	245	3.0%
13	Harari	293	3.6%
14	Addis_Ababa	0	0.0%
15	Dire_Dawa	309	3.8%

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

**#2 V02: Zone**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-21] [Missing=*]
--------------------	---

<b>Statistics [NW/ W]</b>	[Valid=8080 /-] [Invalid=0 /-] [Mean=6.844 /-] [StdDev=5.312 /-]
---------------------------	--

<b>Literal question</b>	Zone
-------------------------	------

Value	Label	Cases	Percentage
1		1377	17.0%
2		828	10.2%
3		640	7.9%
4		693	8.6%
5		432	5.3%
6		427	5.3%
7		518	6.4%

## File MULE

### #2 V02: Zone

Value	Label	Cases	Percentage
8		359	4.4%
9		649	8.0%
10		324	4.0%
11		386	4.8%
12		260	3.2%
13		196	2.4%
14		170	2.1%
15		1	0.0%
16		37	0.5%
17		307	3.8%
18		104	1.3%
19		203	2.5%
20		124	1.5%
21		45	0.6%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### #3 V03: Wereda

<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 1-24] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=8080 /-] [Invalid=0 /-] [Mean=5.26 /-] [StdDev=4.362 /-]
<b>Literal question</b>	Wereda

### #4 V04: FA

<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 1-403] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=8080 /-] [Invalid=0 /-] [Mean=14.73 /-] [StdDev=21.445 /-]
<b>Literal question</b>	Farmers association

### #5 V05: EA

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-16] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=8080 /-] [Invalid=0 /-] [Mean=2.858 /-] [StdDev=1.961 /-]
<b>Literal question</b>	Enumeration Area

Value	Label	Cases	Percentage
1		2338	28.9%
2		1845	22.8%
3		1481	18.3%
4		1145	14.2%
5		564	7.0%
6		248	3.1%
7		240	3.0%
8		155	1.9%
9		14	0.2%
10		16	0.2%
12		4	0.0%
16		30	0.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

<b>File MULE</b>			
<b>#6 V06: HH</b>			
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-494] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=8080 /-] [Invalid=0 /-] [Mean=86.714 /-] [StdDev=58.993 /-]		
<b>Literal question</b>	Household Number		
<b>#7 V07: HHolder</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=8080 /-] [Invalid=0 /-] [Mean=1.084 /-] [StdDev=0.549 /-]		
<b>Literal question</b>	Holder Number		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
0		2	0.0%
1		7767	96.1%
2		142	1.8%
3		99	1.2%
4		30	0.4%
5		13	0.2%
6		2	0.0%
7		4	0.0%
8		4	0.0%
9		17	0.2%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b>#8 P142: Total MULES of all ages</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-10] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=5843 /-] [Invalid=2237 /-] [Mean=0.272 /-] [StdDev=0.531 /-]		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
0		4400	75.3%
1		1340	22.9%
2		81	1.4%
3		13	0.2%
4		5	0.1%
6		2	0.0%
7		1	0.0%
10		1	0.0%
Sysmiss		2237	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b>#9 P143: Male MULES of all ages</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-10] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=5807 /-] [Invalid=2273 /-] [Mean=0.138 /-] [StdDev=0.393 /-]		
<b>Literal question</b>	Male MULES of all ages		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
0		5067	87.3%
1		692	11.9%
2		43	0.7%

## File MULE

### #9 P143: Male MULES of all ages

Value	Label	Cases	Percentage
3		3	0.1%
4		1	0.0%
10		1	0.0%
System Miss		2273	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### #10 P144: Female MULES of all ages

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-5] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=5819 /-] [Invalid=2261 /-] [Mean=0.136 /-] [StdDev=0.37 /-]
<b>Definition</b>	Female MULES of all ages

Value	Label	Cases	Percentage
0		5076	87.2%
1		704	12.1%
2		35	0.6%
3		2	0.0%
4		1	0.0%
5		1	0.0%
System Miss		2261	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### #11 P145: Total mules age less than 3 years

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-5] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=5811 /-] [Invalid=2269 /-] [Mean=0.0322 /-] [StdDev=0.196 /-]
<b>Literal question</b>	Total mules age less than 3 years

Value	Label	Cases	Percentage
0		5636	97.0%
1		168	2.9%
2		5	0.1%
4		1	0.0%
5		1	0.0%
System Miss		2269	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### #12 P146: Male mules age less than 3 years

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-5] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=5794 /-] [Invalid=2286 /-] [Mean=0.0166 /-] [StdDev=0.147 /-]
<b>Literal question</b>	Male mules age less than 3 years

Value	Label	Cases	Percentage
0		5706	98.5%
1		84	1.4%
2		2	0.0%
3		1	0.0%
5		1	0.0%
System Miss		2286	

**File MULE****#12 P146: Male mules age less than 3 years**

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

**#13 P147: Female mules age less than 3 years**

**Information** [Type= discrete] [Format=numeric] [Range= 0-2] [Missing=\*]

**Statistics [NW/ W]** [Valid=5796 /-] [Invalid=2284 /-] [Mean=0.0157 /-] [StdDev=0.128 /-]

**Literal question** Female mules age less than 3 years

Value	Label	Cases	Percentage
0		5708	98.5%
1		85	1.5%
2		3	0.1%
Sysmiss		2284	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

**#14 P148: Total mules age 3 years and older**

**Information** [Type= discrete] [Format=numeric] [Range= 0-7] [Missing=\*]

**Statistics [NW/ W]** [Valid=5826 /-] [Invalid=2254 /-] [Mean=0.24 /-] [StdDev=0.483 /-]

**Literal question** Total mules age 3 years and older

Value	Label	Cases	Percentage
0		4523	77.6%
1		1236	21.2%
2		52	0.9%
3		7	0.1%
4		5	0.1%
5		1	0.0%
6		1	0.0%
7		1	0.0%
Sysmiss		2254	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

**#15 P149: Male mules age 3 years and older**

**Information** [Type= discrete] [Format=numeric] [Range= 0-5] [Missing=\*]

**Statistics [NW/ W]** [Valid=5798 /-] [Invalid=2282 /-] [Mean=0.121 /-] [StdDev=0.349 /-]

**Literal question** Male mules age 3 years and older

Value	Label	Cases	Percentage
0		5135	88.6%
1		632	10.9%
2		27	0.5%
3		3	0.1%
5		1	0.0%
Sysmiss		2282	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

**#16 P150: Female mules age 3 years and older**

**Information** [Type= discrete] [Format=numeric] [Range= 0-6] [Missing=\*]

**Statistics [NW/ W]** [Valid=5808 /-] [Invalid=2272 /-] [Mean=0.12 /-] [StdDev=0.351 /-]

**File MULE****#16 P150: Female mules age 3 years and older**

<b>Literal question</b>	Female mules age 3 years and older
-------------------------	------------------------------------

Value	Label	Cases	Percentage
0		5141	88.5%
1		644	11.1%
2		19	0.3%
3		2	0.0%
5		1	0.0%
6		1	0.0%
Sysmiss		2272	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

**#17 P151: Total mules used primarily for draft porpuse age 3 years and older**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]
--------------------	--

<b>Statistics [NW/ W]</b>	[Valid=5792 /-] [Invalid=2288 /-] [Mean=0.0169 /-] [StdDev=0.136 /-]
---------------------------	--

<b>Literal question</b>	Total mules used primarily for draft porpuse age 3 years and older
-------------------------	--

Value	Label	Cases	Percentage
0		5698	98.4%
1		91	1.6%
2		2	0.0%
3		1	0.0%
Sysmiss		2288	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

**#18 P152: Male mules used primarily for draft porpuse age 3 years and older**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]
--------------------	--

<b>Statistics [NW/ W]</b>	[Valid=5786 /-] [Invalid=2294 /-] [Mean=0.00985 /-] [StdDev=0.107 /-]
---------------------------	---

<b>Literal question</b>	Male mules used primarily for draft porpuse age 3 years and older
-------------------------	---

Value	Label	Cases	Percentage
0		5733	99.1%
1		50	0.9%
2		2	0.0%
3		1	0.0%
Sysmiss		2294	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

**#19 P153: Female mules used primarily for draft porpuse age 3 years and older**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
--------------------	--

<b>Statistics [NW/ W]</b>	[Valid=5787 /-] [Invalid=2293 /-] [Mean=0.00708 /-] [StdDev=0.0839 /-]
---------------------------	--

<b>Literal question</b>	Female mules used primarily for draft porpuse age 3 years and older
-------------------------	---

Value	Label	Cases	Percentage
0		5746	99.3%
1		41	0.7%
Sysmiss		2293	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

<b>File MULE</b>			
<b>#20 P154: Total mules for transportation purposes age 3 years and older</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-7] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=5829 /-] [Invalid=2251 /-] [Mean=0.216 /-] [StdDev=0.457 /-]		
<b>Definition</b>	Total mules for transportation purposes age 3 years and older		
<b>Literal question</b>	Total mules for transportation purposes age 3 years and older		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
0		4646	79.7%
1		1126	19.3%
2		47	0.8%
3		4	0.1%
4		4	0.1%
5		1	0.0%
7		1	0.0%
Sysmiss		2251	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b>#21 P155: Male mules for transportation purposes age 3 years and older</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-5] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=5798 /-] [Invalid=2282 /-] [Mean=0.107 /-] [StdDev=0.328 /-]		
<b>Literal question</b>	Male mules for transportation purposes age 3 years and older		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
0		5208	89.8%
1		566	9.8%
2		22	0.4%
3		1	0.0%
5		1	0.0%
Sysmiss		2282	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b>#22 P156: Female mules for transportation purposes age 3 years and older</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-5] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=5814 /-] [Invalid=2266 /-] [Mean=0.11 /-] [StdDev=0.329 /-]		
<b>Literal question</b>	Female mules for transportation purposes age 3 years and older		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
0		5194	89.3%
1		602	10.4%
2		16	0.3%
3		1	0.0%
5		1	0.0%
Sysmiss		2266	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b>#23 P157: Total mules for other purpose age 3 years and older</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=5793 /-] [Invalid=2287 /-] [Mean=0.00673 /-] [StdDev=0.0879 /-]		

**File MULE****#23 P157: Total mules for other porpuse age 3 years and older**

<b>Literal question</b>	Total mules for other porpuse age 3 years and older
-------------------------	---

Value	Label	Cases	Percentage
0		5757	99.4%
1		33	0.6%
2		3	0.1%
Sysmiss		2287	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

**#24 P158: Male mules for other porpuse age 3 years and older**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]
--------------------	--

<b>Statistics [NW/ W]</b>	[Valid=5787 /-] [Invalid=2293 /-] [Mean=0.00346 /-] [StdDev=0.0643 /-]
---------------------------	--

<b>Definition</b>	Male mules for other porpuse age 3 years and older
-------------------	--

Value	Label	Cases	Percentage
0		5769	99.7%
1		16	0.3%
2		2	0.0%
Sysmiss		2293	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

**#25 P159: Female mules for other porpuse age 3 years and older**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]
--------------------	--

<b>Statistics [NW/ W]</b>	[Valid=5787 /-] [Invalid=2293 /-] [Mean=0.00328 /-] [StdDev=0.0602 /-]
---------------------------	--

<b>Literal question</b>	Female mules for other porpuse age 3 years and older
-------------------------	--

Value	Label	Cases	Percentage
0		5769	99.7%
1		17	0.3%
2		1	0.0%
Sysmiss		2293	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

**File NEWBIRTH****#1 V01: Region**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-15] [Missing=*]
--------------------	---

<b>Statistics [NW/ W]</b>	[Valid=188486 /-] [Invalid=0 /-]
---------------------------	----------------------------------

<b>Definition</b>	Region
-------------------	--------

<b>Literal question</b>	Region
-------------------------	--------

Value	Label	Cases	Percentage
1	Tigray	12642	6.7%
2	Afar	5373	2.9%
3	Amhara	38328	20.3%
4	Oromia	57449	30.5%
5	Somalia	8306	4.4%
6	Benshangul_Gumz	7283	3.9%
7	S.N.N.P.R	47244	25.1%

## File NEWBIRTH

### #1 V01: Region

Value	Label	Cases	Percentage
12	Gambella	5111	2.7%
13	Harari	3148	1.7%
14	Addis_Ababa	0	0.0%
15	Dire_Dawa	3602	1.9%

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### #2 V02: Zone

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-21] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=188486 /-] [Invalid=0 /-] [Mean=7.063 /-] [StdDev=5.335 /-]
<b>Literal question</b>	Zone

Value	Label	Cases	Percentage
1		25457	13.5%
2		19725	10.5%
3		17519	9.3%
4		16542	8.8%
5		11788	6.3%
6		11291	6.0%
7		10591	5.6%
8		9257	4.9%
9		13377	7.1%
10		9015	4.8%
11		7270	3.9%
12		6924	3.7%
13		4632	2.5%
14		3923	2.1%
15		1213	0.6%
16		1280	0.7%
17		5971	3.2%
18		3574	1.9%
19		4909	2.6%
20		2633	1.4%
21		1595	0.8%

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### #3 V03: Wereda

<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 1-24] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=188486 /-] [Invalid=0 /-] [Mean=5.661 /-] [StdDev=4.59 /-]
<b>Literal question</b>	Wereda

### #4 V04: FA

<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 1-403] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=188486 /-] [Invalid=0 /-] [Mean=14.528 /-] [StdDev=18.497 /-]
<b>Literal question</b>	Farmers association

**File NEWBIRTH****#5 V05: EA**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-17] [Missing=*]
--------------------	---

<b>Statistics [NW/ W]</b>	[Valid=188486 /-] [Invalid=0 /-] [Mean=2.977 /-] [StdDev=2.066 /-]
---------------------------	--

<b>Literal question</b>	Enumeration Area
-------------------------	------------------

Value	Label	Cases	Percentage
1		53118	28.2%
2		43220	22.9%
3		32422	17.2%
4		23189	12.3%
5		15267	8.1%
6		9144	4.9%
7		5643	3.0%
8		2980	1.6%
9		1577	0.8%
10		570	0.3%
11		568	0.3%
12		324	0.2%
13		147	0.1%
16		240	0.1%
17		77	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

**#6 V06: HH**

<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-999] [Missing=*]
--------------------	--

<b>Statistics [NW/ W]</b>	[Valid=188486 /-] [Invalid=0 /-] [Mean=87.382 /-] [StdDev=59.641 /-]
---------------------------	--

<b>Literal question</b>	Household Number
-------------------------	------------------

**#7 V07: HHolder**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]
--------------------	--

<b>Statistics [NW/ W]</b>	[Valid=188486 /-] [Invalid=0 /-] [Mean=1.056 /-] [StdDev=0.399 /-]
---------------------------	--

<b>Literal question</b>	Holder Number
-------------------------	---------------

Value	Label	Cases	Percentage
0		19	0.0%
1		182233	96.7%
2		4160	2.2%
3		1292	0.7%
4		357	0.2%
5		130	0.1%
6		29	0.0%
7		41	0.0%
8		39	0.0%
9		186	0.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

**#8 PQ161: Serial No.**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]
--------------------	--

<b>File NEWBIRTH</b>			
<b>#8 PQ161: Serial No.</b>			
<b>Statistics [NW/ W]</b>	[Valid=188486 /-] [Invalid=0 /-] [Mean=3.96 /-] [StdDev=2.731 /-]		
<b>Literal question</b>	Serial Number		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
1		48767	25.9%
2		30908	16.4%
3		27049	14.4%
4		8940	4.7%
5		13813	7.3%
6		7275	3.9%
7		7705	4.1%
8		44029	23.4%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b>#9 PQ163: Born</b>			
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-690032658] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=188486 /-] [Invalid=0 /-] [Mean=2794587.522 /-] [StdDev=6774254.917 /-]		
<b>Literal question</b>	Born		
<b>#10 PQ164: Bought</b>			
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-240140100] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=188486 /-] [Invalid=0 /-] [Mean=466696.242 /-] [StdDev=1476657.569 /-]		
<b>Literal question</b>	Bought		
<b>#11 PQ165: Gift</b>			
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-68000000] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=188486 /-] [Invalid=0 /-] [Mean=61131.707 /-] [StdDev=469079.322 /-]		
<b>Literal question</b>	Gift		
<b>#12 PQ166: Sold</b>			
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-243141102] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=188485 /-] [Invalid=1 /-] [Mean=720186.201 /-] [StdDev=2096923.158 /-]		
<b>Definition</b>	Sold		
<b>#13 PQ167: Slaughtered</b>			
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-150150000] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=188486 /-] [Invalid=0 /-] [Mean=416409.457 /-] [StdDev=1309784.388 /-]		
<b>#14 PQ168: Given out</b>			
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-60023037] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=188486 /-] [Invalid=0 /-] [Mean=55740.411 /-] [StdDev=548335.353 /-]		
<b>Definition</b>	Given out		
<b>#15 PQ169: Toatl Died due to diseases</b>			
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-200100100] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=188486 /-] [Invalid=0 /-] [Mean=1063672.048 /-] [StdDev=3799761.708 /-]		
<b>Definition</b>	Toatl Died due to diseases		

**File NEWBIRTH****#16 PQ1610: Total Died due to other reason**

<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-810000810] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=188486 /-] [Invalid=0 /-] [Mean=779694.866 /-] [StdDev=3720966.389 /-]
<b>Definition</b>	Total Died due to other reason

**File POULTRY****#1 V01: Region**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-15] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=42507 /-] [Invalid=0 /-]
<b>Literal question</b>	Region

Value	Label	Cases	Percentage
1	Tigray	3721	8.8%
2	Afar	399	0.9%
3	Amhara	9388	22.1%
4	Oromia	12991	30.6%
5	Somalia	826	1.9%
6	Benshangul_Gumz	2029	4.8%
7	S.N.N.P.R	10567	24.9%
12	Gambella	1539	3.6%
13	Harari	464	1.1%
14	Addis_Ababa	0	0.0%
15	Dire_Dawa	583	1.4%

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

**#2 V02: Zone**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-21] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=42507 /-] [Invalid=0 /-] [Mean=6.978 /-] [StdDev=5.375 /-]
<b>Literal question</b>	Zone

Value	Label	Cases	Percentage
1		5493	12.9%
2		4680	11.0%
3		4420	10.4%
4		4078	9.6%
5		2790	6.6%
6		2338	5.5%
7		2404	5.7%
8		2080	4.9%
9		2604	6.1%
10		1915	4.5%
11		1399	3.3%
12		1453	3.4%
13		1037	2.4%
14		811	1.9%
15		389	0.9%

## File POULTRY

### #2 V02: Zone

Value	Label	Cases	Percentage
16		355	0.8%
17		1118	2.6%
18		1084	2.6%
19		1095	2.6%
20		602	1.4%
21		362	0.9%

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### #3 V03: Wereda

<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 1-24] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=42507 /-] [Invalid=0 /-] [Mean=5.676 /-] [StdDev=4.618 /-]
<b>Literal question</b>	Wereda

### #4 V04: FA

<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 1-403] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=42507 /-] [Invalid=0 /-] [Mean=14.506 /-] [StdDev=19.836 /-]
<b>Literal question</b>	Farmers association

### #5 V05: EA

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-17] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=42507 /-] [Invalid=0 /-] [Mean=3.046 /-] [StdDev=2.1 /-]
<b>Literal question</b>	Enumeration Area

Value	Label	Cases	Percentage
1		11535	27.1%
2		9680	22.8%
3		7300	17.2%
4		5190	12.2%
5		3544	8.3%
6		2318	5.5%
7		1401	3.3%
8		669	1.6%
9		400	0.9%
10		147	0.3%
11		133	0.3%
12		94	0.2%
13		35	0.1%
16		30	0.1%
17		31	0.1%

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### #6 V06: HH

<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-999] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=42507 /-] [Invalid=0 /-] [Mean=88.642 /-] [StdDev=59.962 /-]
<b>Literal question</b>	Household Number

<b>File POULTRY</b>			
<b>#7 V07: HHolder</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=42507 /-] [Invalid=0 /-] [Mean=1.057 /-] [StdDev=0.387 /-]		
<b>Literal question</b>	Holder Number		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
0		2	0.0%
1		40977	96.4%
2		1077	2.5%
3		293	0.7%
4		73	0.2%
5		26	0.1%
6		7	0.0%
7		9	0.0%
8		5	0.0%
9		38	0.1%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b>#8 P201: poultry Total</b>			
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-93] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=41506 /-] [Invalid=1001 /-] [Mean=5.567 /-] [StdDev=5.874 /-]		
<b>Literal question</b>	Total poultry		
<b>#9 P202: poultry Total_ind</b>			
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-93] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=41506 /-] [Invalid=1001 /-] [Mean=5.389 /-] [StdDev=5.841 /-]		
<b>Literal question</b>	Indigenes Total poultry		
<b>#10 P203: poultry Total_hybrid</b>			
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-40] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=41506 /-] [Invalid=1001 /-] [Mean=0.134 /-] [StdDev=1.093 /-]		
<b>Literal question</b>	Hybrid Total poultry		
<b>#11 P204: poultry Total_foreign</b>			
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-41] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=41506 /-] [Invalid=1001 /-] [Mean=0.0289 /-] [StdDev=0.425 /-]		
<b>Literal question</b>	Foreign total poultry		
<b>#12 P205: Laying hens</b>			
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-30] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=40349 /-] [Invalid=2158 /-] [Mean=1.78 /-] [StdDev=1.534 /-]		
<b>Literal question</b>	Laying hens		
<b>#13 P206: Laying hens_ind</b>			
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-30] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=40259 /-] [Invalid=2248 /-] [Mean=1.713 /-] [StdDev=1.491 /-]		
<b>Literal question</b>	Laying hens Indigenes		

**File POULTRY****#14 P207: Laying hens\_hybrid**

<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-29] [Missing=*]
--------------------	---

<b>Statistics [NW/ W]</b>	[Valid=39116 /-] [Invalid=3391 /-] [Mean=0.0558 /-] [StdDev=0.459 /-]
---------------------------	---

<b>Literal question</b>	Laying hens hybrid
-------------------------	--------------------

**#15 P208: Laying hens\_foreign**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-12] [Missing=*]
--------------------	---

<b>Statistics [NW/ W]</b>	[Valid=39083 /-] [Invalid=3424 /-] [Mean=0.0147 /-] [StdDev=0.215 /-]
---------------------------	---

<b>Literal question</b>	Laying hens foreign
-------------------------	---------------------

Value	Label	Cases	Percentage
0		38783	99.2%
1		173	0.4%
2		61	0.2%
3		28	0.1%
4		21	0.1%
5		10	0.0%
6		2	0.0%
8		1	0.0%
9		1	0.0%
10		2	0.0%
12		1	0.0%
Sysmiss		3424	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

**#16 P209: Non-laying hens**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-15] [Missing=*]
--------------------	---

<b>Statistics [NW/ W]</b>	[Valid=38415 /-] [Invalid=4092 /-] [Mean=0.188 /-] [StdDev=0.654 /-]
---------------------------	--

<b>Literal question</b>	Non-laying hens
-------------------------	-----------------

Value	Label	Cases	Percentage
0		34070	88.7%
1		2639	6.9%
2		1103	2.9%
3		335	0.9%
4		146	0.4%
5		57	0.1%
6		32	0.1%
7		13	0.0%
8		4	0.0%
9		5	0.0%
10		6	0.0%
12		2	0.0%
13		1	0.0%
15		2	0.0%
Sysmiss		4092	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

**File POULTRY****#17 P210: Non-laying hens Indigenes**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-15] [Missing=*]
--------------------	---

<b>Statistics [NW/ W]</b>	[Valid=38400 /-] [Invalid=4107 /-] [Mean=0.182 /-] [StdDev=0.644 /-]
---------------------------	--

<b>Literal question</b>	Non-laying hensIndigenes
-------------------------	--------------------------

Value	Label	Cases	Percentage
0		34164	89.0%
1		2574	6.7%
2		1082	2.8%
3		325	0.8%
4		142	0.4%
5		53	0.1%
6		28	0.1%
7		12	0.0%
8		4	0.0%
9		5	0.0%
10		6	0.0%
12		2	0.0%
13		1	0.0%
15		2	0.0%
Sysmiss		4107	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

**#18 P211: Non-laying hens\_hybrid**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-6] [Missing=*]
--------------------	--

<b>Statistics [NW/ W]</b>	[Valid=38296 /-] [Invalid=4211 /-] [Mean=0.00467 /-] [StdDev=0.108 /-]
---------------------------	--

<b>Literal question</b>	Non-laying hens_hybrid
-------------------------	------------------------

Value	Label	Cases	Percentage
0		38184	99.7%
1		79	0.2%
2		17	0.0%
3		8	0.0%
4		2	0.0%
5		2	0.0%
6		4	0.0%
Sysmiss		4211	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

**#19 P212: Non-laying hens\_foreign**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-4] [Missing=*]
--------------------	--

<b>Statistics [NW/ W]</b>	[Valid=38290 /-] [Invalid=4217 /-] [Mean=0.000914 /-] [StdDev=0.0424 /-]
---------------------------	--

<b>Literal question</b>	Non-laying hens_foreign
-------------------------	-------------------------

Value	Label	Cases	Percentage
0		38267	99.9%
1		15	0.0%
2		5	0.0%

## File POULTRY

### #19 P212: Non-laying hens\_foreign

Value	Label	Cases	Percentage
3		2	0.0%
4		1	0.0%
Sysmiss		4217	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### #20 P213: Cocks-males

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-20] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=39262 /-] [Invalid=3245 /-] [Mean=0.607 /-] [StdDev=0.954 /-]
<b>Literal question</b>	Cocks-males

Value	Label	Cases	Percentage
0		22722	57.9%
1		12061	30.7%
2		2985	7.6%
3		853	2.2%
4		353	0.9%
5		149	0.4%
6		65	0.2%
7		25	0.1%
8		19	0.0%
9		3	0.0%
10		14	0.0%
11		3	0.0%
12		2	0.0%
13		1	0.0%
15		3	0.0%
16		2	0.0%
18		1	0.0%
20		1	0.0%
Sysmiss		3245	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### #21 P214: Cocks-males Indigenes

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-20] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=39206 /-] [Invalid=3301 /-] [Mean=0.587 /-] [StdDev=0.946 /-]
<b>Literal question</b>	Cocks-males Indigenes

Value	Label	Cases	Percentage
0		23210	59.2%
1		11676	29.8%
2		2885	7.4%
3		818	2.1%
4		339	0.9%
5		141	0.4%
6		63	0.2%
7		26	0.1%

## File POULTRY

### #21 P214: Cocks-males Indigenes

Value	Label	Cases	Percentage
8		18	0.0%
9		3	0.0%
10		14	0.0%
11		3	0.0%
12		2	0.0%
13		1	0.0%
15		3	0.0%
16		2	0.0%
18		1	0.0%
20		1	0.0%
Sysmiss		3301	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### #22 P215: Cocks-males\_hybrid

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=38668 /-] [Invalid=3839 /-] [Mean=0.0166 /-] [StdDev=0.178 /-]
<b>Literal question</b>	Cocks-males_hybrid

Value	Label	Cases	Percentage
0		38207	98.8%
1		351	0.9%
2		68	0.2%
3		23	0.1%
4		12	0.0%
5		6	0.0%
8		1	0.0%
Sysmiss		3839	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### #23 P216: Cocks-males foreign

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=38644 /-] [Invalid=3863 /-] [Mean=0.00349 /-] [StdDev=0.0645 /-]
<b>Literal question</b>	ocks-males foreign

Value	Label	Cases	Percentage
0		38520	99.7%
1		115	0.3%
2		7	0.0%
3		2	0.0%
Sysmiss		3863	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### #24 P217: Cockerels

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-20] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=38479 /-] [Invalid=4028 /-] [Mean=0.324 /-] [StdDev=0.968 /-]
<b>Literal question</b>	Cockerels

## File POULTRY

### #24 P217: Cockerels

Value	Label	Cases	Percentage
0		32528	84.5%
1		2648	6.9%
2		1709	4.4%
3		842	2.2%
4		401	1.0%
5		150	0.4%
6		89	0.2%
7		41	0.1%
8		30	0.1%
9		3	0.0%
10		23	0.1%
11		4	0.0%
12		3	0.0%
13		1	0.0%
15		3	0.0%
18		2	0.0%
20		2	0.0%
Sysmiss		4028	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### #25 P218: Cockerels Indigenes

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-20] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=38462 /-] [Invalid=4045 /-] [Mean=0.315 /-] [StdDev=0.957 /-]
<b>Literal question</b>	Cockerels Indigenes

  

Value	Label	Cases	Percentage
0		32679	85.0%
1		2581	6.7%
2		1655	4.3%
3		814	2.1%
4		393	1.0%
5		148	0.4%
6		83	0.2%
7		39	0.1%
8		29	0.1%
9		3	0.0%
10		23	0.1%
11		4	0.0%
12		3	0.0%
13		1	0.0%
15		3	0.0%
18		2	0.0%
20		2	0.0%
Sysmiss		4045	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

**File POULTRY****#26 P219: Cockerels\_hybrid**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
--------------------	--

<b>Statistics [NW/ W]</b>	[Valid=38275 /-] [Invalid=4232 /-] [Mean=0.00698 /-] [StdDev=0.138 /-]
---------------------------	--

<b>Literal question</b>	Cockerels hybrid
-------------------------	------------------

Value	Label	Cases	Percentage
0		38137	99.6%
1		64	0.2%
2		44	0.1%
3		17	0.0%
4		7	0.0%
5		2	0.0%
6		3	0.0%
8		1	0.0%
Sysmiss		4232	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

**#27 P220: Cockerels\_foreign**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-7] [Missing=*]
--------------------	--

<b>Statistics [NW/ W]</b>	[Valid=38265 /-] [Invalid=4242 /-] [Mean=0.0017 /-] [StdDev=0.0728 /-]
---------------------------	--

<b>Literal question</b>	Cockerels foreign
-------------------------	-------------------

Value	Label	Cases	Percentage
0		38232	99.9%
1		19	0.0%
2		6	0.0%
3		3	0.0%
4		3	0.0%
6		1	0.0%
7		1	0.0%
Sysmiss		4242	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

**#28 P221: Pullets**

<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-30] [Missing=*]
--------------------	---

<b>Statistics [NW/ W]</b>	[Valid=38830 /-] [Invalid=3677 /-] [Mean=0.574 /-] [StdDev=1.276 /-]
---------------------------	--

<b>Literal question</b>	Pullets
-------------------------	---------

**#29 P222: Pullets Indigenes**

<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-30] [Missing=*]
--------------------	---

<b>Statistics [NW/ W]</b>	[Valid=38779 /-] [Invalid=3728 /-] [Mean=0.551 /-] [StdDev=1.249 /-]
---------------------------	--

<b>Literal question</b>	Pullets Indigenes
-------------------------	-------------------

**#30 P223: Pullets\_hybrid**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-10] [Missing=*]
--------------------	---

<b>Statistics [NW/ W]</b>	[Valid=38422 /-] [Invalid=4085 /-] [Mean=0.0151 /-] [StdDev=0.228 /-]
---------------------------	---

<b>Literal question</b>	Pullets hybrid
-------------------------	----------------

**File POULTRY****#30 P223: Pullets\_hybrid**

Value	Label	Cases	Percentage
0		38167	99.3%
1		100	0.3%
2		81	0.2%
3		28	0.1%
4		25	0.1%
5		8	0.0%
6		5	0.0%
7		2	0.0%
8		4	0.0%
10		2	0.0%
Systemiss		4085	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

**#31 P224: Pullets\_foreign**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=38404 /-] [Invalid=4103 /-] [Mean=0.00443 /-] [StdDev=0.129 /-]
<b>Literal question</b>	Pullets foreign

Value	Label	Cases	Percentage
0		38332	99.8%
1		35	0.1%
2		12	0.0%
3		11	0.0%
4		3	0.0%
5		5	0.0%
6		3	0.0%
7		1	0.0%
8		2	0.0%
Systemiss		4103	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

**#32 P225: Chicks**

<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-70] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=39098 /-] [Invalid=3409 /-] [Mean=2.391 /-] [StdDev=3.982 /-]
<b>Literal question</b>	Chicks

**#33 P226: Chicks Indigenes**

<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-70] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=39061 /-] [Invalid=3446 /-] [Mean=2.334 /-] [StdDev=3.951 /-]
<b>Literal question</b>	Chicks Indigenes

**#34 P227: Chicks\_hybrid**

<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-30] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=38553 /-] [Invalid=3954 /-] [Mean=0.0445 /-] [StdDev=0.606 /-]
<b>Literal question</b>	Chicks hybrid

## File POULTRY

### #35 P228: Chicks\_foreign

**Information** [Type= discrete] [Format=numeric] [Range= 0-18] [Missing=\*]

**Statistics [NW/ W]** [Valid=38545 /-] [Invalid=3962 /-] [Mean=0.00571 /-] [StdDev=0.229 /-]

**Literal question** Chicks foreign

Value	Label	Cases	Percentage
0		38504	99.9%
1		7	0.0%
2		4	0.0%
3		10	0.0%
4		3	0.0%
5		4	0.0%
6		2	0.0%
7		1	0.0%
8		1	0.0%
9		1	0.0%
10		2	0.0%
11		1	0.0%
12		1	0.0%
15		2	0.0%
16		1	0.0%
18		1	0.0%
Sysmiss		3962	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## File SHEEP

### #1 V01: Region

**Information** [Type= discrete] [Format=numeric] [Range= 1-15] [Missing=\*]

**Statistics [NW/ W]** [Valid=28482 /-] [Invalid=0 /-]

**Literal question** Region

Value	Label	Cases	Percentage
1	Tigray	1234	4.3%
2	Afar	1066	3.7%
3	Amhara	5400	19.0%
4	Oromia	9002	31.6%
5	Somalia	1453	5.1%
6	Benshangul_Gumz	686	2.4%
7	S.N.N.P.R	8170	28.7%
12	Gambella	580	2.0%
13	Harari	340	1.2%
14	Addis_Ababa	0	0.0%
15	Dire_Dawa	551	1.9%

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### #2 V02: Zone

**Information** [Type= discrete] [Format=numeric] [Range= 1-21] [Missing=\*]

**File SHEEP****#2 V02: Zone**

<b>Statistics [NW/ W]</b>	[Valid=28482 /-] [Invalid=0 /-] [Mean=7.332 /-] [StdDev=5.462 /-]
---------------------------	---

<b>Literal question</b>	Zone
-------------------------	------

Value	Label	Cases	Percentage
1		3399	11.9%
2		2820	9.9%
3		2785	9.8%
4		2414	8.5%
5		1893	6.6%
6		1873	6.6%
7		1695	6.0%
8		1367	4.8%
9		2000	7.0%
10		1138	4.0%
11		970	3.4%
12		1018	3.6%
13		649	2.3%
14		652	2.3%
15		354	1.2%
16		184	0.6%
17		1105	3.9%
18		680	2.4%
19		768	2.7%
20		493	1.7%
21		225	0.8%

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

**#3 V03: Wereda**

<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 1-24] [Missing=*]
--------------------	---

<b>Statistics [NW/ W]</b>	[Valid=28482 /-] [Invalid=0 /-] [Mean=5.801 /-] [StdDev=4.654 /-]
---------------------------	---

<b>Literal question</b>	Wereda
-------------------------	--------

**#4 V04: FA**

<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 1-403] [Missing=*]
--------------------	--

<b>Statistics [NW/ W]</b>	[Valid=28482 /-] [Invalid=0 /-] [Mean=14.871 /-] [StdDev=17.847 /-]
---------------------------	---

<b>Literal question</b>	Farmers association
-------------------------	---------------------

**#5 V05: EA**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-17] [Missing=*]
--------------------	---

<b>Statistics [NW/ W]</b>	[Valid=28482 /-] [Invalid=0 /-] [Mean=2.933 /-] [StdDev=1.972 /-]
---------------------------	---

<b>Literal question</b>	Enumeration Area
-------------------------	------------------

Value	Label	Cases	Percentage
1		7999	28.1%
2		6643	23.3%
3		4875	17.1%
4		3546	12.4%

**File SHEEP****#5 V05: EA**

Value	Label	Cases	Percentage
5		2441	8.6%
6		1404	4.9%
7		744	2.6%
8		399	1.4%
9		256	0.9%
10		46	0.2%
11		55	0.2%
12		35	0.1%
13		3	0.0%
16		30	0.1%
17		6	0.0%

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

**#6 V06: HH**

<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-999] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=28482 /-] [Invalid=0 /-] [Mean=85.786 /-] [StdDev=57.938 /-]
<b>Literal question</b>	Household Number

**#7 V07: HHolder**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=28482 /-] [Invalid=0 /-] [Mean=1.064 /-] [StdDev=0.407 /-]
<b>Literal question</b>	Holder Number

Value	Label	Cases	Percentage
0		2	0.0%
1		27312	95.9%
2		823	2.9%
3		227	0.8%
4		59	0.2%
5		16	0.1%
6		4	0.0%
7		7	0.0%
8		5	0.0%
9		27	0.1%

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

**#8 P47: Total sheep of all age**

<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-265] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=27042 /-] [Invalid=1440 /-] [Mean=4.833 /-] [StdDev=7.875 /-]
<b>Literal question</b>	Total sheep of all age

**#9 P48: Male sheep of all age**

<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-101] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=26798 /-] [Invalid=1684 /-] [Mean=1.347 /-] [StdDev=2.926 /-]
<b>Literal question</b>	Male sheep of all age

<b>File SHEEP</b>	
<b>#10 P49: Female sheep of all age</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-202] [Missing=*]
Statistics [NW/ W]	[Valid=26990 /-] [Invalid=1492 /-] [Mean=3.504 /-] [StdDev=5.596 /-]
Literal question	Female sheep of all age
<b>#11 P50: Total sheep age less than 6 months</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-60] [Missing=*]
Statistics [NW/ W]	[Valid=26696 /-] [Invalid=1786 /-] [Mean=1.198 /-] [StdDev=1.814 /-]
Literal question	Total sheep age less than 6 months
<b>#12 P51: Male sheep age less than 6 months</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-24] [Missing=*]
Statistics [NW/ W]	[Valid=26575 /-] [Invalid=1907 /-] [Mean=0.573 /-] [StdDev=0.968 /-]
Literal question	Male sheep age less than 6 months
<b>#13 P52: Female sheep age less than 6 months</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-40] [Missing=*]
Statistics [NW/ W]	[Valid=26567 /-] [Invalid=1915 /-] [Mean=0.63 /-] [StdDev=1.193 /-]
Literal question	Female sheep age less than 6 months
<b>#14 P53: Total sheep age 6 months to 1 year</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-50] [Missing=*]
Statistics [NW/ W]	[Valid=26446 /-] [Invalid=2036 /-] [Mean=0.537 /-] [StdDev=1.388 /-]
Literal question	Total sheep age 6 months to 1 year
<b>#15 P54: Male sheep age 6 months to 1 year</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-28] [Missing=*]
Statistics [NW/ W]	[Valid=26350 /-] [Invalid=2132 /-] [Mean=0.231 /-] [StdDev=0.735 /-]
Literal question	Male sheep age 6 months to 1 year
<b>#16 P55: Female sheep age 6 months to 1 year</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-30] [Missing=*]
Statistics [NW/ W]	[Valid=26356 /-] [Invalid=2126 /-] [Mean=0.308 /-] [StdDev=0.918 /-]
Literal question	Female sheep age 6 months to 1 year
<b>#17 P56: Total sheep age 1 years to 2 years</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-100] [Missing=*]
Statistics [NW/ W]	[Valid=26491 /-] [Invalid=1991 /-] [Mean=0.614 /-] [StdDev=2.025 /-]
Literal question	Total sheep age 1 years to 2 years
<b>#18 P57: Male sheep age 1 years to 2 years</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-60] [Missing=*]
Statistics [NW/ W]	[Valid=26341 /-] [Invalid=2141 /-] [Mean=0.212 /-] [StdDev=0.99 /-]
Literal question	Male sheep age 1 years to 2 years
<b>#19 P58: Female sheep age 1 years to 2 years</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-50] [Missing=*]
Statistics [NW/ W]	[Valid=26421 /-] [Invalid=2061 /-] [Mean=0.405 /-] [StdDev=1.379 /-]

<b>File SHEEP</b>			
<b>#19 P58: Female sheep age 1 years to 2 years</b>			
Literal question	Female sheep age 1 years to 2 years		
<b>#20 P59: Total sheep age 2 years and older</b>			
Information	[Type= continuous] [Format=numeric] [Range= 0-195] [Missing=*]		
Statistics [NW/ W]	[Valid=26908 /-] [Invalid=1574 /-] [Mean=2.545 /-] [StdDev=4.623 /-]		
Literal question	Total sheep age 2 years and older		
<b>#21 P60: Male sheep age 2 years and older</b>			
Information	[Type= continuous] [Format=numeric] [Range= 0-84] [Missing=*]		
Statistics [NW/ W]	[Valid=26426 /-] [Invalid=2056 /-] [Mean=0.35 /-] [StdDev=1.619 /-]		
Literal question	Male sheep age 2 years and older		
<b>#22 P61: Female sheep age 2 years and older</b>			
Information	[Type= continuous] [Format=numeric] [Range= 0-193] [Missing=*]		
Statistics [NW/ W]	[Valid=26890 /-] [Invalid=1592 /-] [Mean=2.202 /-] [StdDev=3.68 /-]		
Literal question	Female sheep age 2 years and older		
<b>#23 P62: Total sheep for meet age 2 years and older</b>			
Information	[Type= continuous] [Format=numeric] [Range= 0-71] [Missing=*]		
Statistics [NW/ W]	[Valid=26254 /-] [Invalid=2228 /-] [Mean=0.131 /-] [StdDev=1.004 /-]		
Literal question	Total sheep for meet age 2 years and older		
<b>#24 P63: Male sheep for meet age 2 years and older</b>			
Information	[Type= continuous] [Format=numeric] [Range= 0-71] [Missing=*]		
Statistics [NW/ W]	[Valid=26247 /-] [Invalid=2235 /-] [Mean=0.116 /-] [StdDev=0.915 /-]		
Literal question	Male sheep for meet age 2 years and older		
<b>#25 P64: Female sheep for meet age 2 years and older</b>			
Information	[Type= continuous] [Format=numeric] [Range= 0-25] [Missing=*]		
Statistics [NW/ W]	[Valid=26199 /-] [Invalid=2283 /-] [Mean=0.0155 /-] [StdDev=0.27 /-]		
Literal question	Female sheep for meet age 2 years and older		
<b>#26 P65: Total sheep for Wool only age 2 years and older</b>			
Information	[Type= discrete] [Format=numeric] [Range= 0-14] [Missing=*]		
Statistics [NW/ W]	[Valid=26193 /-] [Invalid=2289 /-] [Mean=0.011 /-] [StdDev=0.243 /-]		
Literal question	Total sheep for Wool only age 2 years and older		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
0		26093	99.6%
1		39	0.1%
2		21	0.1%
3		15	0.1%
4		11	0.0%
5		3	0.0%
6		1	0.0%
7		2	0.0%
9		3	0.0%

## File SHEEP

### #26 P65: Total sheep for Wool only age 2 years and older

Value	Label	Cases	Percentage
10		2	0.0%
11		1	0.0%
12		1	0.0%
14		1	0.0%
Sysmiss		2289	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### #27 P66: Male sheep for Wool only age 2 years and older

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-5] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=26187 /-] [Invalid=2295 /-] [Mean=0.0016 /-] [StdDev=0.0612 /-]
<b>Literal question</b>	Male sheep for Wool only age 2 years and older

Value	Label	Cases	Percentage
0		26162	99.9%
1		15	0.1%
2		6	0.0%
3		2	0.0%
4		1	0.0%
5		1	0.0%
Sysmiss		2295	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### #28 P67: Female sheep for Wool only age 2 years and older

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-11] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=26188 /-] [Invalid=2294 /-] [Mean=0.00943 /-] [StdDev=0.213 /-]
<b>Literal question</b>	Female sheep for Wool only age 2 years and older

Value	Label	Cases	Percentage
0		26096	99.6%
1		36	0.1%
2		28	0.1%
3		7	0.0%
4		9	0.0%
5		1	0.0%
6		1	0.0%
7		3	0.0%
8		1	0.0%
9		3	0.0%
10		2	0.0%
11		1	0.0%
Sysmiss		2294	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### #29 P68: Total sheep for breeding only age 2 years and older

<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-195] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=26933 /-] [Invalid=1549 /-] [Mean=2.43 /-] [StdDev=4.352 /-]

<b>File SHEEP</b>			
<b>#29 P68: Total sheep for breeding only age 2 years and older</b>			
<b>Literal question</b>	Total sheep for breeding only age 2 years and older		
<b>#30 P69: Male sheep for breeding only age 2 years and older</b>			
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-84] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=26445 /-] [Invalid=2037 /-] [Mean=0.242 /-] [StdDev=1.305 /-]		
<b>Literal question</b>	Male sheep for breeding only age 2 years and older		
<b>#31 P70: Female sheep for breeding only age 2 years and older</b>			
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-193] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=26924 /-] [Invalid=1558 /-] [Mean=2.193 /-] [StdDev=3.633 /-]		
<b>Literal question</b>	Female sheep for breeding only age 2 years and older		
<b>#32 P71: Total sheep for other purpose age 2 years and older</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-17] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=26212 /-] [Invalid=2270 /-] [Mean=0.0311 /-] [StdDev=0.349 /-]		
<b>Literal question</b>	Total sheep for other purpose age 2 years and older		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
0		25816	98.5%
1		223	0.9%
2		84	0.3%
3		37	0.1%
4		22	0.1%
5		10	0.0%
6		5	0.0%
7		6	0.0%
8		1	0.0%
9		2	0.0%
10		2	0.0%
13		2	0.0%
14		1	0.0%
17		1	0.0%
Sysmiss		2270	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b>#33 P72: Male sheep for other purpose age 2 years and older</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-17] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=26202 /-] [Invalid=2280 /-] [Mean=0.0155 /-] [StdDev=0.235 /-]		
<b>Literal question</b>	Male sheep for other purpose age 2 years and older		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
0		25986	99.2%
1		133	0.5%
2		42	0.2%
3		20	0.1%
4		8	0.0%
5		4	0.0%

**File SHEEP****#33 P72: Male sheep for other purpose age 2 years and older**

Value	Label	Cases	Percentage
6		3	0.0%
7		2	0.0%
8		1	0.0%
9		1	0.0%
10		1	0.0%
17		1	0.0%
System Miss		2280	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

**#34 P73: Female sheep for other purpose age 2 years and older**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-13] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=26194 /-] [Invalid=2288 /-] [Mean=0.0157 /-] [StdDev=0.235 /-]
<b>Literal question</b>	Female sheep for other purpose age 2 years and older

Value	Label	Cases	Percentage
0		25980	99.2%
1		126	0.5%
2		48	0.2%
3		17	0.1%
4		10	0.0%
5		4	0.0%
6		2	0.0%
7		3	0.0%
8		1	0.0%
10		1	0.0%
13		2	0.0%
System Miss		2288	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

**#35 P74: Total Grand**

<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-265] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=27042 /-] [Invalid=1440 /-] [Mean=4.833 /-] [StdDev=7.875 /-]
<b>Literal question</b>	Total Grand

**#36 P75: Male Total Grand**

<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-101] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=26798 /-] [Invalid=1684 /-] [Mean=1.347 /-] [StdDev=2.926 /-]
<b>Literal question</b>	Male Total Grand

**#37 P76: Female Total Grand**

<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-202] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=26990 /-] [Invalid=1492 /-] [Mean=3.504 /-] [StdDev=5.596 /-]
<b>Literal question</b>	Female Total Grand

**#38 P77: Total Local breed**

<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-265] [Missing=*]
--------------------	--

<b>File SHEEP</b>			
<b>#38 P77: Total Local breed</b>			
<b>Statistics [NW/ W]</b>	[Valid=27022 /-] [Invalid=1460 /-] [Mean=4.826 /-] [StdDev=7.874 /-]		
<b>Literal question</b>	Total Local breed		
<b>#39 P78: Male Local breed</b>			
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-101] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=26786 /-] [Invalid=1696 /-] [Mean=1.346 /-] [StdDev=2.921 /-]		
<b>Literal question</b>	Male Local breed		
<b>#40 P79: Female Total Local breed</b>			
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-202] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=26974 /-] [Invalid=1508 /-] [Mean=3.498 /-] [StdDev=5.597 /-]		
<b>Literal question</b>	Female Total Local breed		
<b>#41 P80: Total Exotic</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=26196 /-] [Invalid=2286 /-] [Mean=0.000916 /-] [StdDev=0.0688 /-]		
<b>Literal question</b>	Total Exotic		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
0		26188	100.0%
1		3	0.0%
2		2	0.0%
4		2	0.0%
9		1	0.0%
Sysmiss		2286	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b>#42 P81: Male Total Exotic</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-4] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=26189 /-] [Invalid=2293 /-] [Mean=0.000382 /-] [StdDev=0.0303 /-]		
<b>Literal question</b>	Male Total Exotic		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
0		26183	100.0%
1		4	0.0%
2		1	0.0%
4		1	0.0%
Sysmiss		2293	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b>#43 P82: Female Total Exotic</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=26188 /-] [Invalid=2294 /-] [Mean=0.000878 /-] [StdDev=0.0744 /-]		
<b>Literal question</b>	Female Total Exotic		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
0		26182	100.0%
1		2	0.0%

**File SHEEP****#43 P82: Female Total Exotic**

Value	Label	Cases	Percentage
2		1	0.0%
3		1	0.0%
7		1	0.0%
9		1	0.0%
Sysmiss		2294	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

**#44 P83: Total Hybrid**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*
<b>Statistics [NW/ W]</b>	[Valid=26192 /-] [Invalid=2290 /-] [Mean=0.00294 /-] [StdDev=0.101 /-]
<b>Literal question</b>	Total Hybrid

Value	Label	Cases	Percentage
0		26157	99.9%
1		15	0.1%
2		10	0.0%
3		6	0.0%
4		1	0.0%
5		1	0.0%
6		1	0.0%
9		1	0.0%
Sysmiss		2290	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

**#45 P84: Male Total Hybrid**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*
<b>Statistics [NW/ W]</b>	[Valid=26187 /-] [Invalid=2295 /-] [Mean=0.000764 /-] [StdDev=0.0327 /-]
<b>Literal question</b>	Male Total Hybrid

Value	Label	Cases	Percentage
0		26171	99.9%
1		12	0.0%
2		4	0.0%
Sysmiss		2295	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

**#46 P85: Female Total Hybrid**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*
<b>Statistics [NW/ W]</b>	[Valid=26188 /-] [Invalid=2294 /-] [Mean=0.00218 /-] [StdDev=0.084 /-]
<b>Literal question</b>	Female Total Hybrid

Value	Label	Cases	Percentage
0		26159	99.9%
1		15	0.1%
2		7	0.0%
3		5	0.0%
4		1	0.0%



## File VACCIN

### #2 V02: Zone

Value	Label	Cases	Percentage
16		304	0.6%
17		1637	3.1%
18		923	1.7%
19		1303	2.4%
20		873	1.6%
21		494	0.9%

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### #3 V03: Wereda

<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 1-24] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=53239 /-] [Invalid=0 /-] [Mean=5.438 /-] [StdDev=4.451 /-]
<b>Literal question</b>	Wereda

### #4 V04: FA

<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 1-403] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=53239 /-] [Invalid=0 /-] [Mean=14.622 /-] [StdDev=19.091 /-]
<b>Literal question</b>	Farmers association

### #5 V05: Enumeration Area

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-17] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=53239 /-] [Invalid=0 /-] [Mean=2.924 /-] [StdDev=2.047 /-]
<b>Literal question</b>	Enumeration Area

Value	Label	Cases	Percentage
1		15273	28.7%
2		12282	23.1%
3		9312	17.5%
4		6852	12.9%
5		4100	7.7%
6		2093	3.9%
7		1757	3.3%
8		788	1.5%
9		316	0.6%
10		139	0.3%
11		90	0.2%
12		33	0.1%
13		33	0.1%
16		120	0.2%
17		51	0.1%

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### #6 V06: HH

<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-635] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=53239 /-] [Invalid=0 /-] [Mean=87.509 /-] [StdDev=60.156 /-]
<b>Literal question</b>	Household Number

<b>File VACCIN</b>			
<b>#7 V07: HHolder</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=53239 /-] [Invalid=0 /-] [Mean=1.073 /-] [StdDev=0.498 /-]		
<b>Literal question</b>	Holder Number		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
0		9	0.0%
1		51267	96.3%
2		1114	2.1%
3		493	0.9%
4		145	0.3%
5		63	0.1%
6		14	0.0%
7		21	0.0%
8		18	0.0%
9		95	0.2%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b>#8 PQ171: Serial No.</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=53239 /-] [Invalid=0 /-] [Mean=1.963 /-] [StdDev=1.092 /-]		
<b>Literal question</b>	Serial Number		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
1		25833	48.5%
2		10480	19.7%
3		9985	18.8%
4		6941	13.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b>#9 PQ173: Total vaccinated</b>			
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-630314316] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=53239 /-] [Invalid=0 /-] [Mean=2803120.306 /-] [StdDev=6250956.033 /-]		
<b>Literal question</b>	Total vaccinated		
<b>#10 PQ174: Vaccinated for "Abasenga"</b>			
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-60020040] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=53239 /-] [Invalid=0 /-] [Mean=660688.289 /-] [StdDev=2115483.901 /-]		
<b>Literal question</b>	Vaccinated for "Abasenga"		
<b>#11 PQ175: Vaccinated for "Abagorba"</b>			
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-78011067] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=53239 /-] [Invalid=0 /-] [Mean=676889.144 /-] [StdDev=2329955.517 /-]		
<b>Literal question</b>	Vaccinated for "Abagorba"		
<b>#12 PQ176: Vaccinated for Tuberculosis</b>			
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-100018082] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=53239 /-] [Invalid=0 /-] [Mean=618461.535 /-] [StdDev=3233771.481 /-]		

<b>File VACCIN</b>	
<b>#12 PQ176: Vaccinated for Tuberculosis</b>	
<b>Literal question</b>	Vaccinated for Tuberculosis
<b>#13 PQ177: Vaccinated for "Gororsa"</b>	
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-98027071] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=53239 /-] [Invalid=0 /-] [Mean=521390.531 /-] [StdDev=2319090.305 /-]
<b>Literal question</b>	Vaccinated for "Gororsa"
<b>#14 PQ178: Vaccinated for "Desta"</b>	
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-15004011] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=53239 /-] [Invalid=0 /-] [Mean=2047.974 /-] [StdDev=126299.7 /-]
<b>Literal question</b>	Vaccinated for "Desta"
<b>#15 PQ179: Vaccinated for Other Disease</b>	
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-624312312] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=53239 /-] [Invalid=0 /-] [Mean=368983.796 /-] [StdDev=3269868.364 /-]
<b>Literal question</b>	Vaccinated for Other Disease

# Documentation

<a href="#">Reports and analytical documents</a> .....	126
<a href="#">Final Report on Livestok - 2011-2012</a> .....	126
<a href="#">Study documentation</a> .....	126
<a href="#">Questionnaires</a> .....	126
<a href="#">Questionnaires for Livestock 2010-2011</a> .....	126
<a href="#">Technical documents</a> .....	126
<a href="#">Data Request Form</a> .....	126
<a href="#">Instruction Manual</a> .....	126

## Reports and analytical documents

**Final Report on Livestok - 2011-2012**, Central Statistical Agency, February 2011, Ethiopia [eth], English [eng], "Doc\Report\Livestok-2011-12\_Report.pdf"

**Study documentation**, Central Statistical Agency, March 2012, Ethiopia [eth], English [eng], "Doc\Report\Study\_Document\_Livestok-2011-2012.pdf"

## Questionnaires

**Questionnaires for Livestock 2010-2011**, Central Statistical Agency, November 2012, Ethiopia [eth], English [eng], "Doc\Questionnaire\Questionnaires\_2012.pdf"

## Technical documents

**Data Request Form**, Central Statistical Agency, January 2011, Ethiopia [eth], English [eng], "Doc\Technical\CSA\_data\_request\_form.pdf"

**Instruction Manual**, Central Statistical Agency, October 2010, Ethiopia [eth], Amharic [amh], "Doc\Technical\Instruction\_Manual\_Agrsample\_2003\_GPS\_edited.pdf"