

**Ethiopia**

**Central Statistical Agency, Ministry of Finance and Economic Development**

**Livestock Sample Survey 2012-2013 (2005 E.C)**

**Study documentation**

October 4, 2013

# Metadata Production

<b>Metadata Producer(s)</b>	Central Statistical Agency (CSA) , Ministry of Finance and Economic Development , Production and documentation of the study International Household Survey Network (IHSN) , Review of the metadata
<b>Production Date</b>	March 4, 2013
<b>Version</b>	Version 1.0
<b>Identification</b>	DDI-ETH-CSA-AgSSLV-2013v1.0

This document was generated using the [IHSN Microdata Management Toolkit](#)

# Table of Contents

<a href="#">Overview</a>	1
<a href="#">Scope &amp; Coverage</a>	1
<a href="#">Producers &amp; Sponsors</a>	2
<a href="#">Sampling</a>	2
<a href="#">Data Collection</a>	2
<a href="#">Data Processing &amp; Appraisal</a>	3
<a href="#">Accessibility</a>	3
<a href="#">Rights &amp; Disclaimer</a>	4
<a href="#">Files Description</a>	5
<a href="#">BEEHIVE</a>	5
<a href="#">CAMEL</a>	5
<a href="#">CATTLEFEED</a>	5
<a href="#">COW</a>	5
<a href="#">COWCAMEL</a>	5
<a href="#">DISEASE</a>	5
<a href="#">DONKEY</a>	5
<a href="#">EGG</a>	5
<a href="#">EXTENSION</a>	5
<a href="#">GOAT</a>	6
<a href="#">HHINFO</a>	6
<a href="#">HONEY</a>	6
<a href="#">HORSE</a>	6
<a href="#">MULE</a>	6
<a href="#">NEWBIRTH</a>	6
<a href="#">POULTRY</a>	6
<a href="#">SHEEP</a>	6
<a href="#">VACCIN</a>	6
<a href="#">Variables List</a>	7
<a href="#">BEEHIVE</a>	7
<a href="#">CAMEL</a>	7
<a href="#">CATTLEFEED</a>	8
<a href="#">COW</a>	9
<a href="#">COWCAMEL</a>	11
<a href="#">DISEASE</a>	11
<a href="#">DONKEY</a>	12
<a href="#">EGG</a>	13
<a href="#">EXTENSION</a>	14
<a href="#">GOAT</a>	14
<a href="#">HHINFO</a>	16
<a href="#">HONEY</a>	16
<a href="#">HORSE</a>	17
<a href="#">MULE</a>	18
<a href="#">NEWBIRTH</a>	19
<a href="#">POULTRY</a>	20
<a href="#">SHEEP</a>	21
<a href="#">VACCIN</a>	23
<a href="#">Variables Description</a>	24
<a href="#">BEEHIVE</a>	24
<a href="#">CAMEL</a>	26
<a href="#">CATTLEFEED</a>	34
<a href="#">COW</a>	37
<a href="#">COWCAMEL</a>	47
<a href="#">DISEASE</a>	50
<a href="#">DONKEY</a>	53

<a href="#">EGG</a> .....	<a href="#">61</a>
<a href="#">EXTENSION</a> .....	<a href="#">64</a>
<a href="#">GOAT</a> .....	<a href="#">66</a>
<a href="#">HHINFO</a> .....	<a href="#">75</a>
<a href="#">HONEY</a> .....	<a href="#">78</a>
<a href="#">HORSE</a> .....	<a href="#">81</a>
<a href="#">MULE</a> .....	<a href="#">88</a>
<a href="#">NEWBIRTH</a> .....	<a href="#">95</a>
<a href="#">POULTRY</a> .....	<a href="#">100</a>
<a href="#">SHEEP</a> .....	<a href="#">111</a>
<a href="#">VACCIN</a> .....	<a href="#">121</a>
<a href="#">Documentation</a> .....	<a href="#">126</a>

## Ethiopia (2011-2012) Livestock Sample Survey 2012-2013 (2005 E.C) (AgSSLV 2012-2013)

Overview	
Type	Agricultural Survey [ag/oth]
Identification	ETH-CSA-AgSSLV-2013-v1.0
Version	Production Date: 2012-12 Version 1.0: Edited and non anonymized dataset, for internal use only.
Series	The survey conducted annual.

### **Abstract**

Ethiopia is believed to have the largest livestock population in Africa. This livestock sector has been contributing considerable portion to the economy of the country, and still promising to rally round the economic development of the country. It is eminent that livestock products and by-products in the form of meat, milk, honey, eggs, cheese, and butter supply etc. provide the needed animal protein that contribute to the improvement of the nutritional status of the people. Livestock also plays an important role in providing export commodities, such as live animals, hides, and skins to earn foreign exchanges to the country. On the other hand, draught animals provide power for the cultivation of the smallholdings and for crop threshing virtually all over the country and are also essential modes of transport to take holders and their families long-distances, to convey their agricultural products to the market places and bring back their domestic necessities. Livestock as well confer a certain degree of security in times of crop failure, as they are a “near-cash” capital stock. Furthermore, livestock provides farmyard manure that is commonly applied to improve soil fertility and also used as a source of energy.

Due to the very important role that the livestock sector plays in the economy of the country, formulation of development plan regarding the sector is indispensable. It is therefore imperative that livestock development plans should be formulated on the basis of reliable statistical data, and hence, timely and accurate livestock data are required for the formulation, implementation, monitoring, and evaluation of development plan and program in the sector. These livestock data can be generated usually using surveys and censuses. In this regard, subsequent surveys and a solitary agricultural census have been carried out by the Central Statistical Agency (CSA) to make available data on livestock though they were not comprehensive. The 2012/13 Annual Agricultural Sample Survey was also conducted to produce these same data so as to keep hold of continuity and update users in general.

In this report: estimates of livestock that include cattle, sheep, goats, draught animals (horses, mules, donkeys and camels), poultry and beehives were made based on the information obtained from the holders within the sampled agricultural households in rural sedentary areas of the country as to the reference date (November 10, 2012 or Hidar 1, 2005 E.C.) and reference period (November 11, 2011 to November 10, 2012 or Hidar 2, 2004 E.C. to Hidar 1, 2005 E.C.). The report comprises the results obtained from the livestock survey as well as brief discussions made on the results. The survey results at regional and zonal levels for the sedentary rural areas are presented in Statistical Tables 3.1 - 3.30. The standard errors (SE) and coefficients of variation (CV) are given in Annex Tables 1 - 10, for some variables.

Kind of Data	Sample survey data [ssd]
Unit of Analysis	- Agricultural households - Holders - Livestocks

### **Scope & Coverage**

#### **Scope**

The scope of Livestock Sample Survey includes:

- Identification particulars: Geographic area information; Holder sex, education status family size and type of holding
- Livestock population and livestock products: This section covered information regarding number of cattle, sheep, goats, horses, mules, donkeys, camels by age and purposes; poultry, honey production per beehive, milk and egg; livestock diseases and treatments; number of births, purchases, sales, slaughters, and deaths of livestock; livestock diseases, treatment and vaccination ; and livestock feeds utilization.

### **Geographic Coverage**

The 2012/13 (2005 E.C.) Annual Livestock Sample Survey covered the rural agricultural population in all the regions of the country except the non-sedentary population of three zones of Afar & six zones of Somali regions.

### **Universe**

Households, who were engaged in growing crops and/or breeding and raising livestock in private or in partnership with others in the selected sample.

## **Producers & Sponsors**

<b>Primary Investigator(s)</b>	Central Statistical Agency, Ministry of Finance and Economic Development
<b>Funding Agency/ies</b>	Government of Ethiopia (GoE)

## **Sampling**

### **Sampling Procedure**

#### **SAMPLING FRAME**

The list containing EAs of all regions and their respective agricultural households obtained from the 2007 (1999 E.C). Population and Housing Census Frame was used as the sampling frame in order to select EAs (Primary Sampling Units). Consequently, all sample EAs were selected from this frame based on the design proposed for the survey. Second stage sampling units households, on the other hand, were selected from a fresh list of households that were prepared for each EA at the beginning of the survey.

#### **SAMPLE DESIGN**

A two stage stratified cluster sample design was used to select the sample in which the clusters or primary sampling units (PSUs) were enumeration areas and second stage sampling units were agricultural households. Each zones/special wereda of the four regions (Tigray, Amahara, Oromiya and SNNP) was further stratified in to three agro-ecologies (Kolla, Dega and Weyina Dega). Except Harari and Dire Dawa, where each region as a whole is considered to be the domain of estimation, every zone/special wereda in each region was taken as a stratum for which major findings of the survey are reported.

### **Deviations from Sample Design**

A total of 2,280 enumeration areas (EAs) were selected. However, due to various reasons that are beyond control, in 7 EAs the survey could not be successful and hence interrupted. Thus, all in all the survey succeeded to cover 2,273 EAs (99.69%) throughout the regions. The Livestock Sample Survey was conducted on the basis of 30 agricultural households selected from each EA. Regarding the ultimate sampling units, it was intended to cover a total of 68,400 agricultural households, however, 67,767 (99.07%) were actually covered by the survey.

### **Response Rate**

The Livestock Sample Survey was conducted on the basis of 30 agricultural households selected from each EA. Regarding the ultimate sampling units, it was intended to cover a total of 68,400 agricultural households, however, 67,767 (99.07%) were actually covered by the survey.

## **Data Collection**

<b>Data Collection Dates</b>	start 2011 end 2012
------------------------------	------------------------

<b>Data Collection Mode</b>	Face-to-face [f2f]
<b>Data Collection Notes</b>	
<p>The entire 25 Branch Statistical Offices of the CSA participated in the survey undertaking, especially in organizing the second stage training, in deploying the field staff to their respective sites of assignment, and retrieving completed questionnaires and submitting them to the head office for data processing. They were also responsible in administering the financial and logistic aspect of the survey within the areas of their assignment. In the data collection, enumerators and field supervisors were involved with an average supervisor-enumerator ratio of 1 to 3 or 4. To accomplish the data collection operation, all the enumerators were supplied with the necessary survey equipment at the completion of the training. To assist the data collection activities in deployment, supervision, and retrieval of completed questionnaires, reasonably adequate four-wheel vehicles were used.</p>	
<b>Questionnaires</b>	
<p>The 2011-2012 Livestock Sample Survey used structured questionnaire to collect data on livestock and livestock characteristics.</p> <p>The questionnaire is organized in to two parts:</p> <ul style="list-style-type: none"> <li>- Part 1: Identification particulars: This part contains area identification of the selected household. It dealt with area identification of respondents such as Region, Zone, wereda, Farmer's association, Enumeration area household number, holder number, and type of holding.</li> <li>- Part 2: Livestock population and products: This part of the questionnaire dealt with number of cattle, sheep, goats, horses, mules, donkeys, camels by age and purposes; poultry, honey production per beehive, milk and egg; livestock diseases and treatments; number of births, purchases, sales, slaughters, and deaths of livestock; livestock diseases, treatment and vaccination ; and livestock feeds utilization.</li> </ul> <p>Questionnaire used in the field for data collection purpose was prepared in Amharic language. English version of the questionnaire is presented in APPENDIX III of the 2011-2012 survey report which is provided in this metadata.</p>	
<b>Data Collector(s)</b>	Central Statistical Agency (CSA) , Ministry of Finance and Economic Development

## Data Processing & Appraisal

### Data Editing

#### Editing, Coding, and Verification

The editing and coding instruction manuals were prepared, and intensive training was given to the editor-coders. Those trained editors-coders were accomplished the editing and coding tasks. In due course, professional staff members were assigned to facilitate the editing and coding activities and the edited and coded questionnaires were verified by statistical technicians as well as by professionals.

#### Data Entry, Cleaning, and Processing

The data were entered in personal computers by data encoders using CSpro (Census and survey Processing system) software. Then the data were checked and cleaned by regular staff members. Finally, the data processing activity was also done by personal computers (PCs) to produce results that were indicated in the tabulation plan.

### Estimates of Sampling Error

Estimation procedure of totals, ratios & sampling error, and the measurement of precision of estimates (CV) are given in Appendix-I of the 2011-2012 Livestock Sample Survey report which is provided with this metadata.

## Accessibility

<b>Access Authority</b>	Central Statistical Agency of Ethiopia (Ministry of Finance and Economic Development) , <a href="http://www.csa.gov.et">http://www.csa.gov.et</a> , <a href="mailto:csa@csa.gov.et">csa@csa.gov.et</a>
<b>Contact(s)</b>	Data Administrator (Central Statistical Agency of Ethiopia) , <a href="http://www.csa.gov.et">http://www.csa.gov.et</a> , <a href="mailto:data@csa.gov.et">data@csa.gov.et</a>

**Access Conditions**

The Central Statistical Agency (CSA) is committed to achieving excellence in the provision of timely, reliable and affordable official statistics for informed decision making in order to maximize the welfare of all Ethiopians. This is achieved through the collection and analysis of censuses, surveys and the use of administrative data as well as the dissemination a range of statistical products and providing assistance and services to users.

A microdata dissemination policy is established by CSA to address the conditions and the manner in which anonymized microdata files may be released to users for research purposes. It also strives to identify the different levels of anonymization for different categories of data use. This policy is available at CSA website ([www.csa.gov.et](http://www.csa.gov.et) <<http://www.csa.gov.et>>).

CSA will release microdata files for use by researchers for scientific research purposes when:

The Director General is satisfied that all reasonable steps have been taken to prevent the identification of individual respondents

The release of the data will substantially enhance the analytic value of the data that have been collected

For all but purely public files, researchers disclose the nature and objectives of their intended research,

It can be demonstrated that there are no credible alternative sources for these data, and

The researchers have signed an appropriate undertaking.

Terms and conditions of use of public data files are the following:

The data and other materials provided by CSA will not be redistributed or sold to other individuals, institutions, or organizations without the written agreement of CSA.

The data will be used for statistical and scientific research purposes only. They will be used solely for reporting of aggregated information, and not for investigation of specific individuals or organizations.

No attempt will be made to re-identify respondents, and no use will be made of the identity of any person or establishment discovered inadvertently. Any such discovery would immediately be reported to the CSA.

No attempt will be made to produce links among datasets provided by CSA, or among data from the CSA and other datasets that could identify individuals or organizations.

Any books, articles, conference papers, theses, dissertations, reports, or other publications that employ data obtained from CSA will cite the source of data in accordance with the Citation Requirement provided with each dataset.

An electronic copy of all reports and publications based on the requested data will be sent to CSA.

The original collector of the data, CSA, and the relevant funding agencies bear no responsibility for use of the data or for interpretations or inferences based upon such uses.

Cost Recovery Policy:

It is the policy of CSA to encourage broad use of its products by making them affordable for users. Accordingly, CSA attempts to ensure that the costs of creating anonymized microdata files are built-in to the survey budget. At the same time, CSA attempts to recover costs associated with the provisions of special services that benefit only a specific group. Information on the price of each dataset is available at CSA website ([www.csa.gov.et](http://www.csa.gov.et) <<http://www.csa.gov.et>>).

**Citation Requirements**

The following statement must be used as citation:

"Central Statistical Agency of Ethiopia (CSA). Livestock Sample Survey (AgSSLV 2012-2013)"

**Rights & Disclaimer****Disclaimer**

The user of the data acknowledges that the original collector of the data, the authorized distributor of the data, and the relevant funding agency bear no responsibility for use of the data or for interpretations or inferences based upon such uses.

**Copyright**

(c) 2013, Central Statistical Agency of Ethiopia



# Files Description

Dataset contains 18 file(s)

<b>BEEHIVE</b>	
# Cases	70502
# Variable(s)	13

<b>CAMEL</b>	
# Cases	1851
# Variable(s)	30

<b>CATTLEFEED</b>	
# Cases	392709
# Variable(s)	12

<b>COW</b>	
# Cases	70522
# Variable(s)	53

<b>COWCAMEL</b>	
# Cases	65799
# Variable(s)	17

<b>DISEASE</b>	
# Cases	58974
# Variable(s)	14

<b>DONKEY</b>	
# Cases	20231
# Variable(s)	26

<b>EGG</b>	
# Cases	40006
# Variable(s)	17

<b>EXTENSION</b>	
# Cases	67736

<b># Variable(s)</b>	9
----------------------	---

  

<b>GOAT</b>	
<b># Cases</b>	21616
<b># Variable(s)</b>	45

  

<b>HHINFO</b>	
<b># Cases</b>	70555
<b># Variable(s)</b>	15

  

<b>HONEY</b>	
<b># Cases</b>	6575
<b># Variable(s)</b>	16

  

<b>HORSE</b>	
<b># Cases</b>	4866
<b># Variable(s)</b>	25

  

<b>MULE</b>	
<b># Cases</b>	1387
<b># Variable(s)</b>	25

  

<b>NEWBIRTH</b>	
<b># Cases</b>	145696
<b># Variable(s)</b>	33

  

<b>POULTRY</b>	
<b># Cases</b>	39538
<b># Variable(s)</b>	35

  

<b>SHEEP</b>	
<b># Cases</b>	23913
<b># Variable(s)</b>	46

  

<b>VACCIN</b>	
<b># Cases</b>	26634
<b># Variable(s)</b>	29

# Variables List

Dataset contains 460 variable(s)

File BEEHIVE							
#	Name	Label	Type	Format	Valid	Invalid	Question
1	<a href="#">REG</a>	Region	discrete	numeric-2.0	70502	0	Region
2	<a href="#">ZONE</a>	Zone	continuous	numeric-2.0	70502	0	Zone
3	<a href="#">DIST</a>	Wereda	continuous	numeric-2.0	70502	0	Wereda
4	<a href="#">FA</a>	FA	continuous	numeric-3.0	70502	0	Farmers Association
5	<a href="#">EA</a>	EA	discrete	numeric-2.0	70502	0	Enumeration Area
6	<a href="#">HH</a>	HH	continuous	numeric-3.0	70502	0	House Hold
7	<a href="#">V07</a>	HHolder	discrete	numeric-1.0	70502	0	Holder NUmber
8	<a href="#">PQ2</a>	PQ2	discrete	numeric-1.0	70502	0	Do you have Beehives?
9	<a href="#">P229</a>	Total behive	continuous	numeric-4.0	70502	0	Total beehive
10	<a href="#">P230</a>	Traditional beehives	continuous	numeric-4.0	70502	0	Traditional beehives
11	<a href="#">P231</a>	Intermediate beehives	discrete	numeric-4.0	70502	0	Intermediate beehives
12	<a href="#">P232</a>	Modern beehives	continuous	numeric-4.0	70502	0	Modern beehives
13	<a href="#">PQ3</a>	PQ3	discrete	numeric-1.0	70502	0	Intermediate beehives

File CAMEL							
#	Name	Label	Type	Format	Valid	Invalid	Question
1	<a href="#">REG</a>	Region	discrete	numeric-2.0	1851	0	Region
2	<a href="#">ZONE</a>	Zone	discrete	numeric-2.0	1851	0	Zone
3	<a href="#">DIST</a>	Wereda	discrete	numeric-2.0	1851	0	Wereda
4	<a href="#">FA</a>	FA	continuous	numeric-3.0	1851	0	Farmers Association
5	<a href="#">EA</a>	EA	discrete	numeric-2.0	1851	0	Enumeration Area
6	<a href="#">HH</a>	HH	continuous	numeric-3.0	1851	0	House Hold
7	<a href="#">V07</a>	HHolder	discrete	numeric-1.0	1851	0	Holder Number
8	<a href="#">P178</a>	Total CAMELS of all ages	continuous	numeric-4.0	1851	0	Total CAMELS of all ages
9	<a href="#">P179</a>	Male CAMELS of all ages	continuous	numeric-4.0	1851	0	Total CAMELS of all ages
10	<a href="#">P180</a>	Female CAMELS of all ages	continuous	numeric-4.0	1851	0	Female CAMELS of all ages
11	<a href="#">P181</a>	Total camels age less than 4 years	discrete	numeric-4.0	1851	0	Total camels age less than 4 years
12	<a href="#">P182</a>	Male camels age less than 4 years	discrete	numeric-4.0	1851	0	Male camels age less than 4 years
13	<a href="#">P183</a>	Female camels age less than 4 years	discrete	numeric-4.0	1851	0	Female camels age less than 4 years
14	<a href="#">P184</a>	Total camels age 4 years and older	continuous	numeric-4.0	1851	0	Total camels age 4 years and older
15	<a href="#">P185</a>	Male camels age 4 years and older	continuous	numeric-4.0	1851	0	Male camels age 4 years and older

File CAMEL							
#	Name	Label	Type	Format	Valid	Invalid	Question
16	<a href="#">P186</a>	Female camels age 4 years and older	continuous	numeric-4.0	1851	0	Female camels age 4 years and older
17	<a href="#">P187</a>	Total camels for slaughter age 4 years and older	continuous	numeric-4.0	1851	0	Total camels for slaughter age 4 years and older
18	<a href="#">P188</a>	Male camels for slaughter age 4 years and older	discrete	numeric-4.0	1851	0	Male camels for slaughter age 4 years and older
19	<a href="#">P189</a>	Female camels for slaughter age 4 years and older	discrete	numeric-4.0	1851	0	Female camels for slaughter age 4 years and older
20	<a href="#">P190</a>	Total camles used for draft porpuse age 4 years and older	discrete	numeric-4.0	1851	0	Total camles used for draft porpuse age 4 years and older
21	<a href="#">P191</a>	Male camles used for draft porpuse age 4 years and older	discrete	numeric-4.0	1851	0	Male camles used for draft porpuse age 4 years and older
22	<a href="#">P192</a>	Female camles used for draft porpuse age 4 years and older	discrete	numeric-4.0	1851	0	Female camles used for draft porpuse age 4 years and older
23	<a href="#">P193</a>	Total camels for milk purpose age 4 years and older	continuous	numeric-4.0	1851	0	Total camels for milk purpose age 4 years and older
24	<a href="#">P194</a>	Female camels for milk purpose age 4 years and older	continuous	numeric-4.0	1851	0	Female camels for milk purpose age 4 years and older
25	<a href="#">P195</a>	Total camels for transportation porpuse age 4 years and older	continuous	numeric-4.0	1851	0	Total camels for transportation porpuse age 4 years and older
26	<a href="#">P196</a>	Male camels for transportation porpuse age 4 years and older	discrete	numeric-4.0	1851	0	Male camels for transportation porpuse age 4 years and older
27	<a href="#">P197</a>	Female camels for transportation porpuse age 4 years and older	continuous	numeric-4.0	1851	0	Female camels for transportation porpuse age 4 years and older
28	<a href="#">P198</a>	Total camels for other purpose age 4 years and older	continuous	numeric-4.0	1851	0	Total camels for other purpose age 4 years and older
29	<a href="#">P199</a>	Male camels for other purpose age 4 years and older	discrete	numeric-4.0	1851	0	Male camels for other purpose age 4 years and older
30	<a href="#">P200</a>	Female camels for other purpose age 4 years and older	continuous	numeric-4.0	1851	0	Female camels for other purpose age 4 years and older

File CATTLEFEED							
#	Name	Label	Type	Format	Valid	Invalid	Question
1	<a href="#">REG</a>	Region	discrete	numeric-2.0	392709	0	Region
2	<a href="#">ZONE</a>	Zone	continuous	numeric-2.0	392709	0	Zone
3	<a href="#">DIST</a>	Wereda	continuous	numeric-2.0	392709	0	Wereda
4	<a href="#">FA</a>	FA	continuous	numeric-3.0	392709	0	Farmers Association
5	<a href="#">EA</a>	EA	discrete	numeric-2.0	392709	0	Enumeration Area

<b>File CATTLEFEED</b>							
#	Name	Label	Type	Format	Valid	Invalid	Question
6	<a href="#">HH</a>	HH	continuous	numeric-3.0	392709	0	Household
7	<a href="#">V07</a>	HHolder	discrete	numeric-1.0	392709	0	Holder Number
8	<a href="#">PQ181</a>	Serial No.	discrete	numeric-1.0	392709	0	Serial Number
9	<a href="#">PQ182</a>	Type of livestock feed	discrete	numeric-2.0	392709	0	Type of livestock feed
10	<a href="#">PQ183</a>	Used	discrete	numeric-1.0	392709	0	Used
11	<a href="#">PQ184</a>	Percentage used	continuous	numeric-3.0	392709	0	Percentage used
12	<a href="#">PQ185</a>	Source	discrete	numeric-1.0	392709	0	Source

<b>File COW</b>							
#	Name	Label	Type	Format	Valid	Invalid	Question
1	<a href="#">REG</a>	Region	discrete	numeric-2.0	70522	0	Region
2	<a href="#">ZONE</a>	Zone	continuous	numeric-2.0	70522	0	Zone
3	<a href="#">DIST</a>	Wereda	continuous	numeric-2.0	70522	0	Wereda
4	<a href="#">FA</a>	FA	continuous	numeric-3.0	70522	0	Farmers Association
5	<a href="#">EA</a>	EA	discrete	numeric-2.0	70522	0	Enumeration Area
6	<a href="#">HH</a>	HH	continuous	numeric-3.0	70522	0	House hold Serial Number
7	<a href="#">V07</a>	HHolder	discrete	numeric-1.0	70522	0	Holder Serial Number
8	<a href="#">P01</a>	Total cattle of all age	continuous	numeric-4.0	70522	0	Total cattle of all age
9	<a href="#">P02</a>	Male cattle of all age	continuous	numeric-4.0	70522	0	Male cattle of all age
10	<a href="#">P03</a>	Female cattle of all age	continuous	numeric-4.0	70522	0	Female cattle of all age
11	<a href="#">P04</a>	Total cattle age less than 6 months	continuous	numeric-4.0	70522	0	Total cattle age less than 6 months
12	<a href="#">P05</a>	Male cattle age less than 6 months	continuous	numeric-4.0	70522	0	Male cattle age less than 6 months
13	<a href="#">P06</a>	Female cattle age less than 6 months	continuous	numeric-4.0	70522	0	Female cattle age less than 6 months
14	<a href="#">P07</a>	Total cattle age 6 months to 1 year	continuous	numeric-4.0	70522	0	Total cattle age 6 months to 1 year
15	<a href="#">P08</a>	Male cattle age 6 months to 1 year	discrete	numeric-4.0	70522	0	Male cattle age 6 months to 1 year
16	<a href="#">P09</a>	Female cattle age 6 months to 1 year	continuous	numeric-4.0	70522	0	Female cattle age 6 months to 1 year
17	<a href="#">P10</a>	Total cattle age 1 year to 3 years	continuous	numeric-4.0	70522	0	Total cattle age 1 year to 3 years
18	<a href="#">P11</a>	Male cattle age 1 year to 3 years	continuous	numeric-4.0	70522	0	Male cattle age 1 year to 3 years
19	<a href="#">P12</a>	Female cattle age 1 year to 3 years	continuous	numeric-4.0	70522	0	Female cattle age 1 year to 3 years
20	<a href="#">P13</a>	Total cattle age 3 years to 10 years	continuous	numeric-4.0	70522	0	Total cattle age 3 years to 10 years
21	<a href="#">P14</a>	Male cattle age 3 years to 10 years	continuous	numeric-4.0	70522	0	Male cattle age 3 years to 10 years
22	<a href="#">P15</a>	Female cattle age 3 years to 10 years	continuous	numeric-4.0	70522	0	Female cattle age 3 years to 10 years

File COW							
#	Name	Label	Type	Format	Valid	Invalid	Question
23	<a href="#">P16</a>	Total beef cattle age 3 years to 10 years	discrete	numeric-4.0	70522	0	Total beef cattle age 3 years to 10 years
24	<a href="#">P17</a>	Male beef cattle age 3 years to 10 years	discrete	numeric-4.0	70522	0	Male beef cattle age 3 years to 10 years
25	<a href="#">P18</a>	Female beef cattle age 3 years to 10 years	discrete	numeric-4.0	70522	0	Female beef cattle age 3 years to 10 years
26	<a href="#">P19</a>	Total breeding cattle age 3 years to 10 years	continuous	numeric-4.0	70522	0	Total breeding cattle age 3 years to 10 years
27	<a href="#">P20</a>	Male breeding cattle age 3 years to 10 years	continuous	numeric-4.0	70522	0	Male breeding cattle age 3 years to 10 years
28	<a href="#">P21</a>	Female breeding cattle age 3 years to 10 years	continuous	numeric-4.0	70522	0	Female breeding cattle age 3 years to 10 years
29	<a href="#">P22</a>	Total Dairy cows age 3 years to 10 years	continuous	numeric-4.0	70522	0	Total Dairy cows age 3 years to 10 years
30	<a href="#">P23</a>	Female Dairy cows age 3 years to 10 years	continuous	numeric-4.0	70522	0	Female Dairy cows age 3 years to 10 years
31	<a href="#">P24</a>	Total cows gave milk for the last 12 months age 3 years to 10 years	continuous	numeric-4.0	70522	0	Total cows gave milk for the last 12 months age 3 years to 10 years
32	<a href="#">P25</a>	Female cows gave milk for the last 12 months age 3 years to 10 years	continuous	numeric-4.0	70522	0	Female cows gave milk for the last 12 months age 3 years to 10 years
33	<a href="#">P26</a>	Total Draft cattle age 3 years to 10 years	continuous	numeric-4.0	70522	0	Total Draft cattle age 3 years to 10 years
34	<a href="#">P27</a>	Male Draft cattle age 3 years to 10 years	continuous	numeric-4.0	70522	0	Male Draft cattle age 3 years to 10 years
35	<a href="#">P28</a>	Female Draft cattle age 3 years to 10 years	discrete	numeric-4.0	70522	0	Female Draft cattle age 3 years to 10 years
36	<a href="#">P29</a>	Total cattle for other purposes age 3 years to 10 years	continuous	numeric-4.0	70522	0	Total cattle for other purposes age 3 years to 10 years
37	<a href="#">P30</a>	Male cattle for other purposes age 3 years to 10 years	continuous	numeric-4.0	70522	0	Male cattle for other purposes age 3 years to 10 years
38	<a href="#">P31</a>	Female cattle for other purposes age 3 years to 10 years	continuous	numeric-4.0	70522	0	Female cattle for other purposes age 3 years to 10 years
39	<a href="#">P32</a>	Total cattle 10 years and older	continuous	numeric-4.0	70522	0	Total cattle 10 years and older
40	<a href="#">P33</a>	Male cattle 10 years and older	discrete	numeric-4.0	70522	0	Male cattle 10 years and older
41	<a href="#">P34</a>	Female cattle 10 years and older	continuous	numeric-4.0	70522	0	Female cattle 10 years and older
42	<a href="#">P35</a>	Total Grand	continuous	numeric-4.0	70522	0	Total Grand
43	<a href="#">P36</a>	Male Total Grand	continuous	numeric-4.0	70522	0	Male Total Grand
44	<a href="#">P37</a>	Female Total Grand	continuous	numeric-4.0	70522	0	Female Total Grand
45	<a href="#">P38</a>	Total Local breed	continuous	numeric-4.0	70522	0	Total Local breed
46	<a href="#">P39</a>	Male Total Local breed	continuous	numeric-4.0	70522	0	Male Total Local breed
47	<a href="#">P40</a>	Female Total Local breed	continuous	numeric-4.0	70522	0	Female Total Local breed

<b>File COW</b>							
#	Name	Label	Type	Format	Valid	Invalid	Question
48	<a href="#">P41</a>	Total Exotic	discrete	numeric-4.0	70522	0	Total Exotic
49	<a href="#">P42</a>	Male Total Exotic	discrete	numeric-4.0	70522	0	Male Total Exotic
50	<a href="#">P43</a>	Female Total Exotic	discrete	numeric-4.0	70522	0	Female Total Exotic
51	<a href="#">P44</a>	Total Hybrid	discrete	numeric-4.0	70522	0	Total Hybrid
52	<a href="#">P45</a>	Male Total Hybrid	discrete	numeric-4.0	70522	0	Male Total Hybrid
53	<a href="#">P46</a>	Female Total Hybrid	discrete	numeric-4.0	70522	0	Female Total Hybrid

<b>File COWCAMEL</b>							
#	Name	Label	Type	Format	Valid	Invalid	Question
1	<a href="#">REG</a>	Region	discrete	numeric-2.0	65799	0	Region
2	<a href="#">ZONE</a>	Zone	continuous	numeric-2.0	65799	0	Zone
3	<a href="#">DIST</a>	Wereda	continuous	numeric-2.0	65799	0	Wereda
4	<a href="#">FA</a>	FA	continuous	numeric-3.0	65799	0	Farmers Association
5	<a href="#">EA</a>	EA	discrete	numeric-2.0	65799	0	Enumeration Area
6	<a href="#">HH</a>	HH	continuous	numeric-3.0	65799	0	Household Number
7	<a href="#">V07</a>	HHolder	discrete	numeric-1.0	65799	0	Holder number
8	<a href="#">P239</a>	cows that give milk during the reference period	continuous	numeric-4.0	65799	0	cows that give milk during the reference period
9	<a href="#">P240</a>	Average number of months cows actually milked	continuous	numeric-4.0	65799	0	Average number of months cows actually milked
10	<a href="#">P241</a>	Average lactation period of cows in months	continuous	numeric-4.0	65799	0	Average lactation period of cows in months
11	<a href="#">P242I</a>	P242I	continuous	numeric-4.0	65799	0	-
12	<a href="#">P242D</a>	P242D	continuous	numeric-3.0	65799	0	-
13	<a href="#">P243</a>	camels that give milk during the reference period	continuous	numeric-4.0	65799	0	camels that give milk during the reference period
14	<a href="#">P244</a>	Average number of months camels actually milked	continuous	numeric-4.0	65799	0	Average number of months camels actually milked
15	<a href="#">P245</a>	Average lactation period of camels in months	continuous	numeric-4.0	65799	0	Average lactation period of camels in months
16	<a href="#">P246I</a>	P246I	discrete	numeric-4.0	65799	0	-
17	<a href="#">P246D</a>	P246D	continuous	numeric-3.0	65799	0	-

<b>File DISEASE</b>							
#	Name	Label	Type	Format	Valid	Invalid	Question
1	<a href="#">REG</a>	Region	discrete	numeric-2.0	58974	0	-
2	<a href="#">ZONE</a>	Zone	continuous	numeric-2.0	58974	0	-
3	<a href="#">DIST</a>	Wereda	continuous	numeric-2.0	58974	0	-
4	<a href="#">FA</a>	FA	continuous	numeric-3.0	58974	0	-

<b>File DISEASE</b>							
#	Name	Label	Type	Format	Valid	Invalid	Question
5	<a href="#">EA</a>	EA	discrete	numeric-2.0	58974	0	-
6	<a href="#">HH</a>	HH	continuous	numeric-3.0	58974	0	-
7	<a href="#">V07</a>	HHolder	discrete	numeric-1.0	58974	0	Holder NUmber
8	<a href="#">PQ151</a>	Ser. No.	discrete	numeric-1.0	58974	0	Serial Number
9	<a href="#">PQ1531</a>	Afflicted_Total	continuous	numeric-3.0	58974	0	-
10	<a href="#">PQ1532</a>	Afflicted_Male	continuous	numeric-3.0	58974	0	-
11	<a href="#">PQ1533</a>	Afflicted_Female	continuous	numeric-3.0	58974	0	-
12	<a href="#">PQ1541</a>	Treated_Total	continuous	numeric-3.0	58974	0	-
13	<a href="#">PQ1542</a>	Treated_Male	continuous	numeric-3.0	58974	0	-
14	<a href="#">PQ1543</a>	Treated_Female	continuous	numeric-3.0	58974	0	-

<b>File DONKEY</b>							
#	Name	Label	Type	Format	Valid	Invalid	Question
1	<a href="#">REC\$TYPE</a>	-	discrete	character-2	20231	0	-
2	<a href="#">REG</a>	Region	discrete	numeric-2.0	20231	0	-
3	<a href="#">ZONE</a>	Zone	continuous	numeric-2.0	20231	0	-
4	<a href="#">DIST</a>	Wereda	continuous	numeric-2.0	20231	0	-
5	<a href="#">FA</a>	FA	continuous	numeric-3.0	20231	0	-
6	<a href="#">EA</a>	EA	discrete	numeric-2.0	20231	0	-
7	<a href="#">HH</a>	HH	continuous	numeric-3.0	20231	0	-
8	<a href="#">V07</a>	HHolder	discrete	numeric-1.0	20231	0	Holder NUmber
9	<a href="#">P160</a>	Total ASSES of all ages	discrete	numeric-4.0	20231	0	Total ASSES of all ages
10	<a href="#">P161</a>	Male ASSES of all ages	discrete	numeric-4.0	20231	0	Male ASSES of all ages
11	<a href="#">P162</a>	Female ASSES of all ages	discrete	numeric-4.0	20231	0	Female ASSES of all ages
12	<a href="#">P163</a>	Total Asses age less than 3 years	discrete	numeric-4.0	20231	0	Total Asses age less than 3 years
13	<a href="#">P164</a>	Male Asses age less than 3 years	discrete	numeric-4.0	20231	0	Male Asses age less than 3 years
14	<a href="#">P165</a>	Female Asses age less than 3 years	discrete	numeric-4.0	20231	0	Female Asses age less than 3 years
15	<a href="#">P166</a>	Total Asses age 3 years and older	discrete	numeric-4.0	20231	0	Total Asses age 3 years and older
16	<a href="#">P167</a>	Male Asses age 3 years and older	discrete	numeric-4.0	20231	0	Male Asses age 3 years and older
17	<a href="#">P168</a>	Female Asses age 3 years and older	discrete	numeric-4.0	20231	0	Female Asses age 3 years and older
18	<a href="#">P169</a>	Total Asses for draft purpose age 3 years and older	discrete	numeric-4.0	20231	0	Total Asses for draft purpose age 3 years and older
19	<a href="#">P170</a>	Male Asses for draft purpose age 3 years and older	discrete	numeric-4.0	20231	0	Male Asses for draft purpose age 3 years and older



File DONKEY							
#	Name	Label	Type	Format	Valid	Invalid	Question
20	<a href="#">P171</a>	Female Asses for draft purpose age 3 years and older	discrete	numeric-4.0	20231	0	Female Asses for draft purpose age 3 years and older
21	<a href="#">P172</a>	Total Asses for transportation age 3 years and older	discrete	numeric-4.0	20231	0	Total Asses for transportation age 3 years and older
22	<a href="#">P173</a>	Male Asses for transportation age 3 years and older	discrete	numeric-4.0	20231	0	Male Asses for transportation age 3 years and older
23	<a href="#">P174</a>	Female Asses for transportation age 3 years and older	discrete	numeric-4.0	20231	0	Female Asses for transportation age 3 years and older
24	<a href="#">P175</a>	Total Asses for other purpose age 3 years and older	discrete	numeric-4.0	20231	0	Total Asses for other purpose age 3 years and older
25	<a href="#">P176</a>	Male Asses for other purpose age 3 years and older	discrete	numeric-4.0	20231	0	Male Asses for other purpose age 3 years and older
26	<a href="#">P177</a>	Female Asses for other purpose age 3 years and older	discrete	numeric-4.0	20231	0	Female Asses for other purpose age 3 years and older

File EGG							
#	Name	Label	Type	Format	Valid	Invalid	Question
1	<a href="#">REC\$TYPE</a>	-	discrete	character-2	40006	0	-
2	<a href="#">REG</a>	Region	discrete	numeric-2.0	40006	0	-
3	<a href="#">ZONE</a>	Zone	continuous	numeric-2.0	40006	0	-
4	<a href="#">DIST</a>	Wereda	continuous	numeric-2.0	40006	0	-
5	<a href="#">FA</a>	FA	continuous	numeric-3.0	40006	0	-
6	<a href="#">EA</a>	EA	discrete	numeric-2.0	40006	0	-
7	<a href="#">HH</a>	HH	continuous	numeric-3.0	40006	0	-
8	<a href="#">V07</a>	HHolder	discrete	numeric-1.0	40006	0	Holder Number
9	<a href="#">P247</a>	Egg production - per hen per clutch_Ind	continuous	numeric-4.0	40006	0	Egg production - per hen per clutch Indigenes
10	<a href="#">P248</a>	Egg production - per hen per clutch_Hybrid	continuous	numeric-4.0	40006	0	Egg production - per hen per clutch_Hybrid
11	<a href="#">P249</a>	Egg production - per hen per clutch_Foreign	continuous	numeric-4.0	40006	0	Egg production - per hen per clutch_Foreign
12	<a href="#">P250</a>	Average number of clutch_ind	continuous	numeric-4.0	40006	0	Average number of clutch Indigenes
13	<a href="#">P251</a>	Average number of clutch_Hybrid	continuous	numeric-4.0	40006	0	Average number of clutch_Hybrid
14	<a href="#">P252</a>	Average number of clutch_Foreign	continuous	numeric-4.0	40006	0	Average number of clutch_Foreign
15	<a href="#">P253</a>	Total number of clutch during the reference period_Ind	continuous	numeric-4.0	40006	0	Total number of clutch during the reference period Indigenes

File EGG							
#	Name	Label	Type	Format	Valid	Invalid	Question
16	<a href="#">P254</a>	Total number of clutch during the reference period_Hybrid	continuous	numeric-4.0	40006	0	Total number of clutch during the reference period_Hybrid
17	<a href="#">P255</a>	Total number of clutch during the reference period_Foreign	discrete	numeric-4.0	40006	0	Total number of clutch during the reference period_Foreign

File EXTENSION							
#	Name	Label	Type	Format	Valid	Invalid	Question
1	<a href="#">REG</a>	Region	discrete	numeric-2.0	67736	0	-
2	<a href="#">ZONE</a>	Zone	continuous	numeric-2.0	67736	0	-
3	<a href="#">DIST</a>	Wereda	continuous	numeric-2.0	67736	0	-
4	<a href="#">FA</a>	FA	continuous	numeric-3.0	67736	0	-
5	<a href="#">EA</a>	EA	discrete	numeric-2.0	67736	0	-
6	<a href="#">HH</a>	HH	continuous	numeric-3.0	67736	0	-
7	<a href="#">V07</a>	HHolder	discrete	numeric-1.0	67736	0	Holder NUmber
8	<a href="#">PQ19</a>	Livestock Extention	discrete	numeric-1.0	67736	0	Livestock Extention
9	<a href="#">PQ20</a>	Type of Extention	discrete	numeric-1.0	67736	0	Type of Extention

File GOAT							
#	Name	Label	Type	Format	Valid	Invalid	Question
1	<a href="#">REG</a>	Region	discrete	numeric-2.0	21616	0	-
2	<a href="#">ZONE</a>	Zone	continuous	numeric-2.0	21616	0	-
3	<a href="#">DIST</a>	Wereda	continuous	numeric-2.0	21616	0	-
4	<a href="#">FA</a>	FA	continuous	numeric-3.0	21616	0	-
5	<a href="#">EA</a>	EA	discrete	numeric-2.0	21616	0	-
6	<a href="#">HH</a>	HH	continuous	numeric-3.0	21616	0	-
7	<a href="#">V07</a>	HHolder	discrete	numeric-1.0	21616	0	Holder NUmber
8	<a href="#">P86</a>	Total GOATS of all ages	continuous	numeric-4.0	21616	0	Total GOATS of all ages
9	<a href="#">P87</a>	Male GOATS of all ages	continuous	numeric-4.0	21616	0	Male GOATS of all ages
10	<a href="#">P88</a>	Female GOATS of all ages	continuous	numeric-4.0	21616	0	Female GOATS of all ages
11	<a href="#">P89</a>	Total goats age less than 6 months	continuous	numeric-4.0	21616	0	Total goats age less than 6 months
12	<a href="#">P90</a>	Male goats age less than 6 months	continuous	numeric-4.0	21616	0	Male goats age less than 6 months
13	<a href="#">P91</a>	Female goats age less than 6 months	continuous	numeric-4.0	21616	0	Female goats age less than 6 months
14	<a href="#">P92</a>	Total goats age 6 months to 1 year	continuous	numeric-4.0	21616	0	Total goats age 6 months to 1 year
15	<a href="#">P93</a>	Male goats age 6 months to 1 year	discrete	numeric-4.0	21616	0	Male goats age 6 months to 1 year
16	<a href="#">P94</a>	Female goats age 6 months to 1 year	continuous	numeric-4.0	21616	0	Female goats age 6 months to 1 year

File GOAT							
#	Name	Label	Type	Format	Valid	Invalid	Question
17	<a href="#">P95</a>	Total goats age 1 year to 2 years	continuous	numeric-4.0	21616	0	Total goats age 1 year to 2 years
18	<a href="#">P96</a>	Male goats age 1 year to 2 years	continuous	numeric-4.0	21616	0	Male goats age 1 year to 2 years
19	<a href="#">P97</a>	Female goats age 1 year to 2 years	continuous	numeric-4.0	21616	0	Female goats age 1 year to 2 years
20	<a href="#">P98</a>	Total goats age 2 years and olders	continuous	numeric-4.0	21616	0	Total goats age 2 years and olders
21	<a href="#">P99</a>	Male goats age 2 years and olders	continuous	numeric-4.0	21616	0	Male goats age 2 years and olders
22	<a href="#">P100</a>	Female goats age 2 years and olders	continuous	numeric-4.0	21616	0	Female goats age 2 years and olders
23	<a href="#">P101</a>	Total goats for meat age 2 years and older	continuous	numeric-4.0	21616	0	Total goats for meat age 2 years and older
24	<a href="#">P102</a>	Male goats for meat age 2 years and older	continuous	numeric-4.0	21616	0	Male goats for meat age 2 years and older
25	<a href="#">P103</a>	Female goats for meat age 2 years and older	discrete	numeric-4.0	21616	0	Female goats for meat age 2 years and older
26	<a href="#">P104</a>	Total Dairy goats age 2 years and older	continuous	numeric-4.0	21616	0	Total Dairy goats age 2 years and older
27	<a href="#">P105</a>	Female Dairy goats age 2 years and older	continuous	numeric-4.0	21616	0	Female Dairy goats age 2 years and older
28	<a href="#">P106</a>	Total goats for breeding only age 2 years and older	continuous	numeric-4.0	21616	0	Total goats for breeding only age 2 years and older
29	<a href="#">P107</a>	Male goats for breeding only age 2 years and older	continuous	numeric-4.0	21616	0	Male goats for breeding only age 2 years and older
30	<a href="#">P108</a>	Female goats for breeding only age 2 years and older	continuous	numeric-4.0	21616	0	Female goats for breeding only age 2 years and older
31	<a href="#">P109</a>	Total goats for other porpuses age 2 years and older	discrete	numeric-4.0	21616	0	Total goats for other porpuses age 2 years and older
32	<a href="#">P110</a>	Male goats for other porpuses age 2 years and older	discrete	numeric-4.0	21616	0	Male goats for other porpuses age 2 years and older
33	<a href="#">P111</a>	Female goats for other porpuses age 2 years and older	discrete	numeric-4.0	21616	0	Female goats for other porpuses age 2 years and older
34	<a href="#">P112</a>	Total Grand	continuous	numeric-4.0	21616	0	-
35	<a href="#">P113</a>	Male Total Grand	continuous	numeric-4.0	21616	0	Male Total Grand
36	<a href="#">P114</a>	Female Total Grand	continuous	numeric-4.0	21616	0	Female Total Grand
37	<a href="#">P115</a>	Total Local breed	continuous	numeric-4.0	21616	0	-
38	<a href="#">P116</a>	Male Total Local breed	continuous	numeric-4.0	21616	0	-
39	<a href="#">P117</a>	Female Total Local breed	continuous	numeric-4.0	21616	0	-
40	<a href="#">P118</a>	Total Exotic	discrete	numeric-4.0	21616	0	-
41	<a href="#">P119</a>	Male Total Exotic	discrete	numeric-4.0	21616	0	-
42	<a href="#">P120</a>	Female Total Exotic	discrete	numeric-4.0	21616	0	-
43	<a href="#">P121</a>	Total HYbrid	discrete	numeric-4.0	21616	0	-

File GOAT							
#	Name	Label	Type	Format	Valid	Invalid	Question
44	<a href="#">P122</a>	Male Total Hybrid	discrete	numeric-4.0	21616	0	-
45	<a href="#">P123</a>	Female Total Hybrid	discrete	numeric-4.0	21616	0	-

File HHINFO							
#	Name	Label	Type	Format	Valid	Invalid	Question
1	<a href="#">REG</a>	Region	discrete	numeric-2.0	70555	0	-
2	<a href="#">ZONE</a>	Zone	continuous	numeric-2.0	70555	0	-
3	<a href="#">DIST</a>	Wereda	continuous	numeric-2.0	70555	0	-
4	<a href="#">FA</a>	FA	continuous	numeric-3.0	70555	0	-
5	<a href="#">EA</a>	EA	discrete	numeric-2.0	70555	0	-
6	<a href="#">HH</a>	HH	continuous	numeric-3.0	70555	0	-
7	<a href="#">V07</a>	HHHolder	discrete	numeric-1.0	70555	0	Holder NUmber
8	<a href="#">V09</a>	AGE	continuous	numeric-2.0	70555	0	AGE
9	<a href="#">V10</a>	SEX	discrete	numeric-1.0	70555	0	SEX
10	<a href="#">V11</a>	EDUC	discrete	numeric-2.0	70553	2	Educational Status
11	<a href="#">V12</a>	HH_SIZE	continuous	numeric-2.0	70555	0	Household Size
12	<a href="#">V13</a>	TYPE	discrete	numeric-1.0	70555	0	Type of Agriculture
13	<a href="#">PQ1</a>	PQ1	discrete	numeric-1.0	70555	0	Did You Have Livestock and/or Beehives on November 10, 2010?
14	<a href="#">WEIGHT</a>	WGT	continuous	numeric-7.2	70555	0	-
15	<a href="#">RATE</a>	RATE	continuous	numeric-9.7	70555	0	Rate

File HONEY							
#	Name	Label	Type	Format	Valid	Invalid	Question
1	<a href="#">REG</a>	Region	discrete	numeric-2.0	6575	0	-
2	<a href="#">ZONE</a>	Zone	continuous	numeric-2.0	6575	0	-
3	<a href="#">DIST</a>	Wereda	continuous	numeric-2.0	6575	0	-
4	<a href="#">FA</a>	FA	continuous	numeric-3.0	6575	0	-
5	<a href="#">EA</a>	EA	discrete	numeric-2.0	6575	0	-
6	<a href="#">HH</a>	HH	continuous	numeric-3.0	6575	0	-
7	<a href="#">V07</a>	HHHolder	discrete	numeric-1.0	6575	0	Holder NUmber
8	<a href="#">P233I</a>	P233I	continuous	numeric-4.0	6575	0	-
9	<a href="#">P233D</a>	P233D	continuous	numeric-3.0	6575	0	-
10	<a href="#">P234</a>	Number of harvests/ Traditional hive/yaer	continuous	numeric-2.0	6575	0	Number of harvests/Traditional hive/ yaer
11	<a href="#">P235I</a>	P235I	continuous	numeric-4.0	6575	0	-
12	<a href="#">P235D</a>	P235D	continuous	numeric-3.0	6575	0	-
13	<a href="#">P236</a>	Number of harvests/ Intermediate hive/year	discrete	numeric-2.0	6575	0	Number of harvests/Intermediate hive/year
14	<a href="#">P237I</a>	P237I	continuous	numeric-4.0	6575	0	-

File HONEY							
#	Name	Label	Type	Format	Valid	Invalid	Question
15	<a href="#">P237D</a>	P237D	continuous	numeric-3.0	6575	0	-
16	<a href="#">P238</a>	Number of harvest/Modern hive/year	discrete	numeric-2.0	6575	0	Number of harvest/Modern hive/year

File HORSE							
#	Name	Label	Type	Format	Valid	Invalid	Question
1	<a href="#">REG</a>	Region	discrete	numeric-2.0	4866	0	-
2	<a href="#">ZONE</a>	Zone	continuous	numeric-2.0	4866	0	-
3	<a href="#">DIST</a>	Wereda	continuous	numeric-2.0	4866	0	-
4	<a href="#">FA</a>	FA	continuous	numeric-3.0	4866	0	-
5	<a href="#">EA</a>	EA	discrete	numeric-2.0	4866	0	-
6	<a href="#">HH</a>	HH	continuous	numeric-3.0	4866	0	-
7	<a href="#">V07</a>	HHolder	discrete	numeric-1.0	4866	0	Holder Number
8	<a href="#">P124</a>	Total HORSES of all ages	discrete	numeric-4.0	4866	0	Total HORSES of all ages
9	<a href="#">P125</a>	Male HORSES of all ages	discrete	numeric-4.0	4866	0	Male HORSES of all ages
10	<a href="#">P126</a>	Female HORSES of all ages	discrete	numeric-4.0	4866	0	Female HORSES of all ages
11	<a href="#">P127</a>	Total horses age less than 3 years	discrete	numeric-4.0	4866	0	Total horses age less than 3 years
12	<a href="#">P128</a>	Male horses age less than 3 years	discrete	numeric-4.0	4866	0	Male horses age less than 3 years
13	<a href="#">P129</a>	Female horses age less than 3 years	discrete	numeric-4.0	4866	0	Female horses age less than 3 years
14	<a href="#">P130</a>	Total horses age 3 years and older	discrete	numeric-4.0	4866	0	Total horses age 3 years and older
15	<a href="#">P131</a>	Male horses age 3 years and older	discrete	numeric-4.0	4866	0	Male horses age 3 years and older
16	<a href="#">P132</a>	Female horses age 3 years and older	discrete	numeric-4.0	4866	0	Female horses age 3 years and older
17	<a href="#">P133</a>	Total horses used primarily for draft porpose age 3 years and older	discrete	numeric-4.0	4866	0	Total horses used primarily for draft porpose age 3 years and older
18	<a href="#">P134</a>	Male horses used primarily for draft porpose age 3 years and older	discrete	numeric-4.0	4866	0	Male horses used primarily for draft porpose age 3 years and older
19	<a href="#">P135</a>	Female horses used primarily for draft porpose age 3 years and older	discrete	numeric-4.0	4866	0	Female horses used primarily for draft porpose age 3 years and older
20	<a href="#">P136</a>	Total horses for transportaion age 3 years and older	discrete	numeric-4.0	4866	0	Total horses for transportaion age 3 years and older
21	<a href="#">P137</a>	Male horses for transportaion age 3 years and older	discrete	numeric-4.0	4866	0	Male horses for transportaion age 3 years and older
22	<a href="#">P138</a>	Female horses for transportaion age 3 years and older	discrete	numeric-4.0	4866	0	-

File HORSE							
#	Name	Label	Type	Format	Valid	Invalid	Question
23	<a href="#">P139</a>	Total horses for other purposes age 3 years and older	discrete	numeric-4.0	4866	0	Total horses for other purposes age 3 years and older
24	<a href="#">P140</a>	Male horses for other purposes age 3 years and older	discrete	numeric-4.0	4866	0	Male horses for other purposes age 3 years and older
25	<a href="#">P141</a>	Female horses for other purposes age 3 years and older	discrete	numeric-4.0	4866	0	Female horses for other purposes age 3 years and older

File MULE							
#	Name	Label	Type	Format	Valid	Invalid	Question
1	<a href="#">REG</a>	Region	discrete	numeric-2.0	1387	0	-
2	<a href="#">ZONE</a>	Zone	continuous	numeric-2.0	1387	0	-
3	<a href="#">DIST</a>	Wereda	continuous	numeric-2.0	1387	0	-
4	<a href="#">FA</a>	FA	continuous	numeric-3.0	1387	0	-
5	<a href="#">EA</a>	EA	discrete	numeric-2.0	1387	0	-
6	<a href="#">HH</a>	HH	continuous	numeric-3.0	1387	0	-
7	<a href="#">V07</a>	HHolder	discrete	numeric-1.0	1387	0	Holder Number
8	<a href="#">P142</a>	Total MULES of all ages	discrete	numeric-4.0	1387	0	-
9	<a href="#">P143</a>	Male MULES of all ages	discrete	numeric-4.0	1387	0	Male MULES of all ages
10	<a href="#">P144</a>	Female MULES of all ages	discrete	numeric-4.0	1387	0	-
11	<a href="#">P145</a>	Total mules age less than 3 years	discrete	numeric-4.0	1387	0	Total mules age less than 3 years
12	<a href="#">P146</a>	Male mules age less than 3 years	discrete	numeric-4.0	1387	0	Male mules age less than 3 years
13	<a href="#">P147</a>	Female mules age less than 3 years	discrete	numeric-4.0	1387	0	Female mules age less than 3 years
14	<a href="#">P148</a>	Total mules age 3 years and older	discrete	numeric-4.0	1387	0	Total mules age 3 years and older
15	<a href="#">P149</a>	Male mules age 3 years and older	discrete	numeric-4.0	1387	0	Male mules age 3 years and older
16	<a href="#">P150</a>	Female mules age 3 years and older	discrete	numeric-4.0	1387	0	Female mules age 3 years and older
17	<a href="#">P151</a>	Total mules used primarily for draft porpuse age 3 years and older	discrete	numeric-4.0	1387	0	Total mules used primarily for draft porpuse age 3 years and older
18	<a href="#">P152</a>	Male mules used primarily for draft porpuse age 3 years and older	discrete	numeric-4.0	1387	0	Male mules used primarily for draft porpuse age 3 years and older
19	<a href="#">P153</a>	Female mules used primarily for draft porpuse age 3 years and older	discrete	numeric-4.0	1387	0	Female mules used primarily for draft porpuse age 3 years and older
20	<a href="#">P154</a>	Total mules for transportation purposes age 3 years and older	discrete	numeric-4.0	1387	0	Total mules for transportation purposes age 3 years and older

File MULE							
#	Name	Label	Type	Format	Valid	Invalid	Question
21	<a href="#">P155</a>	Male mules for transportation purposes age 3 years and older	discrete	numeric-4.0	1387	0	Male mules for transportation purposes age 3 years and older
22	<a href="#">P156</a>	Female mules for transportation purposes age 3 years and older	discrete	numeric-4.0	1387	0	Female mules for transportation purposes age 3 years and older
23	<a href="#">P157</a>	Total mules for other porpuse age 3 years and older	discrete	numeric-4.0	1387	0	Total mules for other porpuse age 3 years and older
24	<a href="#">P158</a>	Male mules for other porpuse age 3 years and older	discrete	numeric-4.0	1387	0	-
25	<a href="#">P159</a>	Female mules for other porpuse age 3 years and older	discrete	numeric-4.0	1387	0	Female mules for other porpuse age 3 years and older

File NEWBIRTH							
#	Name	Label	Type	Format	Valid	Invalid	Question
1	<a href="#">REC\$TYPE</a>	-	discrete	character-2	145696	0	-
2	<a href="#">REG</a>	Region	discrete	numeric-2.0	145696	0	-
3	<a href="#">ZONE</a>	Zone	continuous	numeric-2.0	145696	0	-
4	<a href="#">DIST</a>	Wereda	continuous	numeric-2.0	145696	0	-
5	<a href="#">FA</a>	FA	continuous	numeric-3.0	145696	0	-
6	<a href="#">EA</a>	EA	discrete	numeric-2.0	145696	0	-
7	<a href="#">HH</a>	HH	continuous	numeric-3.0	145696	0	-
8	<a href="#">V07</a>	HHolder	discrete	numeric-1.0	145696	0	Holder NUmber
9	<a href="#">PQ161</a>	Serial No.	discrete	numeric-1.0	145696	0	Serial Number
10	<a href="#">PQ1631</a>	Born_Total	continuous	numeric-3.0	145696	0	-
11	<a href="#">PQ1632</a>	Born_Male	continuous	numeric-3.0	145696	0	-
12	<a href="#">PQ1633</a>	Born_Female	continuous	numeric-3.0	145696	0	-
13	<a href="#">PQ1641</a>	Bought_Total	continuous	numeric-3.0	145696	0	-
14	<a href="#">PQ1642</a>	Bought_Male	continuous	numeric-3.0	145696	0	-
15	<a href="#">PQ1643</a>	Bought_Female	continuous	numeric-3.0	145696	0	-
16	<a href="#">PQ1651</a>	Gift_Total	continuous	numeric-3.0	145696	0	-
17	<a href="#">PQ1652</a>	Gift_Male	discrete	numeric-3.0	145696	0	-
18	<a href="#">PQ1653</a>	Gift_Female	discrete	numeric-3.0	145696	0	-
19	<a href="#">PQ1661</a>	Sold_Total	continuous	numeric-3.0	145696	0	-
20	<a href="#">PQ1662</a>	Sold_Male	continuous	numeric-3.0	145696	0	-
21	<a href="#">PQ1663</a>	Sold_Female	continuous	numeric-3.0	145696	0	-
22	<a href="#">PQ1671</a>	Sloughted_Total	continuous	numeric-3.0	145696	0	-
23	<a href="#">PQ1672</a>	Sloughted_Male	continuous	numeric-3.0	145696	0	-
24	<a href="#">PQ1673</a>	Sloughted_Female	continuous	numeric-3.0	145696	0	-
25	<a href="#">PQ1681</a>	Given out_Total	continuous	numeric-3.0	145696	0	-

File NEWBIRTH							
#	Name	Label	Type	Format	Valid	Invalid	Question
26	<a href="#">PQ1682</a>	Given out_Male	continuous	numeric-3.0	145696	0	-
27	<a href="#">PQ1683</a>	Given out_Female	continuous	numeric-3.0	145696	0	-
28	<a href="#">PQ1691</a>	Died due to diseases_Total	continuous	numeric-3.0	145696	0	-
29	<a href="#">PQ1692</a>	Died due to diseases_male	continuous	numeric-3.0	145696	0	-
30	<a href="#">PQ1693</a>	Died due to diseases_female	continuous	numeric-3.0	145696	0	-
31	<a href="#">PQ16101</a>	Died due to other reason_Total	continuous	numeric-3.0	145696	0	-
32	<a href="#">PQ16102</a>	Died due to other reason_male	continuous	numeric-3.0	145696	0	-
33	<a href="#">PQ16103</a>	Died due to other reason_female	continuous	numeric-3.0	145696	0	-

File POULTRY							
#	Name	Label	Type	Format	Valid	Invalid	Question
1	<a href="#">REG</a>	Region	discrete	numeric-2.0	39538	0	-
2	<a href="#">ZONE</a>	Zone	continuous	numeric-2.0	39538	0	-
3	<a href="#">DIST</a>	Wereda	continuous	numeric-2.0	39538	0	-
4	<a href="#">FA</a>	FA	continuous	numeric-3.0	39538	0	-
5	<a href="#">EA</a>	EA	discrete	numeric-2.0	39538	0	-
6	<a href="#">HH</a>	HH	continuous	numeric-3.0	39538	0	-
7	<a href="#">V07</a>	HHholder	discrete	numeric-1.0	39538	0	Holder NUmber
8	<a href="#">P201</a>	poultry Total	continuous	numeric-4.0	39538	0	Total poultry
9	<a href="#">P202</a>	poultry Total_Indigenous	continuous	numeric-4.0	39538	0	Indigenes Total poultry
10	<a href="#">P203</a>	poultry Total_hybrid	continuous	numeric-4.0	39538	0	Hybrid Total poultry
11	<a href="#">P204</a>	poultry Total_foreign	discrete	numeric-4.0	39538	0	Foreign total poultry
12	<a href="#">P205</a>	Laying hens	discrete	numeric-4.0	39538	0	Laying hens
13	<a href="#">P206</a>	Laying hens_Indigenous	discrete	numeric-4.0	39538	0	Laying hens Indigenes
14	<a href="#">P207</a>	Laying hens_hybrid	discrete	numeric-4.0	39538	0	Laying hens hybrid
15	<a href="#">P208</a>	Laying hens_foreign	discrete	numeric-4.0	39538	0	Laying hens foreign
16	<a href="#">P209</a>	Non-laying hens	discrete	numeric-4.0	39538	0	Non-laying hens
17	<a href="#">P210</a>	Non-laying hens_Indigenous	discrete	numeric-4.0	39538	0	Non-laying hensIndigenes
18	<a href="#">P211</a>	Non-laying hens_hybrid	discrete	numeric-4.0	39538	0	Non-laying hens_hybrid
19	<a href="#">P212</a>	Non-laying hens_foreign	discrete	numeric-4.0	39538	0	Non-laying hens_foreign
20	<a href="#">P213</a>	Cocks-males	discrete	numeric-4.0	39538	0	Cocks-males
21	<a href="#">P214</a>	Cocks-males_Indigenous	discrete	numeric-4.0	39538	0	Cocks-males Indigenes
22	<a href="#">P215</a>	Cocks-males_hybrid	discrete	numeric-4.0	39538	0	Cocks-males_hybrid
23	<a href="#">P216</a>	Cocks-males_foreign	discrete	numeric-4.0	39538	0	ocks-males foreign
24	<a href="#">P217</a>	Cockerels	continuous	numeric-4.0	39538	0	Cockerels



<b>File POULTRY</b>							
#	Name	Label	Type	Format	Valid	Invalid	Question
25	<a href="#">P218</a>	Cockerels_Indigenous	continuous	numeric-4.0	39538	0	Cockerels Indigenes
26	<a href="#">P219</a>	Cockerels_hybrid	discrete	numeric-4.0	39538	0	Cockerels hybrid
27	<a href="#">P220</a>	Cockerels_foreign	discrete	numeric-4.0	39538	0	Cockerels foreign
28	<a href="#">P221</a>	Pullets	continuous	numeric-4.0	39538	0	Pullets
29	<a href="#">P222</a>	Pullets_Indigenous	continuous	numeric-4.0	39538	0	Pullets Indigenes
30	<a href="#">P223</a>	Pullets_hybrid	discrete	numeric-4.0	39538	0	Pullets hybrid
31	<a href="#">P224</a>	Pullets_foreign	discrete	numeric-4.0	39538	0	Pullets foreign
32	<a href="#">P225</a>	Chicks	continuous	numeric-4.0	39538	0	Chicks
33	<a href="#">P226</a>	Chicks_Indigenous	continuous	numeric-4.0	39538	0	Chicks Indigenes
34	<a href="#">P227</a>	Chicks_hybrid	continuous	numeric-4.0	39538	0	Chicks hybrid
35	<a href="#">P228</a>	Chicks_foreign	discrete	numeric-4.0	39538	0	Chicks foreign

<b>File SHEEP</b>							
#	Name	Label	Type	Format	Valid	Invalid	Question
1	<a href="#">REG</a>	Region	discrete	numeric-2.0	23913	0	-
2	<a href="#">ZONE</a>	Zone	continuous	numeric-2.0	23913	0	-
3	<a href="#">DIST</a>	Wereda	continuous	numeric-2.0	23913	0	-
4	<a href="#">FA</a>	FA	continuous	numeric-3.0	23913	0	-
5	<a href="#">EA</a>	EA	discrete	numeric-2.0	23913	0	-
6	<a href="#">HH</a>	HH	continuous	numeric-3.0	23913	0	-
7	<a href="#">V07</a>	HHHolder	discrete	numeric-1.0	23913	0	Holder NUmber
8	<a href="#">P47</a>	Total sheep of all age	continuous	numeric-4.0	23913	0	Total sheep of all age
9	<a href="#">P48</a>	Male sheep of all age	continuous	numeric-4.0	23913	0	Male sheep of all age
10	<a href="#">P49</a>	Female sheep of all age	continuous	numeric-4.0	23913	0	Female sheep of all age
11	<a href="#">P50</a>	Total sheep age less than 6 months	continuous	numeric-4.0	23913	0	Total sheep age less than 6 months
12	<a href="#">P51</a>	Male sheep age less than 6 months	continuous	numeric-4.0	23913	0	Male sheep age less than 6 months
13	<a href="#">P52</a>	Female sheep age less than 6 months	continuous	numeric-4.0	23913	0	Female sheep age less than 6 months
14	<a href="#">P53</a>	Total sheep age 6 months to 1 year	continuous	numeric-4.0	23913	0	Total sheep age 6 months to 1 year
15	<a href="#">P54</a>	Male sheep age 6 months to 1 year	discrete	numeric-4.0	23913	0	Male sheep age 6 months to 1 year
16	<a href="#">P55</a>	Female sheep age 6 months to 1 year	continuous	numeric-4.0	23913	0	Female sheep age 6 months to 1 year
17	<a href="#">P56</a>	Total sheep age 1 years to 2 years	continuous	numeric-4.0	23913	0	Total sheep age 1 years to 2 years
18	<a href="#">P57</a>	Male sheep age 1 years to 2 years	continuous	numeric-4.0	23913	0	Male sheep age 1 years to 2 years
19	<a href="#">P58</a>	Female sheep age 1 years to 2 years	continuous	numeric-4.0	23913	0	Female sheep age 1 years to 2 years

<b>File SHEEP</b>							
<b>#</b>	<b>Name</b>	<b>Label</b>	<b>Type</b>	<b>Format</b>	<b>Valid</b>	<b>Invalid</b>	<b>Question</b>
20	<a href="#">P59</a>	Total sheep age 2 years and older	continuous	numeric-4.0	23913	0	Total sheep age 2 years and older
21	<a href="#">P60</a>	Male sheep age 2 years and older	continuous	numeric-4.0	23913	0	Male sheep age 2 years and older
22	<a href="#">P61</a>	Female sheep age 2 years and older	continuous	numeric-4.0	23913	0	Female sheep age 2 years and older
23	<a href="#">P62</a>	Total sheep for meet age 2 years and older	continuous	numeric-4.0	23913	0	Total sheep for meet age 2 years and older
24	<a href="#">P63</a>	Male sheep for meet age 2 years and older	continuous	numeric-4.0	23913	0	Male sheep for meet age 2 years and older
25	<a href="#">P64</a>	Female sheep for meet age 2 years and older	discrete	numeric-4.0	23913	0	Female sheep for meet age 2 years and older
26	<a href="#">P65</a>	Total sheep for Wool only age 2 years and older	continuous	numeric-4.0	23913	0	Total sheep for Wool only age 2 years and older
27	<a href="#">P66</a>	Male sheep for Wool only age 2 years and older	discrete	numeric-4.0	23913	0	Male sheep for Wool only age 2 years and older
28	<a href="#">P67</a>	Female sheep for Wool only age 2 years and older	continuous	numeric-4.0	23913	0	Female sheep for Wool only age 2 years and older
29	<a href="#">P68</a>	Total sheep for breeding only age 2 years and older	continuous	numeric-4.0	23913	0	Total sheep for breeding only age 2 years and older
30	<a href="#">P69</a>	Male sheep for breeding only age 2 years and older	continuous	numeric-4.0	23913	0	Male sheep for breeding only age 2 years and older
31	<a href="#">P70</a>	Female sheep for breeding only age 2 years and older	continuous	numeric-4.0	23913	0	Female sheep for breeding only age 2 years and older
32	<a href="#">P71</a>	Total sheep for other purpose age 2 years and older	discrete	numeric-4.0	23913	0	Total sheep for other purpose age 2 years and older
33	<a href="#">P72</a>	Male sheep for other purpose age 2 years and older	discrete	numeric-4.0	23913	0	Male sheep for other purpose age 2 years and older
34	<a href="#">P73</a>	Female sheep for other purpose age 2 years and older	discrete	numeric-4.0	23913	0	Female sheep for other purpose age 2 years and older
35	<a href="#">P74</a>	Total Grand	continuous	numeric-4.0	23913	0	Total Grand
36	<a href="#">P75</a>	Male Total Grand	continuous	numeric-4.0	23913	0	Male Total Grand
37	<a href="#">P76</a>	Female Total Grand	continuous	numeric-4.0	23913	0	Female Total Grand
38	<a href="#">P77</a>	Total Local breed	continuous	numeric-4.0	23913	0	Total Local breed
39	<a href="#">P78</a>	Male Total Local breed	continuous	numeric-4.0	23913	0	Male Local breed
40	<a href="#">P79</a>	Female Total Local breed	continuous	numeric-4.0	23913	0	Female Total Local breed
41	<a href="#">P80</a>	Total Exotic	discrete	numeric-4.0	23913	0	Total Exotic
42	<a href="#">P81</a>	Male Total Exotic	discrete	numeric-4.0	23913	0	Male Total Exotic
43	<a href="#">P82</a>	Female Total Exotic	discrete	numeric-4.0	23913	0	Female Total Exotic
44	<a href="#">P83</a>	Total Hybrid	continuous	numeric-4.0	23913	0	Total Hybrid
45	<a href="#">P84</a>	Male Total Hybrid	discrete	numeric-4.0	23913	0	Male Total Hybrid
46	<a href="#">P85</a>	Female Total Hybrid	discrete	numeric-4.0	23913	0	Female Total Hybrid

File VACCIN							
#	Name	Label	Type	Format	Valid	Invalid	Question
1	<a href="#">REG</a>	Region	discrete	numeric-2.0	26634	0	-
2	<a href="#">ZONE</a>	Zone	continuous	numeric-2.0	26634	0	-
3	<a href="#">DIST</a>	Wereda	continuous	numeric-2.0	26634	0	-
4	<a href="#">FA</a>	FA	continuous	numeric-3.0	26634	0	-
5	<a href="#">EA</a>	EA	discrete	numeric-2.0	26634	0	-
6	<a href="#">HH</a>	HH	continuous	numeric-3.0	26634	0	-
7	<a href="#">V07</a>	HHHolder	discrete	numeric-1.0	26634	0	Holder NUMBER
8	<a href="#">PQ171</a>	Serial No.	discrete	numeric-1.0	26634	0	Serial Number
9	<a href="#">PQ1731</a>	vaccinated_Total	continuous	numeric-3.0	26634	0	-
10	<a href="#">PQ1732</a>	vaccinated_Male	continuous	numeric-3.0	26634	0	-
11	<a href="#">PQ1733</a>	vaccinated_Female	continuous	numeric-3.0	26634	0	-
12	<a href="#">PQ1741</a>	Vaccinated for "Abasenga"_Total	continuous	numeric-3.0	26634	0	-
13	<a href="#">PQ1742</a>	Vaccinated for "Abasenga"_Male	continuous	numeric-3.0	26634	0	-
14	<a href="#">PQ1743</a>	Vaccinated for "Abasenga"_Female	continuous	numeric-3.0	26634	0	-
15	<a href="#">PQ1751</a>	Vaccinated for "Abagorba"_Total	continuous	numeric-3.0	26634	0	-
16	<a href="#">PQ1752</a>	Vaccinated for "Abagorba"_Male	continuous	numeric-3.0	26634	0	-
17	<a href="#">PQ1753</a>	Vaccinated for "Abagorba"_Female	continuous	numeric-3.0	26634	0	-
18	<a href="#">PQ1761</a>	Vaccinated for Tuberculosis_Total	continuous	numeric-3.0	26634	0	-
19	<a href="#">PQ1762</a>	Vaccinated for Tuberculosis_Male	continuous	numeric-3.0	26634	0	-
20	<a href="#">PQ1763</a>	Vaccinated for Tuberculosis_Female	continuous	numeric-3.0	26634	0	-
21	<a href="#">PQ1771</a>	Vaccinated for "Gororsa"_Total	continuous	numeric-3.0	26634	0	-
22	<a href="#">PQ1772</a>	Vaccinated for "Gororsa"_Male	continuous	numeric-3.0	26634	0	-
23	<a href="#">PQ1773</a>	Vaccinated for "Gororsa"_Female	continuous	numeric-3.0	26634	0	-
24	<a href="#">PQ1781</a>	Vaccinated for "Desta"_Total	continuous	numeric-3.0	26634	0	-
25	<a href="#">PQ1782</a>	Vaccinated for "Desta"_Male	discrete	numeric-3.0	26634	0	-
26	<a href="#">PQ1783</a>	Vaccinated for "Desta"_Female	continuous	numeric-3.0	26634	0	-
27	<a href="#">PQ1791</a>	Vaccinated for other_Total	continuous	numeric-3.0	26634	0	-
28	<a href="#">PQ1792</a>	Vaccinated for other_Male	continuous	numeric-3.0	26634	0	-
29	<a href="#">PQ1793</a>	Vaccinated for other_Female	continuous	numeric-3.0	26634	0	-

# Variables Description

Dataset contains 460 variable(s)

File BEEHIVE			
<b>#1 REG: Region</b>			
Information	[Type= discrete] [Format=numeric] [Range= 1-15] [Missing=*]		
Statistics [NW/ W]	[Valid=70502 /-] [Invalid=0 /-]		
Literal question	Region		
Value	Label	Cases	Percentage
1	Tigray	4986	7.1%
2	Afar	1466	2.1%
3	Amhara	13726	19.5%
4	Oromia	23476	33.3%
5	Somalia	2040	2.9%
6	Benshangul_Gumuz	2969	4.2%
7	S.N.N.P.R	18176	25.8%
12	Gambella	2215	3.1%
13	Harari	722	1.0%
14	Addis_Ababa	0	0.0%
15	Dire_Dawa	726	1.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b>#2 ZONE: Zone</b>			
Information	[Type= continuous] [Format=numeric] [Range= 1-25] [Missing=*]		
Statistics [NW/ W]	[Valid=70502 /-] [Invalid=0 /-] [Mean=7.251 /-] [StdDev=5.754 /-]		
Literal question	Zone		
<b>#3 DIST: Wereda</b>			
Information	[Type= continuous] [Format=numeric] [Range= 1-24] [Missing=*]		
Statistics [NW/ W]	[Valid=70502 /-] [Invalid=0 /-] [Mean=6.105 /-] [StdDev=4.762 /-]		
Literal question	Wereda		
<b>#4 FA: FA</b>			
Information	[Type= continuous] [Format=numeric] [Range= 1-403] [Missing=*]		
Statistics [NW/ W]	[Valid=70502 /-] [Invalid=0 /-] [Mean=14.742 /-] [StdDev=19.976 /-]		
Literal question	Farmers Association		
<b>#5 EA: EA</b>			
Information	[Type= discrete] [Format=numeric] [Range= 1-17] [Missing=*]		
Statistics [NW/ W]	[Valid=70502 /-] [Invalid=0 /-] [Mean=3.017 /-] [StdDev=2.095 /-]		
Literal question	Enumeration Area		
Value	Label	Cases	Percentage
1		19456	27.6%
2		16383	23.2%
3		12080	17.1%
4		8341	11.8%
5		5784	8.2%

**File BEEHIVE****#5 EA: EA**

Value	Label	Cases	Percentage
6		3658	5.2%
7		2065	2.9%
8		1122	1.6%
9		772	1.1%
10		292	0.4%
11		247	0.4%
12		180	0.3%
13		61	0.1%
16		30	0.0%
17		31	0.0%

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

**#6 HH: HH**

<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 1-733] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=70502 /-] [Invalid=0 /-] [Mean=89.909 /-] [StdDev=61.106 /-]
<b>Literal question</b>	House Hold

**#7 V07: HHolder**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=70502 /-] [Invalid=0 /-] [Mean=1.073 /-] [StdDev=0.317 /-]
<b>Literal question</b>	Holder Number

Value	Label	Cases	Percentage
0		1	0.0%
1		66241	94.0%
2		3542	5.0%
3		586	0.8%
4		108	0.2%
5		13	0.0%
6		5	0.0%
7		3	0.0%
8		1	0.0%
9		2	0.0%

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

**#8 PQ2: PQ2**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=70502 /-] [Invalid=0 /-]
<b>Literal question</b>	Do you have Beehives?

Value	Label	Cases	Percentage
0		154	0.2%
1	Yes	65420	92.8%
2	No	4928	7.0%

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

File BEEHIVE			
<b>#9 P229: Total behave</b>			
Information	[Type= continuous] [Format=numeric] [Range= 0-200] [Missing=*]		
Statistics [NW/ W]	[Valid=70502 /-] [Invalid=0 /-] [Mean=0.438 /-] [StdDev=2.799 /-]		
Literal question	Total beehive		
<b>#10 P230: Traditional beehives</b>			
Information	[Type= continuous] [Format=numeric] [Range= 0-200] [Missing=*]		
Statistics [NW/ W]	[Valid=70502 /-] [Invalid=0 /-] [Mean=0.425 /-] [StdDev=2.769 /-]		
Literal question	Traditional beehives		
<b>#11 P231: Intermediate beehives</b>			
Information	[Type= discrete] [Format=numeric] [Range= 0-12] [Missing=*]		
Statistics [NW/ W]	[Valid=70502 /-] [Invalid=0 /-] [Mean=0.00315 /-] [StdDev=0.115 /-]		
Literal question	Intermediate beehives		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
0		70398	99.9%
1		61	0.1%
2		18	0.0%
3		9	0.0%
4		6	0.0%
5		4	0.0%
6		2	0.0%
10		3	0.0%
12		1	0.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b>#12 P232: Modern beehives</b>			
Information	[Type= continuous] [Format=numeric] [Range= 0-35] [Missing=*]		
Statistics [NW/ W]	[Valid=70502 /-] [Invalid=0 /-] [Mean=0.00986 /-] [StdDev=0.233 /-]		
Literal question	Modern beehives		
<b>#13 PQ3: PQ3</b>			
Information	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]		
Statistics [NW/ W]	[Valid=70502 /-] [Invalid=0 /-]		
Literal question	Intermediate beehives		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
0		2833	4.0%
1	Yes	21093	29.9%
2	No	46575	66.1%
3		1	0.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
File CAMEL			
<b>#1 REG: Region</b>			
Information	[Type= discrete] [Format=numeric] [Range= 1-15] [Missing=*]		
Statistics [NW/ W]	[Valid=1851 /-] [Invalid=0 /-]		

<b>File CAMEL</b>			
<b>#1 REG: Region</b>			
<b>Literal question</b>	Region		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
1	Tigray	136	7.3%
2	Afar	516	27.9%
3	Amhara	187	10.1%
4	Oromia	284	15.3%
5	Somalia	611	33.0%
6	Benshangul_Gumz	0	0.0%
7	S.N.N.P.R	4	0.2%
12	Gambella	0	0.0%
13	Harari	16	0.9%
14	Addis_Ababa	0	0.0%
15	Dire_Dawa	97	5.2%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b>#2 ZONE: Zone</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-14] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=1851 /-] [Invalid=0 /-] [Mean=4.735 /-] [StdDev=4.099 /-]		
<b>Literal question</b>	Zone		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
1		615	33.2%
2		223	12.0%
3		266	14.4%
4		57	3.1%
5		67	3.6%
6		2	0.1%
7		12	0.6%
8		13	0.7%
9		274	14.8%
10		98	5.3%
11		43	2.3%
12		155	8.4%
14		26	1.4%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b>#3 DIST: Wereda</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-18] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=1851 /-] [Invalid=0 /-] [Mean=4.446 /-] [StdDev=3.772 /-]		
<b>Literal question</b>	Wereda		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
1		383	20.7%
2		286	15.5%
3		270	14.6%
4		283	15.3%

## File CAMEL

### #3 DIST: Wereda

Value	Label	Cases	Percentage
5		75	4.1%
6		172	9.3%
7		156	8.4%
8		63	3.4%
9		9	0.5%
10		16	0.9%
11		15	0.8%
12		7	0.4%
13		12	0.6%
14		18	1.0%
15		23	1.2%
16		21	1.1%
17		5	0.3%
18		37	2.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### #4 FA: FA

<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 1-165] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=1851 /-] [Invalid=0 /-] [Mean=14.687 /-] [StdDev=17.065 /-]
<b>Literal question</b>	Farmers Association

### #5 EA: EA

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-17] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=1851 /-] [Invalid=0 /-] [Mean=2.555 /-] [StdDev=2.257 /-]
<b>Literal question</b>	Enumeration Area

Value	Label	Cases	Percentage
1		754	40.7%
2		518	28.0%
3		148	8.0%
4		179	9.7%
5		104	5.6%
6		44	2.4%
7		25	1.4%
8		24	1.3%
9		20	1.1%
10		4	0.2%
11		11	0.6%
12		3	0.2%
13		8	0.4%
16		6	0.3%
17		3	0.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### #6 HH: HH

<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 1-492] [Missing=*]
--------------------	--



<b>File CAMEL</b>			
<b>#6 HH: HH</b>			
<b>Statistics [NW/ W]</b>	[Valid=1851 /-] [Invalid=0 /-] [Mean=71.755 /-] [StdDev=61.736 /-]		
<b>Literal question</b>	House Hold		
<b>#7 V07: HHolder</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=1851 /-] [Invalid=0 /-] [Mean=1.01 /-] [StdDev=0.104 /-]		
<b>Literal question</b>	Holder Number		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
1		1834	99.1%
2		16	0.9%
3		1	0.1%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b>#8 P178: Total CAMELS of all ages</b>			
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-100] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=1851 /-] [Invalid=0 /-] [Mean=5.42 /-] [StdDev=8.605 /-]		
<b>Literal question</b>	Total CAMELS of all ages		
<b>#9 P179: Male CAMELS of all ages</b>			
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-40] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=1851 /-] [Invalid=0 /-] [Mean=1.639 /-] [StdDev=2.028 /-]		
<b>Literal question</b>	Total CAMELS of all ages		
<b>#10 P180: Female CAMELS of all ages</b>			
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-95] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=1851 /-] [Invalid=0 /-] [Mean=3.781 /-] [StdDev=7.367 /-]		
<b>Literal question</b>	Female CAMELS of all ages		
<b>#11 P181: Total camels age less than 4 years</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-20] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=1851 /-] [Invalid=0 /-] [Mean=1.358 /-] [StdDev=2.157 /-]		
<b>Literal question</b>	Total camels age less than 4 years		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
0		844	45.6%
1		455	24.6%
2		251	13.6%
3		101	5.5%
4		60	3.2%
5		50	2.7%
6		33	1.8%
7		13	0.7%
8		15	0.8%
9		5	0.3%
10		9	0.5%
11		1	0.1%

## File CAMEL

### #11 P181: Total camels age less than 4 years

Value	Label	Cases	Percentage
12		6	0.3%
13		1	0.1%
14		1	0.1%
16		2	0.1%
17		1	0.1%
20		3	0.2%

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### #12 P182: Male camels age less than 4 years

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-15] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=1851 /-] [Invalid=0 /-] [Mean=0.568 /-] [StdDev=0.988 /-]
<b>Literal question</b>	Male camels age less than 4 years

Value	Label	Cases	Percentage
0		1158	62.6%
1		467	25.2%
2		159	8.6%
3		37	2.0%
4		16	0.9%
5		8	0.4%
6		2	0.1%
7		1	0.1%
8		1	0.1%
10		1	0.1%
15		1	0.1%

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### #13 P183: Female camels age less than 4 years

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-20] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=1851 /-] [Invalid=0 /-] [Mean=0.789 /-] [StdDev=1.604 /-]
<b>Literal question</b>	Female camels age less than 4 years

Value	Label	Cases	Percentage
0		1203	65.0%
1		313	16.9%
2		159	8.6%
3		76	4.1%
4		29	1.6%
5		29	1.6%
6		19	1.0%
7		2	0.1%
8		5	0.3%
9		5	0.3%
10		6	0.3%
11		2	0.1%
12		1	0.1%

<b>File CAMEL</b>			
<b>#13 P183: Female camels age less than 4 years</b>			
Value	Label	Cases	Percentage
14		1	0.1%
20		1	0.1%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b>#14 P184: Total camels age 4 years and older</b>			
Information	[Type= continuous] [Format=numeric] [Range= 0-92] [Missing=*]		
Statistics [NW/ W]	[Valid=1851 /-] [Invalid=0 /-] [Mean=4.063 /-] [StdDev=6.924 /-]		
Literal question	Total camels age 4 years and older		
<b>#15 P185: Male camels age 4 years and older</b>			
Information	[Type= continuous] [Format=numeric] [Range= 0-30] [Missing=*]		
Statistics [NW/ W]	[Valid=1851 /-] [Invalid=0 /-] [Mean=1.071 /-] [StdDev=1.559 /-]		
Literal question	Male camels age 4 years and older		
<b>#16 P186: Female camels age 4 years and older</b>			
Information	[Type= continuous] [Format=numeric] [Range= 0-92] [Missing=*]		
Statistics [NW/ W]	[Valid=1851 /-] [Invalid=0 /-] [Mean=2.992 /-] [StdDev=6.206 /-]		
Literal question	Female camels age 4 years and older		
<b>#17 P187: Total camels for slaughter age 4 years and older</b>			
Information	[Type= continuous] [Format=numeric] [Range= 0-40] [Missing=*]		
Statistics [NW/ W]	[Valid=1851 /-] [Invalid=0 /-] [Mean=0.0908 /-] [StdDev=1.04 /-]		
Literal question	Total camels for slaughter age 4 years and older		
<b>#18 P188: Male camels for slaughter age 4 years and older</b>			
Information	[Type= discrete] [Format=numeric] [Range= 0-20] [Missing=*]		
Statistics [NW/ W]	[Valid=1851 /-] [Invalid=0 /-] [Mean=0.0546 /-] [StdDev=0.584 /-]		
Literal question	Male camels for slaughter age 4 years and older		
Value	Label	Cases	Percentage
0		1803	97.4%
1		30	1.6%
2		11	0.6%
3		3	0.2%
6		2	0.1%
8		1	0.1%
20		1	0.1%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b>#19 P189: Female camels for slaughter age 4 years and older</b>			
Information	[Type= discrete] [Format=numeric] [Range= 0-20] [Missing=*]		
Statistics [NW/ W]	[Valid=1851 /-] [Invalid=0 /-] [Mean=0.0362 /-] [StdDev=0.545 /-]		
Literal question	Female camels for slaughter age 4 years and older		
Value	Label	Cases	Percentage
0		1830	98.9%
1		7	0.4%

**File CAMEL****#19 P189: Female camels for slaughter age 4 years and older**

Value	Label	Cases	Percentage
2		6	0.3%
3		3	0.2%
4		2	0.1%
5		1	0.1%
6		1	0.1%
20		1	0.1%

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

**#20 P190: Total camels used for draft purpose age 4 years and older**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=1851 /-] [Invalid=0 /-] [Mean=0.0276 /-] [StdDev=0.218 /-]
<b>Literal question</b>	Total camels used for draft purpose age 4 years and older

Value	Label	Cases	Percentage
0		1817	98.2%
1		19	1.0%
2		13	0.7%
3		2	0.1%

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

**#21 P191: Male camels used for draft purpose age 4 years and older**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=1851 /-] [Invalid=0 /-] [Mean=0.0265 /-] [StdDev=0.213 /-]
<b>Literal question</b>	Male camels used for draft purpose age 4 years and older

Value	Label	Cases	Percentage
0		1818	98.2%
1		19	1.0%
2		12	0.6%
3		2	0.1%

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

**#22 P192: Female camels used for draft purpose age 4 years and older**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=1851 /-] [Invalid=0 /-] [Mean=0.00108 /-] [StdDev=0.0465 /-]
<b>Literal question</b>	Female camels used for draft purpose age 4 years and older

Value	Label	Cases	Percentage
0		1850	99.9%
2		1	0.1%

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

**#23 P193: Total camels for milk purpose age 4 years and older**

<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-92] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=1851 /-] [Invalid=0 /-] [Mean=1.678 /-] [StdDev=4.475 /-]
<b>Literal question</b>	Total camels for milk purpose age 4 years and older

<b>File CAMEL</b>			
<b>#24 P194: Female camels for milk purpose age 4 years and older</b>			
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-92] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=1851 /-] [Invalid=0 /-] [Mean=1.678 /-] [StdDev=4.475 /-]		
<b>Literal question</b>	Female camels for milk purpose age 4 years and older		
<b>#25 P195: Total camels for transportation porpuse age 4 years and older</b>			
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-71] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=1851 /-] [Invalid=0 /-] [Mean=1.179 /-] [StdDev=2.886 /-]		
<b>Literal question</b>	Total camels for transportation porpuse age 4 years and older		
<b>#26 P196: Male camels for transportation porpuse age 4 years and older</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-15] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=1851 /-] [Invalid=0 /-] [Mean=0.835 /-] [StdDev=1.223 /-]		
<b>Literal question</b>	Male camels for transportation porpuse age 4 years and older		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
0		848	45.8%
1		729	39.4%
2		165	8.9%
3		50	2.7%
4		23	1.2%
5		13	0.7%
6		8	0.4%
7		8	0.4%
8		2	0.1%
10		2	0.1%
11		1	0.1%
13		1	0.1%
15		1	0.1%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b>#27 P197: Female camels for transportation porpuse age 4 years and older</b>			
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-68] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=1851 /-] [Invalid=0 /-] [Mean=0.345 /-] [StdDev=2.281 /-]		
<b>Literal question</b>	Female camels for transportation porpuse age 4 years and older		
<b>#28 P198: Total camels for other purpose age 4 years and older</b>			
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-40] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=1851 /-] [Invalid=0 /-] [Mean=1.087 /-] [StdDev=3.641 /-]		
<b>Literal question</b>	Total camels for other purpose age 4 years and older		
<b>#29 P199: Male camels for other purpose age 4 years and older</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-11] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=1851 /-] [Invalid=0 /-] [Mean=0.155 /-] [StdDev=0.818 /-]		
<b>Literal question</b>	Male camels for other purpose age 4 years and older		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
0		1730	93.5%

## File CAMEL

### #29 P199: Male camels for other purpose age 4 years and older

Value	Label	Cases	Percentage
1		65	3.5%
2		24	1.3%
3		8	0.4%
4		6	0.3%
5		5	0.3%
6		4	0.2%
7		4	0.2%
8		1	0.1%
9		1	0.1%
10		1	0.1%
11		2	0.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### #30 P200: Female camels for other purpose age 4 years and older

<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-31] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=1851 /-] [Invalid=0 /-] [Mean=0.932 /-] [StdDev=3.298 /-]
<b>Literal question</b>	Female camels for other purpose age 4 years and older

## File CATTLEFEED

### #1 REG: Region

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-15] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=392709 /-] [Invalid=0 /-]
<b>Literal question</b>	Region

Value	Label	Cases	Percentage
1	Tigray	27991	7.1%
2	Afar	8388	2.1%
3	Amhara	77756	19.8%
4	Oromia	130160	33.1%
5	Somalia	11994	3.1%
6	Benshangul_Gumz	16419	4.2%
7	S.N.N.P.R	101564	25.9%
12	Gambella	10078	2.6%
13	Harari	4062	1.0%
14	Addis_Ababa	0	0.0%
15	Dire_Dawa	4297	1.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### #2 ZONE: Zone

<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 1-25] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=392709 /-] [Invalid=0 /-] [Mean=7.268 /-] [StdDev=5.747 /-]
<b>Literal question</b>	Zone

### #3 DIST: Wereda

<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 1-24] [Missing=*]
--------------------	---

<b>File CATTLEFEED</b>			
<b>#3 DIST: Wereda</b>			
<b>Statistics [NW/ W]</b>	[Valid=392709 /-] [Invalid=0 /-] [Mean=6.118 /-] [StdDev=4.755 /-]		
<b>Literal question</b>	Wereda		
<b>#4 FA: FA</b>			
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 1-403] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=392709 /-] [Invalid=0 /-] [Mean=14.693 /-] [StdDev=19.218 /-]		
<b>Literal question</b>	Farmers Association		
<b>#5 EA: EA</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-17] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=392709 /-] [Invalid=0 /-] [Mean=3.021 /-] [StdDev=2.096 /-]		
<b>Literal question</b>	Enumeration Area		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
1		107668	27.4%
2		91584	23.3%
3		67256	17.1%
4		46658	11.9%
5		32598	8.3%
6		20457	5.2%
7		11123	2.8%
8		6285	1.6%
9		4416	1.1%
10		1601	0.4%
11		1382	0.4%
12		954	0.2%
13		361	0.1%
16		180	0.0%
17		186	0.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b>#6 HH: HH</b>			
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 1-733] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=392709 /-] [Invalid=0 /-] [Mean=89.82 /-] [StdDev=60.992 /-]		
<b>Literal question</b>	Household		
<b>#7 V07: HHolder</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=392709 /-] [Invalid=0 /-] [Mean=1.06 /-] [StdDev=0.288 /-]		
<b>Literal question</b>	Holder Number		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
0		6	0.0%
1		372999	95.0%
2		16488	4.2%
3		2656	0.7%
4		464	0.1%

**File CATTLEFEED****#7 V07: HHolder**

Value	Label	Cases	Percentage
5		54	0.0%
6		12	0.0%
7		12	0.0%
8		6	0.0%
9		12	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

**#8 PQ181: Serial No.**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=392709 /-] [Invalid=0 /-] [Mean=3.496 /-] [StdDev=1.708 /-]
<b>Literal question</b>	Serial Number

Value	Label	Cases	Percentage
1		65734	16.7%
2		65479	16.7%
3		65439	16.7%
4		65449	16.7%
5		65431	16.7%
6		65177	16.6%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

**#9 PQ182: Type of livestock feed**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=392709 /-] [Invalid=0 /-]
<b>Literal question</b>	Type of livestock feed

Value	Label	Cases	Percentage
1	Grazing	65739	16.7%
2	Crop Residue	65486	16.7%
3	Improved Pasture	65437	16.7%
4	Hay	65447	16.7%
5	Grain Byproduct	65430	16.7%
6	Others	65170	16.6%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

**#10 PQ183: Used**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=392709 /-] [Invalid=0 /-]
<b>Literal question</b>	Used

Value	Label	Cases	Percentage
0		419	0.1%
1	Yes	149191	38.0%
2	No	243099	61.9%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

**#11 PQ184: Percentage used**

<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-100] [Missing=*]
--------------------	--



**File CATTLEFEED****#11 PQ184: Percentage used**

<b>Statistics [NW/ W]</b>	[Valid=392709 /-] [Invalid=0 /-] [Mean=15.926 /-] [StdDev=27.555 /-]
---------------------------	--

<b>Literal question</b>	Percentage used
-------------------------	-----------------

**#12 PQ185: Source**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
--------------------	--

<b>Statistics [NW/ W]</b>	[Valid=392709 /-] [Invalid=0 /-]
---------------------------	----------------------------------

<b>Literal question</b>	Source
-------------------------	--------

Value	Label	Cases	Percentage
0		243501	62.0%
1	Own property	90494	23.0%
2	Purchased	9916	2.5%
3	Public property	20433	5.2%
4	1 & 2	9860	2.5%
5	1 & 3	14321	3.6%
6	2 & 3	351	0.1%
7	1, 2 & 3	554	0.1%
8	Other	3279	0.8%

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

**File COW****#1 REG: Region**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-15] [Missing=*]
--------------------	---

<b>Statistics [NW/ W]</b>	[Valid=70522 /-] [Invalid=0 /-]
---------------------------	---------------------------------

<b>Literal question</b>	Region
-------------------------	--------

Value	Label	Cases	Percentage
1	Tigray	4985	7.1%
2	Afar	1463	2.1%
3	Amhara	13727	19.5%
4	Oromia	23483	33.3%
5	Somalia	2038	2.9%
6	Benshangul_Gumz	2978	4.2%
7	S.N.N.P.R	18185	25.8%
12	Gambella	2215	3.1%
13	Harari	722	1.0%
14	Addis_Ababa	0	0.0%
15	Dire_Dawa	726	1.0%

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

**#2 ZONE: Zone**

<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 1-25] [Missing=*]
--------------------	---

<b>Statistics [NW/ W]</b>	[Valid=70522 /-] [Invalid=0 /-] [Mean=7.252 /-] [StdDev=5.754 /-]
---------------------------	---

<b>Literal question</b>	Zone
-------------------------	------

**#3 DIST: Wereda**

<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 1-24] [Missing=*]
--------------------	---

<b>File COW</b>			
<b>#3 DIST: Wereda</b>			
<b>Statistics [NW/ W]</b>	[Valid=70522 /-] [Invalid=0 /-] [Mean=6.105 /-] [StdDev=4.762 /-]		
<b>Literal question</b>	Wereda		
<b>#4 FA: FA</b>			
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 1-403] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=70522 /-] [Invalid=0 /-] [Mean=14.742 /-] [StdDev=19.974 /-]		
<b>Literal question</b>	Farmers Association		
<b>#5 EA: EA</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-17] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=70522 /-] [Invalid=0 /-] [Mean=3.017 /-] [StdDev=2.095 /-]		
<b>Literal question</b>	Enumeration Area		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
1		19453	27.6%
2		16391	23.2%
3		12082	17.1%
4		8346	11.8%
5		5788	8.2%
6		3659	5.2%
7		2066	2.9%
8		1122	1.6%
9		772	1.1%
10		293	0.4%
11		248	0.4%
12		180	0.3%
13		61	0.1%
16		30	0.0%
17		31	0.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b>#6 HH: HH</b>			
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 1-733] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=70522 /-] [Invalid=0 /-] [Mean=89.907 /-] [StdDev=61.102 /-]		
<b>Literal question</b>	House hold Serial Number		
<b>#7 V07: HHolder</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=70522 /-] [Invalid=0 /-] [Mean=1.073 /-] [StdDev=0.318 /-]		
<b>Literal question</b>	Holder Serial Number		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
0		1	0.0%
1		66256	94.0%
2		3546	5.0%
3		587	0.8%
4		107	0.2%

<b>File COW</b>			
<b>#7 V07: HHolder</b>			
Value	Label	Cases	Percentage
5		14	0.0%
6		5	0.0%
7		3	0.0%
8		1	0.0%
9		2	0.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b>#8 P01: Total cattle of all age</b>			
Information	[Type= continuous] [Format=numeric] [Range= 0-471] [Missing=*]		
Statistics [NW/ W]	[Valid=70522 /-] [Invalid=0 /-] [Mean=3.725 /-] [StdDev=6.142 /-]		
Literal question	Total cattle of all age		
<b>#9 P02: Male cattle of all age</b>			
Information	[Type= continuous] [Format=numeric] [Range= 0-219] [Missing=*]		
Statistics [NW/ W]	[Valid=70522 /-] [Invalid=0 /-] [Mean=1.575 /-] [StdDev=2.43 /-]		
Literal question	Male cattle of all age		
<b>#10 P03: Female cattle of all age</b>			
Information	[Type= continuous] [Format=numeric] [Range= 0-252] [Missing=*]		
Statistics [NW/ W]	[Valid=70522 /-] [Invalid=0 /-] [Mean=2.151 /-] [StdDev=4.179 /-]		
Literal question	Female cattle of all age		
<b>#11 P04: Total cattle age less than 6 months</b>			
Information	[Type= continuous] [Format=numeric] [Range= 0-35] [Missing=*]		
Statistics [NW/ W]	[Valid=70522 /-] [Invalid=0 /-] [Mean=0.371 /-] [StdDev=0.894 /-]		
Literal question	Total cattle age less than 6 months		
<b>#12 P05: Male cattle age less than 6 months</b>			
Information	[Type= continuous] [Format=numeric] [Range= 0-22] [Missing=*]		
Statistics [NW/ W]	[Valid=70522 /-] [Invalid=0 /-] [Mean=0.175 /-] [StdDev=0.506 /-]		
Literal question	Male cattle age less than 6 months		
<b>#13 P06: Female cattle age less than 6 months</b>			
Information	[Type= continuous] [Format=numeric] [Range= 0-28] [Missing=*]		
Statistics [NW/ W]	[Valid=70522 /-] [Invalid=0 /-] [Mean=0.196 /-] [StdDev=0.597 /-]		
Literal question	Female cattle age less than 6 months		
<b>#14 P07: Total cattle age 6 months to 1 year</b>			
Information	[Type= continuous] [Format=numeric] [Range= 0-38] [Missing=*]		
Statistics [NW/ W]	[Valid=70522 /-] [Invalid=0 /-] [Mean=0.309 /-] [StdDev=0.873 /-]		
Literal question	Total cattle age 6 months to 1 year		
<b>#15 P08: Male cattle age 6 months to 1 year</b>			
Information	[Type= discrete] [Format=numeric] [Range= 0-20] [Missing=*]		
Statistics [NW/ W]	[Valid=70522 /-] [Invalid=0 /-] [Mean=0.143 /-] [StdDev=0.493 /-]		
Literal question	Male cattle age 6 months to 1 year		

## File COW

### #15 P08: Male cattle age 6 months to 1 year

Value	Label	Cases	Percentage
0		62440	88.5%
1		6763	9.6%
2		1024	1.5%
3		181	0.3%
4		60	0.1%
5		17	0.0%
6		8	0.0%
7		7	0.0%
8		6	0.0%
9		1	0.0%
10		2	0.0%
13		3	0.0%
14		1	0.0%
16		1	0.0%
17		7	0.0%
20		1	0.0%

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### #16 P09: Feamle cattle age 6 months to 1 year

<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-21] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=70522 /-] [Invalid=0 /-] [Mean=0.166 /-] [StdDev=0.572 /-]
<b>Literal question</b>	Feamle cattle age 6 months to 1 year

### #17 P10: Total cattle age 1 year to 3 years

<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-68] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=70522 /-] [Invalid=0 /-] [Mean=0.62 /-] [StdDev=1.443 /-]
<b>Literal question</b>	Total cattle age 1 year to 3 years

### #18 P11: Male cattle age 1 year to 3 years

<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-30] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=70522 /-] [Invalid=0 /-] [Mean=0.268 /-] [StdDev=0.706 /-]
<b>Literal question</b>	Male cattle age 1 year to 3 years

### #19 P12: Female cattle age 1 year to 3 years

<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-42] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=70522 /-] [Invalid=0 /-] [Mean=0.353 /-] [StdDev=1.002 /-]
<b>Literal question</b>	Female cattle age 1 year to 3 years

### #20 P13: Total cattle age 3 years to 10 years

<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-360] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=70522 /-] [Invalid=0 /-] [Mean=2.344 /-] [StdDev=3.958 /-]
<b>Literal question</b>	Total cattle age 3 years to 10 years

### #21 P14: Male cattle age 3 years to 10 years

<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-167] [Missing=*]
--------------------	--

## File COW

### #21 P14: Male cattle age 3 years to 10 years

**Statistics [NW/ W]** [Valid=70522 /-] [Invalid=0 /-] [Mean=0.951 /-] [StdDev=1.608 /-]

**Literal question** Male cattle age 3 years to 10 years

### #22 P15: Femal cattle age 3 years to 10 years

**Information** [Type= continuous] [Format=numeric] [Range= 0-193] [Missing=\*]

**Statistics [NW/ W]** [Valid=70522 /-] [Invalid=0 /-] [Mean=1.393 /-] [StdDev=2.845 /-]

**Literal question** Femal cattle age 3 years to 10 years

### #23 P16: Total beef cattle age 3 years to 10 years

**Information** [Type= discrete] [Format=numeric] [Range= 0-16] [Missing=\*]

**Statistics [NW/ W]** [Valid=70522 /-] [Invalid=0 /-] [Mean=0.0282 /-] [StdDev=0.249 /-]

**Literal question** Total beef cattle age 3 years to 10 years

Value	Label	Cases	Percentage
0		69116	98.0%
1		1066	1.5%
2		238	0.3%
3		47	0.1%
4		27	0.0%
5		11	0.0%
6		7	0.0%
7		1	0.0%
8		4	0.0%
9		2	0.0%
12		1	0.0%
13		1	0.0%
16		1	0.0%

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### #24 P17: Male beef cattle age 3 years to 10 years

**Information** [Type= discrete] [Format=numeric] [Range= 0-16] [Missing=\*]

**Statistics [NW/ W]** [Valid=70522 /-] [Invalid=0 /-] [Mean=0.0236 /-] [StdDev=0.223 /-]

**Literal question** Male beef cattle age 3 years to 10 years

Value	Label	Cases	Percentage
0		69316	98.3%
1		928	1.3%
2		205	0.3%
3		32	0.0%
4		20	0.0%
5		6	0.0%
6		7	0.0%
7		2	0.0%
8		3	0.0%
10		1	0.0%
12		1	0.0%
16		1	0.0%

<b>File COW</b>			
<b>#24 P17: Male beef cattle age 3 years to 10 years</b>			
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b>#25 P18: Female beef cattle age 3 years to 10 years</b>			
Information	[Type= discrete] [Format=numeric] [Range= 0-5] [Missing=*]		
Statistics [NW/ W]	[Valid=70522 /-] [Invalid=0 /-] [Mean=0.00459 /-] [StdDev=0.0904 /-]		
Literal question	Female beef cattle age 3 years to 10 years		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
0		70279	99.7%
1		191	0.3%
2		35	0.0%
3		10	0.0%
4		2	0.0%
5		5	0.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b>#26 P19: Total breeding cattle age 3 years to 10 years</b>			
Information	[Type= continuous] [Format=numeric] [Range= 0-130] [Missing=*]		
Statistics [NW/ W]	[Valid=70522 /-] [Invalid=0 /-] [Mean=0.845 /-] [StdDev=2.375 /-]		
Literal question	Total breeding cattle age 3 years to 10 years		
<b>#27 P20: Male breeding cattle age 3 years to 10 years</b>			
Information	[Type= continuous] [Format=numeric] [Range= 0-96] [Missing=*]		
Statistics [NW/ W]	[Valid=70522 /-] [Invalid=0 /-] [Mean=0.0666 /-] [StdDev=0.758 /-]		
Literal question	Male breeding cattle age 3 years to 10 years		
<b>#28 P21: Female breeding cattle age 3 years to 10 years</b>			
Information	[Type= continuous] [Format=numeric] [Range= 0-121] [Missing=*]		
Statistics [NW/ W]	[Valid=70522 /-] [Invalid=0 /-] [Mean=0.778 /-] [StdDev=2.036 /-]		
Literal question	Female breeding cattle age 3 years to 10 years		
<b>#29 P22: Total Dairy cows age 3 years to 10 years</b>			
Information	[Type= continuous] [Format=numeric] [Range= 0-95] [Missing=*]		
Statistics [NW/ W]	[Valid=70522 /-] [Invalid=0 /-] [Mean=0.521 /-] [StdDev=1.555 /-]		
Literal question	Total Dairy cows age 3 years to 10 years		
<b>#30 P23: Female Dairy cows age 3 years to 10 years</b>			
Information	[Type= continuous] [Format=numeric] [Range= 0-95] [Missing=*]		
Statistics [NW/ W]	[Valid=70522 /-] [Invalid=0 /-] [Mean=0.521 /-] [StdDev=1.555 /-]		
Literal question	Female Dairy cows age 3 years to 10 years		
<b>#31 P24: Total cows gave milk for the last 12 months age 3 years to 10 years</b>			
Information	[Type= continuous] [Format=numeric] [Range= 0-70] [Missing=*]		
Statistics [NW/ W]	[Valid=70522 /-] [Invalid=0 /-] [Mean=0.369 /-] [StdDev=1.098 /-]		
Literal question	Total cows gave milk for the last 12 months age 3 years to 10 years		
<b>#32 P25: Female cows gave milk for the last 12 months age 3 years to 10 years</b>			
Information	[Type= continuous] [Format=numeric] [Range= 0-70] [Missing=*]		

<b>File COW</b>			
<b>#32 P25: Female cows gave milk for the last 12 months age 3 years to 10 years</b>			
<b>Statistics [NW/ W]</b>	[Valid=70522 /-] [Invalid=0 /-] [Mean=0.369 /-] [StdDev=1.098 /-]		
<b>Literal question</b>	Female cows gave milk for the last 12 months age 3 years to 10 years		
<b>#33 P26: Total Draft cattle age 3 years to 10 years</b>			
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-45] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=70522 /-] [Invalid=0 /-] [Mean=0.829 /-] [StdDev=1.165 /-]		
<b>Literal question</b>	Total Draft cattle age 3 years to 10 years		
<b>#34 P27: Male Draft cattle age 3 years to 10 years</b>			
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-45] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=70522 /-] [Invalid=0 /-] [Mean=0.82 /-] [StdDev=1.156 /-]		
<b>Literal question</b>	Male Draft cattle age 3 years to 10 years		
<b>#35 P28: Female Draft cattle age 3 years to 10 years</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=70522 /-] [Invalid=0 /-] [Mean=0.00878 /-] [StdDev=0.129 /-]		
<b>Literal question</b>	Female Draft cattle age 3 years to 10 years		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
0		70071	99.4%
1		340	0.5%
2		82	0.1%
3		14	0.0%
4		11	0.0%
6		2	0.0%
8		1	0.0%
9		1	0.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b>#36 P29: Total cattle for other purposes age 3 years to 10 years</b>			
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-351] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=70522 /-] [Invalid=0 /-] [Mean=0.122 /-] [StdDev=1.436 /-]		
<b>Literal question</b>	Total cattle for other purposes age 3 years to 10 years		
<b>#37 P30: Male cattle for other purposes age 3 years to 10 years</b>			
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-164] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=70522 /-] [Invalid=0 /-] [Mean=0.0414 /-] [StdDev=0.678 /-]		
<b>Literal question</b>	Male cattle for other purposes age 3 years to 10 years		
<b>#38 P31: Female cattle for other purposes age 3 years to 10 years</b>			
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-187] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=70522 /-] [Invalid=0 /-] [Mean=0.0803 /-] [StdDev=0.811 /-]		
<b>Literal question</b>	Female cattle for other purposes age 3 years to 10 years		
<b>#39 P32: Total cattle 10 years and older</b>			
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-61] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=70522 /-] [Invalid=0 /-] [Mean=0.0809 /-] [StdDev=0.656 /-]		

<b>File COW</b>			
<b>#39 P32: Total cattle 10 years and older</b>			
Literal question	Total cattle 10 years and older		
<b>#40 P33: Male cattle 10 years and older</b>			
Information	[Type= discrete] [Format=numeric] [Range= 0-16] [Missing=*]		
Statistics [NW/ W]	[Valid=70522 /-] [Invalid=0 /-] [Mean=0.0379 /-] [StdDev=0.279 /-]		
Literal question	Male cattle 10 years and older		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
0		68596	97.3%
1		1443	2.0%
2		369	0.5%
3		61	0.1%
4		25	0.0%
5		5	0.0%
6		11	0.0%
7		4	0.0%
8		2	0.0%
10		2	0.0%
11		1	0.0%
12		2	0.0%
16		1	0.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b>#41 P34: Female cattle 10 years and older</b>			
Information	[Type= continuous] [Format=numeric] [Range= 0-51] [Missing=*]		
Statistics [NW/ W]	[Valid=70522 /-] [Invalid=0 /-] [Mean=0.043 /-] [StdDev=0.49 /-]		
Literal question	Female cattle 10 years and older		
<b>#42 P35: Total Grand</b>			
Information	[Type= continuous] [Format=numeric] [Range= 0-300] [Missing=*]		
Statistics [NW/ W]	[Valid=70522 /-] [Invalid=0 /-] [Mean=3.721 /-] [StdDev=5.779 /-]		
Literal question	Total Grand		
<b>#43 P36: Male Total Grand</b>			
Information	[Type= continuous] [Format=numeric] [Range= 0-219] [Missing=*]		
Statistics [NW/ W]	[Valid=70522 /-] [Invalid=0 /-] [Mean=1.575 /-] [StdDev=2.43 /-]		
Literal question	Male Total Grand		
<b>#44 P37: Female Total Grand</b>			
Information	[Type= continuous] [Format=numeric] [Range= 0-252] [Missing=*]		
Statistics [NW/ W]	[Valid=70522 /-] [Invalid=0 /-] [Mean=2.151 /-] [StdDev=4.179 /-]		
Literal question	Female Total Grand		
<b>#45 P38: Total Local breed</b>			
Information	[Type= continuous] [Format=numeric] [Range= 0-300] [Missing=*]		
Statistics [NW/ W]	[Valid=70522 /-] [Invalid=0 /-] [Mean=3.69 /-] [StdDev=5.771 /-]		
Literal question	Total Local breed		



<b>File COW</b>			
<b>#46 P39: Male Total Local breed</b>			
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-219] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=70522 /-] [Invalid=0 /-] [Mean=1.565 /-] [StdDev=2.425 /-]		
<b>Literal question</b>	Male Total Local breed		
<b>#47 P40: Female Total Local breed</b>			
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-252] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=70522 /-] [Invalid=0 /-] [Mean=2.13 /-] [StdDev=4.176 /-]		
<b>Literal question</b>	Female Total Local breed		
<b>#48 P41: Total Exotic</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=70522 /-] [Invalid=0 /-] [Mean=0.00354 /-] [StdDev=0.0909 /-]		
<b>Literal question</b>	Total Exotic		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
0		70368	99.8%
1		95	0.1%
2		40	0.1%
3		10	0.0%
4		4	0.0%
5		3	0.0%
6		1	0.0%
8		1	0.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b>#49 P42: Male Total Exotic</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=70522 /-] [Invalid=0 /-] [Mean=0.00118 /-] [StdDev=0.0404 /-]		
<b>Literal question</b>	Male Total Exotic		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
0		70452	99.9%
1		60	0.1%
2		7	0.0%
3		3	0.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b>#50 P43: Female Total Exotic</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-7] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=70522 /-] [Invalid=0 /-] [Mean=0.00237 /-] [StdDev=0.0668 /-]		
<b>Literal question</b>	Female Total Exotic		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
0		70402	99.8%
1		89	0.1%
2		20	0.0%
3		9	0.0%
4		1	0.0%

<b>File COW</b>			
<b>#50 P43: Female Total Exotic</b>			
Value	Label	Cases	Percentage
7		1	0.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b>#51 P44: Total Hybrid</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-20] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=70522 /-] [Invalid=0 /-] [Mean=0.027 /-] [StdDev=0.283 /-]		
<b>Literal question</b>	Total Hybrid		
Value	Label	Cases	Percentage
0		69475	98.5%
1		592	0.8%
2		258	0.4%
3		111	0.2%
4		43	0.1%
5		16	0.0%
6		15	0.0%
7		4	0.0%
8		4	0.0%
10		1	0.0%
14		1	0.0%
17		1	0.0%
20		1	0.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b>#52 P45: Male Total Hybrid</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=70522 /-] [Invalid=0 /-] [Mean=0.00889 /-] [StdDev=0.126 /-]		
<b>Literal question</b>	Male Total Hybrid		
Value	Label	Cases	Percentage
0		70052	99.3%
1		362	0.5%
2		81	0.1%
3		15	0.0%
4		7	0.0%
5		2	0.0%
6		2	0.0%
8		1	0.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b>#53 P46: Female Total Hybrid</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-12] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=70522 /-] [Invalid=0 /-] [Mean=0.0181 /-] [StdDev=0.201 /-]		
<b>Literal question</b>	Female Total Hybrid		
Value	Label	Cases	Percentage
0		69698	98.8%

**File COW****#53 P46: Female Total Hybrid**

Value	Label	Cases	Percentage
1		533	0.8%
2		201	0.3%
3		54	0.1%
4		21	0.0%
5		10	0.0%
6		1	0.0%
8		2	0.0%
12		2	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

**File COWCAMEL****#1 REG: Region**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-15] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=65799 /-] [Invalid=0 /-]
<b>Definition</b>	Region
<b>Literal question</b>	Region

Value	Label	Cases	Percentage
1	Tigray	4908	7.5%
2	Afar	1461	2.2%
3	Amhara	12450	18.9%
4	Oromia	22687	34.5%
5	Somalia	1728	2.6%
6	Benshangul_Gumz	2783	4.2%
7	S.N.N.P.R	16473	25.0%
12	Gambella	2074	3.2%
13	Harari	709	1.1%
14	Addis_Ababa	0	0.0%
15	Dire_Dawa	526	0.8%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

**#2 ZONE: Zone**

<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 1-25] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=65799 /-] [Invalid=0 /-] [Mean=7.229 /-] [StdDev=5.704 /-]
<b>Definition</b>	Zone
<b>Literal question</b>	Zone

**#3 DIST: Wereda**

<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 1-24] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=65799 /-] [Invalid=0 /-] [Mean=6.142 /-] [StdDev=4.782 /-]
<b>Definition</b>	Wereda
<b>Literal question</b>	Wereda

**#4 FA: FA**

<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 1-403] [Missing=*]
--------------------	--

File COWCAMEL			
<b>#4 FA: FA</b>			
<b>Statistics [NW/ W]</b>	[Valid=65799 /-] [Invalid=0 /-] [Mean=14.79 /-] [StdDev=20.483 /-]		
<b>Definition</b>	Farmers Association		
<b>Literal question</b>	Farmers Association		
<b>#5 EA: EA</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-17] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=65799 /-] [Invalid=0 /-] [Mean=3.013 /-] [StdDev=2.101 /-]		
<b>Definition</b>	Enumerartion Area		
<b>Literal question</b>	Enumeration Area		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
1		18243	27.7%
2		15325	23.3%
3		11155	17.0%
4		7841	11.9%
5		5399	8.2%
6		3373	5.1%
7		1904	2.9%
8		1032	1.6%
9		701	1.1%
10		287	0.4%
11		245	0.4%
12		178	0.3%
13		56	0.1%
16		29	0.0%
17		31	0.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b>#6 HH: HH</b>			
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 1-733] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=65799 /-] [Invalid=0 /-] [Mean=89.907 /-] [StdDev=61.074 /-]		
<b>Definition</b>	Household number		
<b>Literal question</b>	Household Number		
<b>#7 V07: HHolder</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=65799 /-] [Invalid=0 /-] [Mean=1.068 /-] [StdDev=0.307 /-]		
<b>Definition</b>	Holder Number		
<b>Literal question</b>	Holder number		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
0		1	0.0%
1		62084	94.4%
2		3096	4.7%
3		506	0.8%
4		91	0.1%

<b>File COWCAMEL</b>			
<b>#7 V07: HHolder</b>			
Value	Label	Cases	Percentage
5		11	0.0%
6		5	0.0%
7		2	0.0%
8		1	0.0%
9		2	0.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b>#8 P239: cows that give milk during the reference period</b>			
Information	[Type= continuous] [Format=numeric] [Range= 0-70] [Missing=*]		
Statistics [NW/ W]	[Valid=65799 /-] [Invalid=0 /-] [Mean=0.806 /-] [StdDev=1.344 /-]		
Literal question	cows that give milk during the reference period		
<b>#9 P240: Average number of months cows actually milked</b>			
Information	[Type= continuous] [Format=numeric] [Range= 0-82] [Missing=*]		
Statistics [NW/ W]	[Valid=65799 /-] [Invalid=0 /-] [Mean=2.948 /-] [StdDev=3.627 /-]		
Definition	Average number of months cows actually milked		
Literal question	Average number of months cows actually milked		
<b>#10 P241: Average lactation period of cows in months</b>			
Information	[Type= continuous] [Format=numeric] [Range= 0-1200] [Missing=*]		
Statistics [NW/ W]	[Valid=65799 /-] [Invalid=0 /-] [Mean=8.501 /-] [StdDev=8.332 /-]		
Definition	Average lactation period of cows in months		
Literal question	Average lactation period of cows in months		
<b>#11 P242I: P242I</b>			
Information	[Type= continuous] [Format=numeric] [Range= 0-360] [Missing=*]		
Statistics [NW/ W]	[Valid=65799 /-] [Invalid=0 /-] [Mean=0.542 /-] [StdDev=2.043 /-]		
<b>#12 P242D: P242D</b>			
Information	[Type= continuous] [Format=numeric] [Range= 0-993] [Missing=*]		
Statistics [NW/ W]	[Valid=65799 /-] [Invalid=0 /-] [Mean=126.767 /-] [StdDev=245.952 /-]		
<b>#13 P243: camels that give milk during the reference period</b>			
Information	[Type= continuous] [Format=numeric] [Range= 0-30] [Missing=*]		
Statistics [NW/ W]	[Valid=65799 /-] [Invalid=0 /-] [Mean=0.0255 /-] [StdDev=0.343 /-]		
Definition	camels that give milk during the reference period		
Literal question	camels that give milk during the reference period		
<b>#14 P244: Average number of months cmels actually milked</b>			
Information	[Type= continuous] [Format=numeric] [Range= 0-24] [Missing=*]		
Statistics [NW/ W]	[Valid=65799 /-] [Invalid=0 /-] [Mean=0.109 /-] [StdDev=1.056 /-]		
Definition	Average number of months cmels actually milked		
Literal question	Average number of months cmels actually milked		
<b>#15 P245: Average lactation period of camels in months</b>			
Information	[Type= continuous] [Format=numeric] [Range= 0-36] [Missing=*]		

## File COWCAMEL

### #15 P245: Average lactation period of camels in months

**Statistics [NW/ W]** [Valid=65799 /-] [Invalid=0 /-] [Mean=0.807 /-] [StdDev=3.217 /-]

**Definition** Average lactation period of camels in months

**Literal question** Average lactation period of camels in months

### #16 P246I: P246I

**Information** [Type= discrete] [Format=numeric] [Range= 0-18] [Missing=\*]

**Statistics [NW/ W]** [Valid=65799 /-] [Invalid=0 /-] [Mean=0.037 /-] [StdDev=0.378 /-]

Value	Label	Cases	Percentage
0		65016	98.8%
1		54	0.1%
2		191	0.3%
3		337	0.5%
4		127	0.2%
5		37	0.1%
6		21	0.0%
7		3	0.0%
8		1	0.0%
9		4	0.0%
10		3	0.0%
12		1	0.0%
13		1	0.0%
15		2	0.0%
18		1	0.0%

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### #17 P246D: P246D

**Information** [Type= continuous] [Format=numeric] [Range= 0-980] [Missing=\*]

**Statistics [NW/ W]** [Valid=65799 /-] [Invalid=0 /-] [Mean=2.291 /-] [StdDev=36.288 /-]

## File DISEASE

### #1 REG: Region

**Information** [Type= discrete] [Format=numeric] [Range= 1-15] [Missing=\*]

**Statistics [NW/ W]** [Valid=58974 /-] [Invalid=0 /-]

**Definition** Region

Value	Label	Cases	Percentage
1	Tigray	4007	6.8%
2	Afar	1500	2.5%
3	Amhara	11493	19.5%
4	Oromia	21293	36.1%
5	Somalia	1474	2.5%
6	Benshangul_Gumz	3562	6.0%
7	S.N.N.P.R	12955	22.0%
12	Gambella	1638	2.8%
13	Harari	281	0.5%

<b>File DISEASE</b>			
<b>#1 REG: Region</b>			
Value	Label	Cases	Percentage
14	Addis_Ababa	0	0.0%
15	Dire_Dawa	771	1.3%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b>#2 ZONE: Zone</b>			
Information	[Type= continuous] [Format=numeric] [Range= 1-25] [Missing=*]		
Statistics [NW/ W]	[Valid=58974 /-] [Invalid=0 /-] [Mean=7.333 /-] [StdDev=5.852 /-]		
Definition	Zone		
<b>#3 DIST: Wereda</b>			
Information	[Type= continuous] [Format=numeric] [Range= 1-24] [Missing=*]		
Statistics [NW/ W]	[Valid=58974 /-] [Invalid=0 /-] [Mean=6.158 /-] [StdDev=4.792 /-]		
Definition	Wereda		
<b>#4 FA: FA</b>			
Information	[Type= continuous] [Format=numeric] [Range= 1-403] [Missing=*]		
Statistics [NW/ W]	[Valid=58974 /-] [Invalid=0 /-] [Mean=14.242 /-] [StdDev=17.336 /-]		
Definition	Farmers Association		
<b>#5 EA: EA</b>			
Information	[Type= discrete] [Format=numeric] [Range= 1-17] [Missing=*]		
Statistics [NW/ W]	[Valid=58974 /-] [Invalid=0 /-] [Mean=2.893 /-] [StdDev=2.041 /-]		
Definition	Enumeration Area		
Value	Label	Cases	Percentage
1		17398	29.5%
2		14407	24.4%
3		9849	16.7%
4		6256	10.6%
5		4700	8.0%
6		2849	4.8%
7		1621	2.7%
8		688	1.2%
9		635	1.1%
10		179	0.3%
11		149	0.3%
12		143	0.2%
13		30	0.1%
16		38	0.1%
17		32	0.1%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b>#6 HH: HH</b>			
Information	[Type= continuous] [Format=numeric] [Range= 1-652] [Missing=*]		
Statistics [NW/ W]	[Valid=58974 /-] [Invalid=0 /-] [Mean=90.012 /-] [StdDev=62.558 /-]		
Definition	Household Number		

File DISEASE			
<b>#7 V07: HHolder</b>			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=58974 /-] [Invalid=0 /-] [Mean=1.031 /-] [StdDev=0.219 /-]		
Definition	HolderNumber		
Literal question	Holder Number		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
1		57486	97.5%
2		1274	2.2%
3		164	0.3%
4		30	0.1%
5		5	0.0%
6		5	0.0%
7		4	0.0%
8		3	0.0%
9		3	0.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b>#8 PQ151: Ser. No.</b>			
Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]		
Statistics [NW/ W]	[Valid=58974 /-] [Invalid=0 /-] [Mean=3.689 /-] [StdDev=2.9 /-]		
Definition	Serial Number		
Literal question	Serial Number		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
1		21276	36.1%
2		8451	14.3%
3		7811	13.2%
4		1249	2.1%
5		3143	5.3%
6		390	0.7%
7		358	0.6%
8		16296	27.6%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b>#9 PQ1531: Afflicted_Total</b>			
Information	[Type= continuous] [Format=numeric] [Range= 0-200] [Missing=*]		
Statistics [NW/ W]	[Valid=58974 /-] [Invalid=0 /-] [Mean=3.886 /-] [StdDev=5.661 /-]		
Definition	Afflicted_Total		
<b>#10 PQ1532: Afflicted_Male</b>			
Information	[Type= continuous] [Format=numeric] [Range= 0-56] [Missing=*]		
Statistics [NW/ W]	[Valid=58974 /-] [Invalid=0 /-] [Mean=0.752 /-] [StdDev=1.386 /-]		
Definition	Afflicted_Male		
<b>#11 PQ1533: Afflicted_Female</b>			
Information	[Type= continuous] [Format=numeric] [Range= 0-70] [Missing=*]		
Statistics [NW/ W]	[Valid=58974 /-] [Invalid=0 /-] [Mean=1.207 /-] [StdDev=2.252 /-]		



<b>File DISEASE</b>			
<b>#11 PQ1533: Afflicted_Female</b>			
<b>Definition</b>	Afflicted_Female		
<b>#12 PQ1541: Treated_Total</b>			
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-123] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=58974 /-] [Invalid=0 /-] [Mean=0.969 /-] [StdDev=2.526 /-]		
<b>Definition</b>	Treated_Total		
<b>#13 PQ1542: Treated_Male</b>			
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-30] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=58974 /-] [Invalid=0 /-] [Mean=0.342 /-] [StdDev=0.917 /-]		
<b>Definition</b>	Treated_Male		
<b>#14 PQ1543: Treated_Female</b>			
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-60] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=58974 /-] [Invalid=0 /-] [Mean=0.489 /-] [StdDev=1.42 /-]		
<b>Definition</b>	Treated_Female		
<b>File DONKEY</b>			
<b>#1 REC\$TYPE</b>			
<b>Information</b>	[Type= discrete] [Format=character] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=20231 /-] [Invalid=0 /-]		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
07		20231	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b>#2 REG: Region</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-15] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=20231 /-] [Invalid=0 /-]		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
1	Tigray	2187	10.8%
2	Afar	426	2.1%
3	Amhara	5335	26.4%
4	Oromia	7563	37.4%
5	Somalia	1121	5.5%
6	Benshangul_Gumz	612	3.0%
7	S.N.N.P.R	2358	11.7%
12	Gambella	11	0.1%
13	Harari	283	1.4%
14	Addis_Ababa	0	0.0%
15	Dire_Dawa	335	1.7%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b>#3 ZONE: Zone</b>			
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 1-25] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=20231 /-] [Invalid=0 /-] [Mean=6.963 /-] [StdDev=5.581 /-]		

File DONKEY			
<b>#4 DIST: Wereda</b>			
Information	[Type= continuous] [Format=numeric] [Range= 1-24] [Missing=*]		
Statistics [NW/ W]	[Valid=20231 /-] [Invalid=0 /-] [Mean=6.316 /-] [StdDev=4.819 /-]		
<b>#5 FA: FA</b>			
Information	[Type= continuous] [Format=numeric] [Range= 1-165] [Missing=*]		
Statistics [NW/ W]	[Valid=20231 /-] [Invalid=0 /-] [Mean=14.417 /-] [StdDev=13.656 /-]		
<b>#6 EA: EA</b>			
Information	[Type= discrete] [Format=numeric] [Range= 1-17] [Missing=*]		
Statistics [NW/ W]	[Valid=20231 /-] [Invalid=0 /-] [Mean=3.136 /-] [StdDev=2.134 /-]		
Value	Label	Cases	Percentage
1		5113	25.3%
2		4575	22.6%
3		3534	17.5%
4		2480	12.3%
5		1896	9.4%
6		1234	6.1%
7		601	3.0%
8		323	1.6%
9		208	1.0%
10		72	0.4%
11		95	0.5%
12		43	0.2%
13		28	0.1%
16		18	0.1%
17		11	0.1%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b>#7 HH: HH</b>			
Information	[Type= continuous] [Format=numeric] [Range= 1-648] [Missing=*]		
Statistics [NW/ W]	[Valid=20231 /-] [Invalid=0 /-] [Mean=88.796 /-] [StdDev=60.244 /-]		
<b>#8 V07: HHolder</b>			
Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]		
Statistics [NW/ W]	[Valid=20231 /-] [Invalid=0 /-] [Mean=1.013 /-] [StdDev=0.147 /-]		
Literal question	Holder Number		
Value	Label	Cases	Percentage
1		20014	98.9%
2		193	1.0%
3		16	0.1%
4		4	0.0%
6		1	0.0%
7		2	0.0%
8		1	0.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			

**File DONKEY****#9 P160: Total ASSES of all ages**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-20] [Missing=*]
--------------------	---

<b>Statistics [NW/ W]</b>	[Valid=20231 /-] [Invalid=0 /-] [Mean=1.456 /-] [StdDev=0.79 /-]
---------------------------	--

<b>Literal question</b>	Total ASSES of all ages
-------------------------	-------------------------

Value	Label	Cases	Percentage
0		24	0.1%
1		13350	66.0%
2		5212	25.8%
3		1193	5.9%
4		298	1.5%
5		97	0.5%
6		31	0.2%
7		11	0.1%
8		5	0.0%
9		1	0.0%
10		5	0.0%
11		1	0.0%
12		2	0.0%
20		1	0.0%

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

**#10 P161: Male ASSES of all ages**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-12] [Missing=*]
--------------------	---

<b>Statistics [NW/ W]</b>	[Valid=20231 /-] [Invalid=0 /-] [Mean=0.694 /-] [StdDev=0.66 /-]
---------------------------	--

<b>Literal question</b>	Male ASSES of all ages
-------------------------	------------------------

Value	Label	Cases	Percentage
0		7970	39.4%
1		10737	53.1%
2		1347	6.7%
3		130	0.6%
4		33	0.2%
5		5	0.0%
6		3	0.0%
7		2	0.0%
8		1	0.0%
10		2	0.0%
12		1	0.0%

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

**#11 P162: Female ASSES of all ages**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-10] [Missing=*]
--------------------	---

<b>Statistics [NW/ W]</b>	[Valid=20231 /-] [Invalid=0 /-] [Mean=0.761 /-] [StdDev=0.795 /-]
---------------------------	---

<b>Literal question</b>	Female ASSES of all ages
-------------------------	--------------------------

Value	Label	Cases	Percentage
0		8577	42.4%

**File DONKEY****#11 P162: Female ASSES of all ages**

Value	Label	Cases	Percentage
1		8507	42.0%
2		2695	13.3%
3		352	1.7%
4		73	0.4%
5		18	0.1%
6		6	0.0%
8		2	0.0%
10		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

**#12 P163: Total Asses age less than 3 years**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-5] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=20231 /-] [Invalid=0 /-] [Mean=0.323 /-] [StdDev=0.525 /-]
<b>Literal question</b>	Total Asses age less than 3 years

Value	Label	Cases	Percentage
0		14215	70.3%
1		5548	27.4%
2		429	2.1%
3		32	0.2%
4		4	0.0%
5		3	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

**#13 P164: Male Asses age less than 3 years**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-4] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=20231 /-] [Invalid=0 /-] [Mean=0.161 /-] [StdDev=0.387 /-]
<b>Literal question</b>	Male Asses age less than 3 years

Value	Label	Cases	Percentage
0		17111	84.6%
1		2987	14.8%
2		128	0.6%
3		4	0.0%
4		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

**#14 P165: Female Asses age less than 3 years**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-4] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=20231 /-] [Invalid=0 /-] [Mean=0.162 /-] [StdDev=0.389 /-]
<b>Literal question</b>	Female Asses age less than 3 years

Value	Label	Cases	Percentage
0		17100	84.5%
1		3003	14.8%
2		116	0.6%
3		9	0.0%

**File DONKEY****#14 P165: Female Asses age less than 3 years**

Value	Label	Cases	Percentage
4		3	0.0%

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

**#15 P166: Total Asses age 3 years and older**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-15] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=20231 /-] [Invalid=0 /-] [Mean=1.133 /-] [StdDev=0.598 /-]
<b>Literal question</b>	Total Asses age 3 years and older

Value	Label	Cases	Percentage
0		1187	5.9%
1		15946	78.8%
2		2576	12.7%
3		370	1.8%
4		104	0.5%
5		28	0.1%
6		9	0.0%
7		6	0.0%
8		1	0.0%
9		1	0.0%
10		1	0.0%
12		1	0.0%
15		1	0.0%

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

**#16 P167: Male Asses age 3 years and older**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-12] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=20231 /-] [Invalid=0 /-] [Mean=0.533 /-] [StdDev=0.623 /-]
<b>Literal question</b>	Male Asses age 3 years and older

Value	Label	Cases	Percentage
0		10557	52.2%
1		8713	43.1%
2		860	4.3%
3		75	0.4%
4		17	0.1%
5		2	0.0%
6		2	0.0%
7		3	0.0%
10		1	0.0%
12		1	0.0%

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

**#17 P168: Female Asses age 3 years and older**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=20231 /-] [Invalid=0 /-] [Mean=0.599 /-] [StdDev=0.62 /-]
<b>Literal question</b>	Female Asses age 3 years and older

**File DONKEY****#17 P168: Female Asses age 3 years and older**

Value	Label	Cases	Percentage
0		9325	46.1%
1		9869	48.8%
2		895	4.4%
3		117	0.6%
4		18	0.1%
5		3	0.0%
6		3	0.0%
8		1	0.0%

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

**#18 P169: Total Asses for draft purpose age 3 years and older**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-15] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=20231 /-] [Invalid=0 /-] [Mean=0.16 /-] [StdDev=0.452 /-]
<b>Literal question</b>	Total Asses for draft purpose age 3 years and older

Value	Label	Cases	Percentage
0		17458	86.3%
1		2401	11.9%
2		319	1.6%
3		34	0.2%
4		11	0.1%
5		4	0.0%
6		1	0.0%
7		1	0.0%
9		1	0.0%
15		1	0.0%

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

**#19 P170: Male Asses for draft purpose age 3 years and older**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-7] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=20231 /-] [Invalid=0 /-] [Mean=0.0768 /-] [StdDev=0.301 /-]
<b>Literal question</b>	Male Asses for draft purpose age 3 years and older

Value	Label	Cases	Percentage
0		18840	93.1%
1		1248	6.2%
2		132	0.7%
3		7	0.0%
4		2	0.0%
6		1	0.0%
7		1	0.0%

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

**#20 P171: Female Asses for draft purpose age 3 years and older**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=20231 /-] [Invalid=0 /-] [Mean=0.0834 /-] [StdDev=0.311 /-]

**File DONKEY****#20 P171: Female Asses for draft purpose age 3 years and older**

<b>Literal question</b>	Female Asses for draft purpose age 3 years and older
-------------------------	--

Value	Label	Cases	Percentage
0		18696	92.4%
1		1411	7.0%
2		106	0.5%
3		14	0.1%
4		1	0.0%
5		1	0.0%
6		1	0.0%
8		1	0.0%

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

**#21 P172: Total Asses for transportation age 3 years and older**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-12] [Missing=*]
--------------------	---

<b>Statistics [NW/ W]</b>	[Valid=20231 /-] [Invalid=0 /-] [Mean=0.932 /-] [StdDev=0.687 /-]
---------------------------	---

<b>Literal question</b>	Total Asses for transportation age 3 years and older
-------------------------	--

Value	Label	Cases	Percentage
0		4553	22.5%
1		13118	64.8%
2		2133	10.5%
3		304	1.5%
4		85	0.4%
5		23	0.1%
6		8	0.0%
7		4	0.0%
8		1	0.0%
10		1	0.0%
12		1	0.0%

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

**#22 P173: Male Asses for transportation age 3 years and older**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-12] [Missing=*]
--------------------	---

<b>Statistics [NW/ W]</b>	[Valid=20231 /-] [Invalid=0 /-] [Mean=0.446 /-] [StdDev=0.603 /-]
---------------------------	---

<b>Literal question</b>	Male Asses for transportation age 3 years and older
-------------------------	---

Value	Label	Cases	Percentage
0		12118	59.9%
1		7330	36.2%
2		694	3.4%
3		67	0.3%
4		15	0.1%
5		2	0.0%
6		1	0.0%
7		2	0.0%
10		1	0.0%

## File DONKEY

### #22 P173: Male Asses for transportation age 3 years and older

Value	Label	Cases	Percentage
12		1	0.0%

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### #23 P174: Female Asses for transportation age 3 years and older

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-6] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=20231 /-] [Invalid=0 /-] [Mean=0.486 /-] [StdDev=0.603 /-]
<b>Literal question</b>	Female Asses for transportation age 3 years and older

Value	Label	Cases	Percentage
0		11389	56.3%
1		7996	39.5%
2		731	3.6%
3		97	0.5%
4		15	0.1%
5		1	0.0%
6		2	0.0%

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### #24 P175: Total Asses for other purpose age 3 years and older

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-5] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=20231 /-] [Invalid=0 /-] [Mean=0.0403 /-] [StdDev=0.226 /-]
<b>Literal question</b>	Total Asses for other purpose age 3 years and older

Value	Label	Cases	Percentage
0		19520	96.5%
1		625	3.1%
2		72	0.4%
3		11	0.1%
4		2	0.0%
5		1	0.0%

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### #25 P176: Male Asses for other purpose age 3 years and older

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=20231 /-] [Invalid=0 /-] [Mean=0.0102 /-] [StdDev=0.108 /-]
<b>Literal question</b>	Male Asses for other purpose age 3 years and older

Value	Label	Cases	Percentage
0		20040	99.1%
1		177	0.9%
2		13	0.1%
3		1	0.0%

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### #26 P177: Female Asses for other purpose age 3 years and older

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-5] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=20231 /-] [Invalid=0 /-] [Mean=0.0301 /-] [StdDev=0.191 /-]



**File DONKEY****#26 P177: Female Asses for other purpose age 3 years and older**

<b>Literal question</b>	Female Asses for other purpose age 3 years and older
-------------------------	--

Value	Label	Cases	Percentage
0		19686	97.3%
1		489	2.4%
2		50	0.2%
3		5	0.0%
5		1	0.0%

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

**File EGG****#1 REC\$TYPE**

<b>Information</b>	[Type= discrete] [Format=character] [Missing=*]
--------------------	---

<b>Statistics [NW/ W]</b>	[Valid=40006 /-] [Invalid=0 /-]
---------------------------	---------------------------------

Value	Label	Cases	Percentage
16		40006	100.0%

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

**#2 REG: Region**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-15] [Missing=*]
--------------------	---

<b>Statistics [NW/ W]</b>	[Valid=40006 /-] [Invalid=0 /-]
---------------------------	---------------------------------

Value	Label	Cases	Percentage
1	Tigray	3702	9.3%
2	Afar	77	0.2%
3	Amhara	9128	22.8%
4	Oromia	12906	32.3%
5	Somalia	317	0.8%
6	Benshangul_Gumz	2171	5.4%
7	S.N.N.P.R	9623	24.1%
12	Gambella	1298	3.2%
13	Harari	319	0.8%
14	Addis_Ababa	0	0.0%
15	Dire_Dawa	465	1.2%

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

**#3 ZONE: Zone**

<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 1-25] [Missing=*]
--------------------	---

<b>Statistics [NW/ W]</b>	[Valid=40006 /-] [Invalid=0 /-] [Mean=7.11 /-] [StdDev=5.645 /-]
---------------------------	--

**#4 DIST: Wereda**

<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 1-24] [Missing=*]
--------------------	---

<b>Statistics [NW/ W]</b>	[Valid=40006 /-] [Invalid=0 /-] [Mean=6.065 /-] [StdDev=4.754 /-]
---------------------------	---

**#5 FA: FA**

<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 1-403] [Missing=*]
--------------------	--

<b>Statistics [NW/ W]</b>	[Valid=40006 /-] [Invalid=0 /-] [Mean=14.161 /-] [StdDev=17.712 /-]
---------------------------	---

**File EGG****#5 FA: FA**

<b>Definition</b>	Farmers Association
-------------------	---------------------

**#6 EA: EA**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-17] [Missing=*]
--------------------	---

<b>Statistics [NW/ W]</b>	[Valid=40006 /-] [Invalid=0 /-] [Mean=3.055 /-] [StdDev=2.112 /-]
---------------------------	---

<b>Definition</b>	Enumeration Area
-------------------	------------------

Value	Label	Cases	Percentage
1		10646	26.6%
2		9425	23.6%
3		6805	17.0%
4		4699	11.7%
5		3468	8.7%
6		2220	5.5%
7		1275	3.2%
8		585	1.5%
9		400	1.0%
10		162	0.4%
11		109	0.3%
12		117	0.3%
13		40	0.1%
16		24	0.1%
17		31	0.1%

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

**#7 HH: HH**

<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 1-705] [Missing=*]
--------------------	--

<b>Statistics [NW/ W]</b>	[Valid=40006 /-] [Invalid=0 /-] [Mean=90.78 /-] [StdDev=61.432 /-]
---------------------------	--

<b>Definition</b>	Household Number
-------------------	------------------

**#8 V07: HHolder**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]
--------------------	--

<b>Statistics [NW/ W]</b>	[Valid=40006 /-] [Invalid=0 /-] [Mean=1.044 /-] [StdDev=0.253 /-]
---------------------------	---

<b>Definition</b>	Holder Number
-------------------	---------------

<b>Literal question</b>	Holder Number
-------------------------	---------------

Value	Label	Cases	Percentage
1		38582	96.4%
2		1183	3.0%
3		191	0.5%
4		37	0.1%
5		6	0.0%
6		3	0.0%
7		2	0.0%
8		1	0.0%
9		1	0.0%

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

<b>File EGG</b>	
<b>#9 P247: Egg production - per hen per clutch_Ind</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-300] [Missing=*]
Statistics [NW/ W]	[Valid=40006 /-] [Invalid=0 /-] [Mean=11.361 /-] [StdDev=3.985 /-]
Definition	Egg production - per hen per clutch_Ind
Literal question	Egg production - per hen per clutch Indigenes
<b>#10 P248: Egg production - per hen per clutch_Hybrid</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-365] [Missing=*]
Statistics [NW/ W]	[Valid=40006 /-] [Invalid=0 /-] [Mean=0.734 /-] [StdDev=7.5 /-]
Definition	Egg production - per hen per clutch_Hybrid
Literal question	Egg production - per hen per clutch_Hybrid
<b>#11 P249: Egg production - per hen per clutch_Foreign</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-275] [Missing=*]
Statistics [NW/ W]	[Valid=40006 /-] [Invalid=0 /-] [Mean=0.824 /-] [StdDev=13.022 /-]
Definition	Egg production - per hen per clutch_Foreign
Literal question	Egg production - per hen per clutch_Foreign
<b>#12 P250: Average number of clutch_ind</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-300] [Missing=*]
Statistics [NW/ W]	[Valid=40006 /-] [Invalid=0 /-] [Mean=19.675 /-] [StdDev=7.162 /-]
Definition	Average number of clutch_ind
Literal question	Average number of clutch Indigenes
<b>#13 P251: Average number of clutch_Hybrid</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-365] [Missing=*]
Statistics [NW/ W]	[Valid=40006 /-] [Invalid=0 /-] [Mean=0.884 /-] [StdDev=8.741 /-]
Definition	Average number of clutch_Hybrid
Literal question	Average number of clutch_Hybrid
<b>#14 P252: Average number of clutch_Foreign</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-365] [Missing=*]
Statistics [NW/ W]	[Valid=40006 /-] [Invalid=0 /-] [Mean=0.874 /-] [StdDev=13.852 /-]
Definition	Average number of clutch_Foreign
Literal question	Average number of clutch_Foreign
<b>#15 P253: Total number of clutch during the reference period_Ind</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-97] [Missing=*]
Statistics [NW/ W]	[Valid=40006 /-] [Invalid=0 /-] [Mean=3.684 /-] [StdDev=1.897 /-]
Definition	Total number of clutch during the reference period_Ind
Literal question	Total number of clutch during the reference period Indigenes
<b>#16 P254: Total number of clutch during the reference period_Hybrid</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-365] [Missing=*]
Statistics [NW/ W]	[Valid=40006 /-] [Invalid=0 /-] [Mean=0.14 /-] [StdDev=2.039 /-]
Definition	Total number of clutch during the reference period_Hybrid

<b>File EGG</b>			
<b>#16 P254: Total number of clutch during the reference period_Hybrid</b>			
<b>Literal question</b>	Total number of clutch during the reference period_Hybrid		
<b>#17 P255: Total number of clutch during the reference period_Foreign</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=40006 /-] [Invalid=0 /-] [Mean=0 /-] [StdDev=0 /-]		
<b>Definition</b>	Total number of clutch during the reference period_Foreign		
<b>Literal question</b>	Total number of clutch during the reference period_Foreign		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
0		40006	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b>File EXTENSION</b>			
<b>#1 REG: Region</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-15] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=67736 /-] [Invalid=0 /-]		
<b>Definition</b>	Region		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
1	Tigray	4819	7.1%
2	Afar	1458	2.2%
3	Amhara	13363	19.7%
4	Oromia	22428	33.1%
5	Somalia	2007	3.0%
6	Benshangul_Gumuz	2836	4.2%
7	S.N.N.P.R	17444	25.8%
12	Gambella	1966	2.9%
13	Harari	695	1.0%
14	Addis_Ababa	0	0.0%
15	Dire_Dawa	720	1.1%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b>#2 ZONE: Zone</b>			
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 1-25] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=67736 /-] [Invalid=0 /-] [Mean=7.246 /-] [StdDev=5.749 /-]		
<b>Definition</b>	Zone		
<b>#3 DIST: Wereda</b>			
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 1-24] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=67736 /-] [Invalid=0 /-] [Mean=6.108 /-] [StdDev=4.758 /-]		
<b>Definition</b>	Wereda		
<b>#4 FA: FA</b>			
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 1-403] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=67736 /-] [Invalid=0 /-] [Mean=14.711 /-] [StdDev=19.665 /-]		
<b>Definition</b>	Farmers Association		

## File EXTENSION

### #5 EA: EA

**Information** [Type= discrete] [Format=numeric] [Range= 1-17] [Missing=\*]

**Statistics [NW/ W]** [Valid=67736 /-] [Invalid=0 /-] [Mean=3.016 /-] [StdDev=2.091 /-]

**Definition** Enumeration Area

Value	Label	Cases	Percentage
1		18667	27.6%
2		15733	23.2%
3		11587	17.1%
4		8077	11.9%
5		5603	8.3%
6		3513	5.2%
7		1940	2.9%
8		1078	1.6%
9		742	1.1%
10		279	0.4%
11		235	0.3%
12		160	0.2%
13		61	0.1%
16		30	0.0%
17		31	0.0%

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### #6 HH: HH

**Information** [Type= continuous] [Format=numeric] [Range= 1-733] [Missing=\*]

**Statistics [NW/ W]** [Valid=67736 /-] [Invalid=0 /-] [Mean=89.797 /-] [StdDev=60.998 /-]

**Definition** Household Number Holder Number

### #7 V07: HHolder

**Information** [Type= discrete] [Format=numeric] [Range= 0-9] [Missing=\*]

**Statistics [NW/ W]** [Valid=67736 /-] [Invalid=0 /-] [Mean=1.065 /-] [StdDev=0.3 /-]

**Definition** Holder Number

**Literal question** Holder Number

Value	Label	Cases	Percentage
0		1	0.0%
1		64057	94.6%
2		3074	4.5%
3		495	0.7%
4		89	0.1%
5		12	0.0%
6		3	0.0%
7		2	0.0%
8		1	0.0%
9		2	0.0%

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## File EXTENSION

### #8 PQ19: Livestock Extention

**Information** [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=\*]

**Statistics [NW/ W]** [Valid=67736 /-] [Invalid=0 /-]

**Definition** Livestock Extention

**Literal question** Livestock Extention

Value	Label	Cases	Percentage
1	Yes	623	0.9%
2	No	67113	99.1%

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### #9 PQ20: Type of Extention

**Information** [Type= discrete] [Format=numeric] [Range= 0-6] [Missing=\*]

**Statistics [NW/ W]** [Valid=67736 /-] [Invalid=0 /-]

**Definition** Type of Extention

**Literal question** Type of Extention

Value	Label	Cases	Percentage
0		67048	99.0%
1	Package for Milk	167	0.2%
2	Package for improved Meat	125	0.2%
3	Package for improved poultry	253	0.4%
4	Package for honey	67	0.1%
5	Two or more Packages	21	0.0%
6	Other	55	0.1%

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## File GOAT

### #1 REG: Region

**Information** [Type= discrete] [Format=numeric] [Range= 1-15] [Missing=\*]

**Statistics [NW/ W]** [Valid=21616 /-] [Invalid=0 /-]

**Definition** Region

Value	Label	Cases	Percentage
1	Tigray	1763	8.2%
2	Afar	1165	5.4%
3	Amhara	3658	16.9%
4	Oromia	6220	28.8%
5	Somalia	1592	7.4%
6	Benshangul_Gumz	1115	5.2%
7	S.N.N.P.R	4490	20.8%
12	Gambella	538	2.5%
13	Harari	443	2.0%
14	Addis_Ababa	0	0.0%
15	Dire_Dawa	632	2.9%

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

File GOAT			
<b>#2 ZONE: Zone</b>			
Information	[Type= continuous] [Format=numeric] [Range= 1-25] [Missing=*]		
Statistics [NW/ W]	[Valid=21616 /-] [Invalid=0 /-] [Mean=7.214 /-] [StdDev=5.973 /-]		
Definition	Zone		
<b>#3 DIST: Wereda</b>			
Information	[Type= continuous] [Format=numeric] [Range= 1-24] [Missing=*]		
Statistics [NW/ W]	[Valid=21616 /-] [Invalid=0 /-] [Mean=5.732 /-] [StdDev=4.622 /-]		
Definition	Wereda		
<b>#4 FA: FA</b>			
Information	[Type= continuous] [Format=numeric] [Range= 1-165] [Missing=*]		
Statistics [NW/ W]	[Valid=21616 /-] [Invalid=0 /-] [Mean=13.993 /-] [StdDev=13.4 /-]		
Definition	Farmers Association Enumeration Area Household Number Holder Number		
<b>#5 EA: EA</b>			
Information	[Type= discrete] [Format=numeric] [Range= 1-17] [Missing=*]		
Statistics [NW/ W]	[Valid=21616 /-] [Invalid=0 /-] [Mean=2.873 /-] [StdDev=2.091 /-]		
Definition	Enumeration Area Household Number Holder Number		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
1		6918	32.0%
2		4957	22.9%
3		3317	15.3%
4		2419	11.2%
5		1651	7.6%
6		1030	4.8%
7		526	2.4%
8		271	1.3%
9		283	1.3%
10		78	0.4%
11		89	0.4%
12		35	0.2%
13		18	0.1%
16		12	0.1%
17		12	0.1%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b>#6 HH: HH</b>			
Information	[Type= continuous] [Format=numeric] [Range= 1-630] [Missing=*]		
Statistics [NW/ W]	[Valid=21616 /-] [Invalid=0 /-] [Mean=86.877 /-] [StdDev=61.959 /-]		
Definition	Household Number Holder Number		
<b>#7 V07: HHolder</b>			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=21616 /-] [Invalid=0 /-] [Mean=1.032 /-] [StdDev=0.225 /-]		
Definition	Holder Number		

<b>File GOAT</b>			
<b>#7 V07: HHolder</b>			
Literal question	Holder NUMBER		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
1		21046	97.4%
2		478	2.2%
3		68	0.3%
4		18	0.1%
5		1	0.0%
6		2	0.0%
7		2	0.0%
9		1	0.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b>#8 P86: Total GOATS of all ages</b>			
Information	[Type= continuous] [Format=numeric] [Range= 0-480] [Missing=*]		
Statistics [NW/ W]	[Valid=21616 /-] [Invalid=0 /-] [Mean=7.419 /-] [StdDev=12.666 /-]		
Definition	Total GOATS of all ages		
Literal question	Total GOATS of all ages		
<b>#9 P87: Male GOATS of all ages</b>			
Information	[Type= continuous] [Format=numeric] [Range= 0-200] [Missing=*]		
Statistics [NW/ W]	[Valid=21616 /-] [Invalid=0 /-] [Mean=2.046 /-] [StdDev=3.931 /-]		
Definition	Male GOATS of all ages		
Literal question	Male GOATS of all ages		
<b>#10 P88: Female GOATS of all ages</b>			
Information	[Type= continuous] [Format=numeric] [Range= 0-280] [Missing=*]		
Statistics [NW/ W]	[Valid=21616 /-] [Invalid=0 /-] [Mean=5.373 /-] [StdDev=9.466 /-]		
Definition	Female GOATS of all ages		
Literal question	Female GOATS of all ages		
<b>#11 P89: Total goats age less than 6 months</b>			
Information	[Type= continuous] [Format=numeric] [Range= 0-58] [Missing=*]		
Statistics [NW/ W]	[Valid=21616 /-] [Invalid=0 /-] [Mean=1.655 /-] [StdDev=2.307 /-]		
Definition	Total goats age less than 6 months		
Literal question	Total goats age less than 6 months		
<b>#12 P90: Male goats age less than 6 months</b>			
Information	[Type= continuous] [Format=numeric] [Range= 0-26] [Missing=*]		
Statistics [NW/ W]	[Valid=21616 /-] [Invalid=0 /-] [Mean=0.764 /-] [StdDev=1.153 /-]		
Definition	Male goats age less than 6 months		
Literal question	Male goats age less than 6 months		
<b>#13 P91: Female goats age less than 6 months</b>			
Information	[Type= continuous] [Format=numeric] [Range= 0-35] [Missing=*]		
Statistics [NW/ W]	[Valid=21616 /-] [Invalid=0 /-] [Mean=0.891 /-] [StdDev=1.521 /-]		



<b>File GOAT</b>			
<b>#13 P91: Female goats age less than 6 months</b>			
<b>Definition</b>	Female goats age less than 6 months		
<b>Literal question</b>	Female goats age less than 6 months		
<b>#14 P92: Total goats age 6 months to 1 year</b>			
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-58] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=21616 /-] [Invalid=0 /-] [Mean=0.892 /-] [StdDev=1.957 /-]		
<b>Definition</b>	Total goats age 6 months to 1 year		
<b>Literal question</b>	Total goats age 6 months to 1 year		
<b>#15 P93: Male goats age 6 months to 1 year</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-17] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=21616 /-] [Invalid=0 /-] [Mean=0.359 /-] [StdDev=0.885 /-]		
<b>Definition</b>	Male goats age 6 months to 1 year		
<b>Literal question</b>	Male goats age 6 months to 1 year		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
0		16871	78.0%
1		3008	13.9%
2		1115	5.2%
3		342	1.6%
4		124	0.6%
5		68	0.3%
6		43	0.2%
7		17	0.1%
8		13	0.1%
9		3	0.0%
10		2	0.0%
11		2	0.0%
12		3	0.0%
13		2	0.0%
16		2	0.0%
17		1	0.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b>#16 P94: Female goats age 6 months to 1 year</b>			
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-41] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=21616 /-] [Invalid=0 /-] [Mean=0.533 /-] [StdDev=1.384 /-]		
<b>Definition</b>	Female goats age 6 months to 1 year		
<b>Literal question</b>	Female goats age 6 months to 1 year		
<b>#17 P95: Total goats age 1year to 2 years</b>			
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-84] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=21616 /-] [Invalid=0 /-] [Mean=0.985 /-] [StdDev=2.595 /-]		
<b>Definition</b>	Total goats age 1year to 2 years		
<b>Literal question</b>	Total goats age 1year to 2 years		

<b>File GOAT</b>	
<b>#18 P96: Male goats age 1year to 2 years</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-28] [Missing=*]
Statistics [NW/ W]	[Valid=21616 /-] [Invalid=0 /-] [Mean=0.317 /-] [StdDev=0.976 /-]
Definition	Male goats age 1year to 2 years
Literal question	Male goats age 1year to 2 years
<b>#19 P97: Female goats age 1year to 2 years</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-79] [Missing=*]
Statistics [NW/ W]	[Valid=21616 /-] [Invalid=0 /-] [Mean=0.668 /-] [StdDev=1.99 /-]
Definition	Female goats age 1year to 2 years
Literal question	Female goats age 1year to 2 years
<b>#20 P98: Total goats age 2 years and olders</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-450] [Missing=*]
Statistics [NW/ W]	[Valid=21616 /-] [Invalid=0 /-] [Mean=3.888 /-] [StdDev=8.156 /-]
Definition	Total goats age 2 years and olders
Literal question	Total goats age 2 years and olders
<b>#21 P99: Male goats age 2 years and olders</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-185] [Missing=*]
Statistics [NW/ W]	[Valid=21616 /-] [Invalid=0 /-] [Mean=0.605 /-] [StdDev=2.386 /-]
Definition	Male goats age 2 years and olders
Literal question	Male goats age 2 years and olders
<b>#22 P100: Female goats age 2 years and olders</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-265] [Missing=*]
Statistics [NW/ W]	[Valid=21616 /-] [Invalid=0 /-] [Mean=3.282 /-] [StdDev=6.448 /-]
Definition	Female goats age 2 years and olders
Literal question	Female goats age 2 years and olders
<b>#23 P101: Total goats for meat age 2 years and older</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-40] [Missing=*]
Statistics [NW/ W]	[Valid=21616 /-] [Invalid=0 /-] [Mean=0.181 /-] [StdDev=0.88 /-]
Definition	Total goats for meat age 2 years and older
Literal question	Total goats for meat age 2 years and older
<b>#24 P102: Male goats for meat age 2 years and older</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-40] [Missing=*]
Statistics [NW/ W]	[Valid=21616 /-] [Invalid=0 /-] [Mean=0.169 /-] [StdDev=0.852 /-]
Definition	Male goats for meat age 2 years and older
Literal question	Male goats for meat age 2 years and older
<b>#25 P103: Female goats for meat age 2 years and older</b>	
Information	[Type= discrete] [Format=numeric] [Range= 0-11] [Missing=*]
Statistics [NW/ W]	[Valid=21616 /-] [Invalid=0 /-] [Mean=0.0128 /-] [StdDev=0.189 /-]
Definition	Female goats for meat age 2 years and older

<b>File GOAT</b>			
<b>#25 P103: Female goats for meat age 2 years and older</b>			
<b>Literal question</b>	Female goats for meat age 2 years and older		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
0		21458	99.3%
1		97	0.4%
2		33	0.2%
3		16	0.1%
4		5	0.0%
5		4	0.0%
6		1	0.0%
8		1	0.0%
11		1	0.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b>#26 P104: Total Dairy goats age 2 years and older</b>			
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-50] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=21616 /-] [Invalid=0 /-] [Mean=0.262 /-] [StdDev=1.428 /-]		
<b>Definition</b>	Total Dairy goats age 2 years and older		
<b>Literal question</b>	Total Dairy goats age 2 years and older		
<b>#27 P105: Female Dairy goats age 2 years and older</b>			
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-50] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=21616 /-] [Invalid=0 /-] [Mean=0.262 /-] [StdDev=1.428 /-]		
<b>Definition</b>	Female Dairy goats age 2 years and older		
<b>Literal question</b>	Female Dairy goats age 2 years and older		
<b>#28 P106: Total goats for breeding only age 2 years and older</b>			
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-426] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=21616 /-] [Invalid=0 /-] [Mean=3.419 /-] [StdDev=7.423 /-]		
<b>Definition</b>	Total goats for breeding only age 2 years and older		
<b>Literal question</b>	Total goats for breeding only age 2 years and older		
<b>#29 P107: Male goats for breeding only age 2 years and older</b>			
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-183] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=21616 /-] [Invalid=0 /-] [Mean=0.423 /-] [StdDev=2.147 /-]		
<b>Definition</b>	Male goats for breeding only age 2 years and older		
<b>Literal question</b>	Male goats for breeding only age 2 years and older		
<b>#30 P108: Female goats for breeding only age 2 years and older</b>			
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-243] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=21616 /-] [Invalid=0 /-] [Mean=2.997 /-] [StdDev=5.999 /-]		
<b>Definition</b>	Female goats for breeding only age 2 years and older		
<b>Literal question</b>	Female goats for breeding only age 2 years and older		
<b>#31 P109: Total goats for other purposes age 2 years and older</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-13] [Missing=*]		

<b>File GOAT</b>			
<b>#31 P109: Total goats for other purposes age 2 years and older</b>			
<b>Statistics [NW/ W]</b>	[Valid=21616 /-] [Invalid=0 /-] [Mean=0.0246 /-] [StdDev=0.29 /-]		
<b>Definition</b>	Total goats for other purposes age 2 years and older		
<b>Literal question</b>	Total goats for other purposes age 2 years and older		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
0		21337	98.7%
1		168	0.8%
2		56	0.3%
3		24	0.1%
4		14	0.1%
5		6	0.0%
6		3	0.0%
7		2	0.0%
8		2	0.0%
9		1	0.0%
10		1	0.0%
13		2	0.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b>#32 P110: Male goats for other purposes age 2 years and older</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-10] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=21616 /-] [Invalid=0 /-] [Mean=0.0139 /-] [StdDev=0.182 /-]		
<b>Definition</b>	Male goats for other purposes age 2 years and older		
<b>Literal question</b>	Male goats for other purposes age 2 years and older		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
0		21427	99.1%
1		126	0.6%
2		35	0.2%
3		20	0.1%
4		4	0.0%
5		2	0.0%
8		1	0.0%
10		1	0.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b>#33 P111: Female goats for other purposes age 2 years and older</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-12] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=21616 /-] [Invalid=0 /-] [Mean=0.0107 /-] [StdDev=0.2 /-]		
<b>Definition</b>	Female goats for other purposes age 2 years and older		
<b>Literal question</b>	Female goats for other purposes age 2 years and older		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
0		21505	99.5%
1		60	0.3%
2		24	0.1%
3		12	0.1%

## File GOAT

### #33 P111: Female goats for other purposes age 2 years and older

Value	Label	Cases	Percentage
4		8	0.0%
5		1	0.0%
6		2	0.0%
7		1	0.0%
9		1	0.0%
10		1	0.0%
12		1	0.0%

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### #34 P112: Total Grand

<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-480] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=21616 /-] [Invalid=0 /-] [Mean=7.419 /-] [StdDev=12.666 /-]
<b>Definition</b>	Total Grand

### #35 P113: Male Total Grand

<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-200] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=21616 /-] [Invalid=0 /-] [Mean=2.046 /-] [StdDev=3.931 /-]
<b>Definition</b>	Male Total Grand
<b>Literal question</b>	Male Total Grand

### #36 P114: Female Total Grand

<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-280] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=21616 /-] [Invalid=0 /-] [Mean=5.373 /-] [StdDev=9.466 /-]
<b>Definition</b>	Female Total Grand
<b>Literal question</b>	Female Total Grand

### #37 P115: Total Local breed

<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-480] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=21616 /-] [Invalid=0 /-] [Mean=7.418 /-] [StdDev=12.666 /-]
<b>Definition</b>	Total Local breed

### #38 P116: Male Total Local breed

<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-200] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=21616 /-] [Invalid=0 /-] [Mean=2.046 /-] [StdDev=3.931 /-]
<b>Definition</b>	Male Total Local breed

### #39 P117: Female Total Local breed

<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-280] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=21616 /-] [Invalid=0 /-] [Mean=5.373 /-] [StdDev=9.467 /-]
<b>Definition</b>	Female Total Local breed

### #40 P118: Total Exotic

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-4] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=21616 /-] [Invalid=0 /-] [Mean=0.000278 /-] [StdDev=0.0304 /-]
<b>Definition</b>	Total Exotic

**File GOAT****#40 P118: Total Exotic**

Value	Label	Cases	Percentage
0		21614	100.0%
2		1	0.0%
4		1	0.0%

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

**#41 P119: Male Total Exotic**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=21616 /-] [Invalid=0 /-] [Mean=4.63e-05 /-] [StdDev=0.0068 /-]
<b>Definition</b>	Male Total Exotic

Value	Label	Cases	Percentage
0		21615	100.0%
1		1	0.0%

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

**#42 P120: Female Total Exotic**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-4] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=21616 /-] [Invalid=0 /-] [Mean=0.000231 /-] [StdDev=0.028 /-]
<b>Definition</b>	Female Total Exotic

Value	Label	Cases	Percentage
0		21614	100.0%
1		1	0.0%
4		1	0.0%

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

**#43 P121: Total HYbrid**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=21616 /-] [Invalid=0 /-] [Mean=0.000416 /-] [StdDev=0.0263 /-]
<b>Definition</b>	Total HYbrid

Value	Label	Cases	Percentage
0		21610	100.0%
1		3	0.0%
2		3	0.0%

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

**#44 P122: Male Total Hybrid**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=21616 /-] [Invalid=0 /-] [Mean=0 /-] [StdDev=0 /-]
<b>Definition</b>	Male Total HYbrid

Value	Label	Cases	Percentage
0		21616	100.0%

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

**#45 P123: Female Total Hybrid**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]
--------------------	--

<b>File GOAT</b>			
<b>#45 P123: Female Total Hybrid</b>			
<b>Statistics [NW/ W]</b>	[Valid=21616 /-] [Invalid=0 /-] [Mean=0.000416 /-] [StdDev=0.0263 /-]		
<b>Definition</b>	Female Total Hybrid		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
0		21610	100.0%
1		3	0.0%
2		3	0.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b>File HHINFO</b>			
<b>#1 REG: Region</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-15] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=70555 /-] [Invalid=0 /-]		
<b>Definition</b>	Region		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
1	Tigray	4986	7.1%
2	Afar	1466	2.1%
3	Amhara	13732	19.5%
4	Oromia	23487	33.3%
5	Somalia	2046	2.9%
6	Benshangul_Gumz	2981	4.2%
7	S.N.N.P.R	18192	25.8%
12	Gambella	2215	3.1%
13	Harari	722	1.0%
14	Addis_Ababa	0	0.0%
15	Dire_Dawa	728	1.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b>#2 ZONE: Zone</b>			
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 1-25] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=70555 /-] [Invalid=0 /-] [Mean=7.251 /-] [StdDev=5.754 /-]		
<b>Definition</b>	Zone		
<b>#3 DIST: Wereda</b>			
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 1-24] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=70555 /-] [Invalid=0 /-] [Mean=6.104 /-] [StdDev=4.762 /-]		
<b>Definition</b>	Wereda		
<b>#4 FA: FA</b>			
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 1-403] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=70555 /-] [Invalid=0 /-] [Mean=14.742 /-] [StdDev=19.971 /-]		
<b>Definition</b>	Farmers Association		
<b>#5 EA: EA</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-17] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=70555 /-] [Invalid=0 /-] [Mean=3.017 /-] [StdDev=2.095 /-]		

**File HHINFO****#5 EA: EA**

<b>Definition</b>	Enumeration Area
-------------------	------------------

Value	Label	Cases	Percentage
1		19466	27.6%
2		16400	23.2%
3		12085	17.1%
4		8353	11.8%
5		5788	8.2%
6		3659	5.2%
7		2066	2.9%
8		1123	1.6%
9		772	1.1%
10		293	0.4%
11		248	0.4%
12		180	0.3%
13		61	0.1%
16		30	0.0%
17		31	0.0%

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

**#6 HH: HH**

<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 1-733] [Missing=*]
--------------------	--

<b>Statistics [NW/ W]</b>	[Valid=70555 /-] [Invalid=0 /-] [Mean=89.899 /-] [StdDev=61.099 /-]
---------------------------	---

<b>Definition</b>	Household Number
-------------------	------------------

**#7 V07: HHolder**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]
--------------------	--

<b>Statistics [NW/ W]</b>	[Valid=70555 /-] [Invalid=0 /-] [Mean=1.073 /-] [StdDev=0.318 /-]
---------------------------	---

<b>Definition</b>	Holder Number
-------------------	---------------

<b>Literal question</b>	Holder Number
-------------------------	---------------

Value	Label	Cases	Percentage
0		2	0.0%
1		66287	94.0%
2		3546	5.0%
3		587	0.8%
4		108	0.2%
5		14	0.0%
6		5	0.0%
7		3	0.0%
8		1	0.0%
9		2	0.0%

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

**#8 V09: AGE**

<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-97] [Missing=*]
--------------------	---

<b>Statistics [NW/ W]</b>	[Valid=70555 /-] [Invalid=0 /-] [Mean=42.623 /-] [StdDev=15.941 /-]
---------------------------	---



File HHINFO			
<b>#8 V09: AGE</b>			
Definition	AGE		
Literal question	AGE		
<b>#9 V10: SEX</b>			
Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]		
Statistics [NW/ W]	[Valid=70555 /-] [Invalid=0 /-]		
Definition	SEX		
Literal question	SEX		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
0		7	0.0%
1	Male	56610	80.2%
2	Female	13938	19.8%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b>#10 V11: EDUC</b>			
Information	[Type= discrete] [Format=numeric] [Range= 0-98] [Missing=* /99]		
Statistics [NW/ W]	[Valid=70553 /-] [Invalid=2 /-]		
Definition	Education of holder		
Literal question	Educational Status		
<i>Frequency table not shown (47 Modalities)</i>			
<b>#11 V12: HH_SIZE</b>			
Information	[Type= continuous] [Format=numeric] [Range= 0-99] [Missing=*]		
Statistics [NW/ W]	[Valid=70555 /-] [Invalid=0 /-] [Mean=5.249 /-] [StdDev=2.47 /-]		
Definition	Household size		
Literal question	Household Size		
<b>#12 V13: TYPE</b>			
Information	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]		
Statistics [NW/ W]	[Valid=70555 /-] [Invalid=0 /-]		
Definition	Type		
Literal question	Type of Agriculture		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
0		9	0.0%
1	Crop	7196	10.2%
2	Livestock	4598	6.5%
3	Both	58752	83.3%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b>#13 PQ1: PQ1</b>			
Information	[Type= discrete] [Format=numeric] [Range= 0-4] [Missing=*]		
Statistics [NW/ W]	[Valid=70555 /-] [Invalid=0 /-]		
Literal question	Did You Have Livestock and/or Beehives on November 10, 2010?		

**File HHINFO****#13 PQ1: PQ1**

Value	Label	Cases	Percentage
0		35	0.0%
1	Yes	64168	90.9%
2	No	6350	9.0%
3		1	0.0%
4		1	0.0%

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

**#14 WEIGHT: WGT**

<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 3.69-1226.96] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=70555 /-] [Invalid=0 /-] [Mean=219.396 /-] [StdDev=144.765 /-]
<b>Definition</b>	Weghit

**#15 RATE: RATE**

<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0.0052977-1.8742627] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=70555 /-] [Invalid=0 /-] [Mean=0.0612 /-] [StdDev=0.093 /-]
<b>Definition</b>	Rate
<b>Literal question</b>	Rate

**File HONEY****#1 REG: Region**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-15] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=6575 /-] [Invalid=0 /-]
<b>Definition</b>	Region

Value	Label	Cases	Percentage
1	Tigray	596	9.1%
2	Afar	2	0.0%
3	Amhara	1246	19.0%
4	Oromia	2533	38.5%
5	Somalia	8	0.1%
6	Benshangul_Gumz	401	6.1%
7	S.N.N.P.R	1580	24.0%
12	Gambella	165	2.5%
13	Harari	22	0.3%
14	Addis_Ababa	0	0.0%
15	Dire_Dawa	22	0.3%

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

**#2 ZONE: Zone**

<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 1-25] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=6575 /-] [Invalid=0 /-] [Mean=7.169 /-] [StdDev=5.489 /-]
<b>Definition</b>	Zone

**#3 DIST: Wereda**

<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 1-24] [Missing=*]
--------------------	---

File HONEY			
<b>#3 DIST: Wereda</b>			
Statistics [NW/ W]	[Valid=6575 /-] [Invalid=0 /-] [Mean=6.228 /-] [StdDev=4.898 /-]		
Definition	Wereda		
<b>#4 FA: FA</b>			
Information	[Type= continuous] [Format=numeric] [Range= 1-403] [Missing=*]		
Statistics [NW/ W]	[Valid=6575 /-] [Invalid=0 /-] [Mean=13.786 /-] [StdDev=12.391 /-]		
Definition	Farmers Association		
<b>#5 EA: EA</b>			
Information	[Type= discrete] [Format=numeric] [Range= 1-16] [Missing=*]		
Statistics [NW/ W]	[Valid=6575 /-] [Invalid=0 /-] [Mean=2.875 /-] [StdDev=1.984 /-]		
Definition	Enumeration Area		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
1		1904	29.0%
2		1619	24.6%
3		1129	17.2%
4		749	11.4%
5		498	7.6%
6		300	4.6%
7		185	2.8%
8		77	1.2%
9		55	0.8%
10		7	0.1%
11		24	0.4%
12		23	0.3%
13		2	0.0%
16		3	0.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b>#6 HH: HH</b>			
Information	[Type= continuous] [Format=numeric] [Range= 1-630] [Missing=*]		
Statistics [NW/ W]	[Valid=6575 /-] [Invalid=0 /-] [Mean=91.265 /-] [StdDev=60.901 /-]		
Definition	Household Number		
<b>#7 V07: HHolder</b>			
Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]		
Statistics [NW/ W]	[Valid=6575 /-] [Invalid=0 /-] [Mean=1.026 /-] [StdDev=0.199 /-]		
Definition	Holder Number		
Literal question	Holder Number		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
1		6436	97.9%
2		114	1.7%
3		18	0.3%
4		6	0.1%
6		1	0.0%

File HONEY			
<b>#7 V07: HHolder</b>			
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b>#8 P233I: P233I</b>			
Information	[Type= continuous] [Format=numeric] [Range= 0-1000] [Missing=*]		
Statistics [NW/ W]	[Valid=6575 /-] [Invalid=0 /-] [Mean=4.491 /-] [StdDev=13.139 /-]		
<b>#9 P233D: P233D</b>			
Information	[Type= continuous] [Format=numeric] [Range= 0-990] [Missing=*]		
Statistics [NW/ W]	[Valid=6575 /-] [Invalid=0 /-] [Mean=127.787 /-] [StdDev=232.04 /-]		
<b>#10 P234: Number of harvests/Traditional hive/yaer</b>			
Information	[Type= continuous] [Format=numeric] [Range= 0-30] [Missing=*]		
Statistics [NW/ W]	[Valid=6575 /-] [Invalid=0 /-] [Mean=1.508 /-] [StdDev=1.077 /-]		
Definition	Number of harvests/Traditional hive/yaer		
Literal question	Number of harvests/Traditional hive/yaer		
<b>#11 P235I: P235I</b>			
Information	[Type= continuous] [Format=numeric] [Range= 0-40] [Missing=*]		
Statistics [NW/ W]	[Valid=6575 /-] [Invalid=0 /-] [Mean=0.139 /-] [StdDev=1.415 /-]		
<b>#12 P235D: P235D</b>			
Information	[Type= continuous] [Format=numeric] [Range= 0-990] [Missing=*]		
Statistics [NW/ W]	[Valid=6575 /-] [Invalid=0 /-] [Mean=1.733 /-] [StdDev=30.931 /-]		
<b>#13 P236: Number of harvests/Intermediate hive/year</b>			
Information	[Type= discrete] [Format=numeric] [Range= 0-5] [Missing=*]		
Statistics [NW/ W]	[Valid=6575 /-] [Invalid=0 /-] [Mean=0.0262 /-] [StdDev=0.223 /-]		
Definition	Number of harvests/Intermediate hive/year		
Literal question	Number of harvests/Intermediate hive/year		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
0		6469	98.4%
1		49	0.7%
2		52	0.8%
3		2	0.0%
4		2	0.0%
5		1	0.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b>#14 P237I: P237I</b>			
Information	[Type= continuous] [Format=numeric] [Range= 0-48] [Missing=*]		
Statistics [NW/ W]	[Valid=6575 /-] [Invalid=0 /-] [Mean=0.515 /-] [StdDev=2.93 /-]		
<b>#15 P237D: P237D</b>			
Information	[Type= continuous] [Format=numeric] [Range= 0-800] [Missing=*]		
Statistics [NW/ W]	[Valid=6575 /-] [Invalid=0 /-] [Mean=2.855 /-] [StdDev=37.739 /-]		
<b>#16 P238: Number of harvest/Modern hive/year</b>			
Information	[Type= discrete] [Format=numeric] [Range= 0-5] [Missing=*]		

<b>File HONEY</b>			
<b>#16 P238: Number of harvest/Modern hive/year</b>			
<b>Statistics [NW/ W]</b>	[Valid=6575 /-] [Invalid=0 /-] [Mean=0.071 /-] [StdDev=0.345 /-]		
<b>Definition</b>	Number of harvest/Modern hive/year		
<b>Literal question</b>	Number of harvest/Modern hive/year		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
0		6259	95.2%
1		185	2.8%
2		114	1.7%
3		15	0.2%
4		1	0.0%
5		1	0.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b>File HORSE</b>			
<b>#1 REG: Region</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-15] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=4866 /-] [Invalid=0 /-]		
<b>Definition</b>	Region		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
1	Tigray	9	0.2%
2	Afar	1	0.0%
3	Amhara	821	16.9%
4	Oromia	2532	52.0%
5	Somalia	1	0.0%
6	Benshangul_Gumz	11	0.2%
7	S.N.N.P.R	1473	30.3%
12	Gambella	18	0.4%
13	Harari	0	0.0%
14	Addis_Ababa	0	0.0%
15	Dire_Dawa	0	0.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b>#2 ZONE: Zone</b>			
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 1-25] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=4866 /-] [Invalid=0 /-] [Mean=9.013 /-] [StdDev=5.544 /-]		
<b>Definition</b>	Zone		
<b>#3 DIST: Wereda</b>			
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 1-24] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=4866 /-] [Invalid=0 /-] [Mean=7.308 /-] [StdDev=5.398 /-]		
<b>Definition</b>	Wereda		
<b>#4 FA: FA</b>			
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 1-70] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=4866 /-] [Invalid=0 /-] [Mean=13.944 /-] [StdDev=10.134 /-]		

<b>File HORSE</b>			
<b>#4 FA: FA</b>			
<b>Definition</b>	Farmers Association		
<b>#5 EA: EA</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-12] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=4866 /-] [Invalid=0 /-] [Mean=2.955 /-] [StdDev=1.878 /-]		
<b>Definition</b>	Enumeration Area		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
1		1276	26.2%
2		1185	24.4%
3		825	17.0%
4		571	11.7%
5		541	11.1%
6		228	4.7%
7		104	2.1%
8		71	1.5%
9		58	1.2%
12		7	0.1%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b>#6 HH: HH</b>			
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 1-369] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=4866 /-] [Invalid=0 /-] [Mean=89.389 /-] [StdDev=55.621 /-]		
<b>Definition</b>	Household Number		
<b>#7 V07: HHolder</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=4866 /-] [Invalid=0 /-] [Mean=1.02 /-] [StdDev=0.19 /-]		
<b>Definition</b>	Holder Number		
<b>Literal question</b>	Holder Number		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
1		4784	98.3%
2		75	1.5%
3		3	0.1%
4		3	0.1%
9		1	0.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b>#8 P124: Total HORSES of all ages</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-10] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=4866 /-] [Invalid=0 /-] [Mean=1.525 /-] [StdDev=0.937 /-]		
<b>Definition</b>	Total HORSES of all ages		
<b>Literal question</b>	Total HORSES of all ages		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
0		11	0.2%
1		3184	65.4%

**File HORSE****#8 P124: Total HORSES of all ages**

Value	Label	Cases	Percentage
2		1131	23.2%
3		337	6.9%
4		123	2.5%
5		40	0.8%
6		21	0.4%
7		11	0.2%
8		5	0.1%
9		2	0.0%
10		1	0.0%

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

**#9 P125: Male HORSES of all ages**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*
<b>Statistics [NW/ W]</b>	[Valid=4866 /-] [Invalid=0 /-] [Mean=0.771 /-] [StdDev=0.717 /-]
<b>Definition</b>	Male HORSES of all ages
<b>Literal question</b>	Male HORSES of all ages

Value	Label	Cases	Percentage
0		1731	35.6%
1		2656	54.6%
2		382	7.9%
3		70	1.4%
4		20	0.4%
5		3	0.1%
6		2	0.0%
7		1	0.0%
8		1	0.0%

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

**#10 P126: Female HORSES of all ages**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*
<b>Statistics [NW/ W]</b>	[Valid=4866 /-] [Invalid=0 /-] [Mean=0.754 /-] [StdDev=0.827 /-]
<b>Definition</b>	Female HORSES of all ages
<b>Literal question</b>	Female HORSES of all ages

Value	Label	Cases	Percentage
0		2128	43.7%
1		2009	41.3%
2		583	12.0%
3		105	2.2%
4		33	0.7%
5		5	0.1%
6		2	0.0%
9		1	0.0%

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

<b>File HORSE</b>			
<b>#11 P127: Total horses age less than 3 years</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-4] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=4866 /-] [Invalid=0 /-] [Mean=0.304 /-] [StdDev=0.538 /-]		
<b>Definition</b>	Total horses age less than 3 years		
<b>Literal question</b>	Total horses age less than 3 years		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
0		3555	73.1%
1		1164	23.9%
2		130	2.7%
3		14	0.3%
4		3	0.1%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b>#12 P128: Male horses age less than 3 years</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=4866 /-] [Invalid=0 /-] [Mean=0.15 /-] [StdDev=0.386 /-]		
<b>Definition</b>	Male horses age less than 3 years		
<b>Literal question</b>	Male horses age less than 3 years		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
0		4186	86.0%
1		633	13.0%
2		44	0.9%
3		3	0.1%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b>#13 P129: Female horses age less than 3 years</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=4866 /-] [Invalid=0 /-] [Mean=0.154 /-] [StdDev=0.388 /-]		
<b>Definition</b>	Female horses age less than 3 years		
<b>Literal question</b>	Female horses age less than 3 years		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
0		4166	85.6%
1		654	13.4%
2		44	0.9%
3		2	0.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b>#14 P130: Total horses age 3 years and older</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=4866 /-] [Invalid=0 /-] [Mean=1.221 /-] [StdDev=0.717 /-]		
<b>Definition</b>	Total horses age 3 years and older		
<b>Literal question</b>	Total horses age 3 years and older		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
0		286	5.9%
1		3581	73.6%



## File HORSE

### #14 P130: Total horses age 3 years and older

Value	Label	Cases	Percentage
2		746	15.3%
3		185	3.8%
4		46	0.9%
5		9	0.2%
6		8	0.2%
7		3	0.1%
8		2	0.0%

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### #15 P131: Male horses age 3 years and older

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=4866 /-] [Invalid=0 /-] [Mean=0.621 /-] [StdDev=0.655 /-]
<b>Definition</b>	Male horses age 3 years and older
<b>Literal question</b>	Male horses age 3 years and older

Value	Label	Cases	Percentage
0		2209	45.4%
1		2361	48.5%
2		246	5.1%
3		39	0.8%
4		8	0.2%
5		1	0.0%
7		1	0.0%
8		1	0.0%

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### #16 P132: Female horses age 3 years and older

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-7] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=4866 /-] [Invalid=0 /-] [Mean=0.6 /-] [StdDev=0.654 /-]
<b>Definition</b>	Female horses age 3 years and older
<b>Literal question</b>	Female horses age 3 years and older

Value	Label	Cases	Percentage
0		2323	47.7%
1		2228	45.8%
2		264	5.4%
3		43	0.9%
4		7	0.1%
7		1	0.0%

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### #17 P133: Total horses used primarily for draft purpose age 3 years and older

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=4866 /-] [Invalid=0 /-] [Mean=0.128 /-] [StdDev=0.403 /-]
<b>Definition</b>	Total horses used primarily for draft purpose age 3 years and older
<b>Literal question</b>	Total horses used primarily for draft purpose age 3 years and older

## File HORSE

### #17 P133: Total horses used primarily for draft purpose age 3 years and older

Value	Label	Cases	Percentage
0		4360	89.6%
1		401	8.2%
2		95	2.0%
3		10	0.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### #18 P134: Male horses used primarily for draft purpose age 3 years and older

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*
<b>Statistics [NW/ W]</b>	[Valid=4866 /-] [Invalid=0 /-] [Mean=0.0612 /-] [StdDev=0.26 /-]
<b>Definition</b>	Male horses used primarily for draft purpose age 3 years and older
<b>Literal question</b>	Male horses used primarily for draft purpose age 3 years and older

Value	Label	Cases	Percentage
0		4590	94.3%
1		256	5.3%
2		18	0.4%
3		2	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### #19 P135: Female horses used primarily for draft purpose age 3 years and older

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*
<b>Statistics [NW/ W]</b>	[Valid=4866 /-] [Invalid=0 /-] [Mean=0.0664 /-] [StdDev=0.279 /-]
<b>Definition</b>	Female horses used primarily for draft purpose age 3 years and older
<b>Literal question</b>	Female horses used primarily for draft purpose age 3 years and older

Value	Label	Cases	Percentage
0		4582	94.2%
1		245	5.0%
2		39	0.8%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### #20 P136: Total horses for transportaion age 3 years and older

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*
<b>Statistics [NW/ W]</b>	[Valid=4866 /-] [Invalid=0 /-] [Mean=0.929 /-] [StdDev=0.75 /-]
<b>Definition</b>	Total horses for transportaion age 3 years and older
<b>Literal question</b>	Total horses for transportaion age 3 years and older

Value	Label	Cases	Percentage
0		1244	25.6%
1		2948	60.6%
2		504	10.4%
3		130	2.7%
4		32	0.7%
5		3	0.1%
6		3	0.1%
7		1	0.0%

## File HORSE

### #20 P136: Total horses for transportaion age 3 years and older

Value	Label	Cases	Percentage
8		1	0.0%

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### #21 P137: Male horses for transportaion age 3 years and older

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=4866 /-] [Invalid=0 /-] [Mean=0.554 /-] [StdDev=0.649 /-]
<b>Definition</b>	Male horses for transportaion age 3 years and older
<b>Literal question</b>	Male horses for transportaion age 3 years and older

Value	Label	Cases	Percentage
0		2498	51.3%
1		2103	43.2%
2		219	4.5%
3		37	0.8%
4		6	0.1%
5		1	0.0%
7		1	0.0%
8		1	0.0%

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### #22 P138: Female horses for transportaion age 3 years and older

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-4] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=4866 /-] [Invalid=0 /-] [Mean=0.375 /-] [StdDev=0.573 /-]
<b>Definition</b>	Female horses for transportaion age 3 years and older

Value	Label	Cases	Percentage
0		3240	66.6%
1		1453	29.9%
2		147	3.0%
3		25	0.5%
4		1	0.0%

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### #23 P139: Total horses for other purposes age 3 years and older

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-7] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=4866 /-] [Invalid=0 /-] [Mean=0.164 /-] [StdDev=0.455 /-]
<b>Definition</b>	Total horses for other purposes age 3 years and older
<b>Literal question</b>	Total horses for other purposes age 3 years and older

Value	Label	Cases	Percentage
0		4192	86.1%
1		579	11.9%
2		74	1.5%
3		15	0.3%
4		5	0.1%
7		1	0.0%

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## File HORSE

### #24 P140: Male horses for other purposes age 3 years and older

**Information** [Type= discrete] [Format=numeric] [Range= 0-2] [Missing=\*]

**Statistics [NW/ W]** [Valid=4866 /-] [Invalid=0 /-] [Mean=0.00575 /-] [StdDev=0.0809 /-]

**Definition** Male horses for other purposes age 3 years and older

**Literal question** Male horses for other purposes age 3 years and older

Value	Label	Cases	Percentage
0		4840	99.5%
1		24	0.5%
2		2	0.0%

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### #25 P141: Female horses for other purposes age 3 years and older

**Information** [Type= discrete] [Format=numeric] [Range= 0-7] [Missing=\*]

**Statistics [NW/ W]** [Valid=4866 /-] [Invalid=0 /-] [Mean=0.158 /-] [StdDev=0.449 /-]

**Definition** Female horses for other purposes age 3 years and older

**Literal question** Female horses for other purposes age 3 years and older

Value	Label	Cases	Percentage
0		4216	86.6%
1		559	11.5%
2		70	1.4%
3		15	0.3%
4		5	0.1%
7		1	0.0%

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## File MULE

### #1 REG: Region

**Information** [Type= discrete] [Format=numeric] [Range= 1-15] [Missing=\*]

**Statistics [NW/ W]** [Valid=1387 /-] [Invalid=0 /-]

**Definition** Region

Value	Label	Cases	Percentage
1	Tigray	25	1.8%
2	Afar	21	1.5%
3	Amhara	371	26.7%
4	Oromia	588	42.4%
5	Somalia	3	0.2%
6	Benshangul_Gumuz	24	1.7%
7	S.N.N.P.R	351	25.3%
12	Gambella	3	0.2%
13	Harari	1	0.1%
14	Addis_Ababa	0	0.0%
15	Dire_Dawa	0	0.0%

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

File MULE			
<b>#2 ZONE: Zone</b>			
Information	[Type= continuous] [Format=numeric] [Range= 1-25] [Missing=*]		
Statistics [NW/ W]	[Valid=1387 /-] [Invalid=0 /-] [Mean=8.091 /-] [StdDev=5.427 /-]		
Definition	Zone		
<b>#3 DIST: Wereda</b>			
Information	[Type= continuous] [Format=numeric] [Range= 1-24] [Missing=*]		
Statistics [NW/ W]	[Valid=1387 /-] [Invalid=0 /-] [Mean=6.607 /-] [StdDev=4.749 /-]		
Definition	Wereda		
<b>#4 FA: FA</b>			
Information	[Type= continuous] [Format=numeric] [Range= 1-55] [Missing=*]		
Statistics [NW/ W]	[Valid=1387 /-] [Invalid=0 /-] [Mean=13.505 /-] [StdDev=9.376 /-]		
Definition	Farmers Association Enumeration Area Household Number Holder Number		
<b>#5 EA: EA</b>			
Information	[Type= discrete] [Format=numeric] [Range= 1-12] [Missing=*]		
Statistics [NW/ W]	[Valid=1387 /-] [Invalid=0 /-] [Mean=3.256 /-] [StdDev=2.181 /-]		
Definition	Enumeration Area		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
1		316	22.8%
2		314	22.6%
3		279	20.1%
4		160	11.5%
5		108	7.8%
6		84	6.1%
7		35	2.5%
8		42	3.0%
9		23	1.7%
10		24	1.7%
11		1	0.1%
12		1	0.1%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b>#6 HH: HH</b>			
Information	[Type= continuous] [Format=numeric] [Range= 1-404] [Missing=*]		
Statistics [NW/ W]	[Valid=1387 /-] [Invalid=0 /-] [Mean=92.05 /-] [StdDev=61.256 /-]		
Definition	Household Number		
<b>#7 V07: HHolder</b>			
Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=1387 /-] [Invalid=0 /-] [Mean=1.006 /-] [StdDev=0.0847 /-]		
Definition	Holder Number		
Literal question	Holder Number		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
1		1380	99.5%

<b>File MULE</b>			
<b>#7 V07: HHolder</b>			
Value	Label	Cases	Percentage
2		6	0.4%
3		1	0.1%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b>#8 P142: Total MULES of all ages</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-5] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=1387 /-] [Invalid=0 /-] [Mean=1.087 /-] [StdDev=0.378 /-]		
<b>Definition</b>	Total MULES of all ages		
Value	Label	Cases	Percentage
0		9	0.6%
1		1272	91.7%
2		91	6.6%
3		8	0.6%
4		5	0.4%
5		2	0.1%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b>#9 P143: Male MULES of all ages</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=1387 /-] [Invalid=0 /-] [Mean=0.555 /-] [StdDev=0.55 /-]		
<b>Definition</b>	Male MULES of all ages		
<b>Literal question</b>	Male MULES of all ages		
Value	Label	Cases	Percentage
0		653	47.1%
1		700	50.5%
2		32	2.3%
3		2	0.1%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b>#10 P144: Female MULES of all ages</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-5] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=1387 /-] [Invalid=0 /-] [Mean=0.532 /-] [StdDev=0.574 /-]		
<b>Definition</b>	Female MULES of all ages		
Value	Label	Cases	Percentage
0		692	49.9%
1		660	47.6%
2		31	2.2%
3		1	0.1%
4		2	0.1%
5		1	0.1%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b>#11 P145: Total mules age less than 3 years</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]		

<b>File MULE</b>			
<b>#11 P145: Total mules age less than 3 years</b>			
<b>Statistics [NW/ W]</b>	[Valid=1387 /-] [Invalid=0 /-] [Mean=0.117 /-] [StdDev=0.33 /-]		
<b>Definition</b>	Total mules age less than 3 years		
<b>Literal question</b>	Total mules age less than 3 years		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
0		1229	88.6%
1		154	11.1%
2		4	0.3%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b>#12 P146: Male mules age less than 3 years</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=1387 /-] [Invalid=0 /-] [Mean=0.0606 /-] [StdDev=0.245 /-]		
<b>Definition</b>	Male mules age less than 3 years		
<b>Literal question</b>	Male mules age less than 3 years		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
0		1305	94.1%
1		80	5.8%
2		2	0.1%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b>#13 P147: Female mules age less than 3 years</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=1387 /-] [Invalid=0 /-] [Mean=0.0562 /-] [StdDev=0.237 /-]		
<b>Definition</b>	Female mules age less than 3 years		
<b>Literal question</b>	Female mules age less than 3 years		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
0		1311	94.5%
1		74	5.3%
2		2	0.1%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b>#14 P148: Total mules age 3 years and older</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-5] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=1387 /-] [Invalid=0 /-] [Mean=0.97 /-] [StdDev=0.443 /-]		
<b>Definition</b>	Total mules age 3 years and older		
<b>Literal question</b>	Total mules age 3 years and older		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
0		131	9.4%
1		1185	85.4%
2		58	4.2%
3		8	0.6%
4		4	0.3%
5		1	0.1%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			

<b>File MULE</b>			
<b>#15 P149: Male mules age 3 years and older</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=1387 /-] [Invalid=0 /-] [Mean=0.495 /-] [StdDev=0.538 /-]		
<b>Definition</b>	Male mules age 3 years and older		
<b>Literal question</b>	Male mules age 3 years and older		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
0		726	52.3%
1		638	46.0%
2		21	1.5%
3		2	0.1%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b>#16 P150: Female mules age 3 years and older</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-5] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=1387 /-] [Invalid=0 /-] [Mean=0.476 /-] [StdDev=0.554 /-]		
<b>Definition</b>	Female mules age 3 years and older		
<b>Literal question</b>	Female mules age 3 years and older		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
0		756	54.5%
1		609	43.9%
2		18	1.3%
3		2	0.1%
4		1	0.1%
5		1	0.1%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b>#17 P151: Total mules used primarily for draft porpuse age 3 years and older</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=1387 /-] [Invalid=0 /-] [Mean=0.0613 /-] [StdDev=0.255 /-]		
<b>Definition</b>	Total mules used primarily for draft porpuse age 3 years and older		
<b>Literal question</b>	Total mules used primarily for draft porpuse age 3 years and older		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
0		1307	94.2%
1		75	5.4%
2		5	0.4%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b>#18 P152: Male mules used primarily for draft porpuse age 3 years and older</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=1387 /-] [Invalid=0 /-] [Mean=0.0368 /-] [StdDev=0.196 /-]		
<b>Definition</b>	Male mules used primarily for draft porpuse age 3 years and older		
<b>Literal question</b>	Male mules used primarily for draft porpuse age 3 years and older		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
0		1338	96.5%
1		47	3.4%



## File MULE

### #18 P152: Male mules used primarily for draft porpuse age 3 years and older

Value	Label	Cases	Percentage
2		2	0.1%

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### #19 P153: Female mules used primarily for draft porpuse age 3 years and older

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=1387 /-] [Invalid=0 /-] [Mean=0.0245 /-] [StdDev=0.159 /-]
<b>Definition</b>	Female mules used primarily for draft porpuse age 3 years and older
<b>Literal question</b>	Female mules used primarily for draft porpuse age 3 years and older

Value	Label	Cases	Percentage
0		1354	97.6%
1		32	2.3%
2		1	0.1%

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### #20 P154: Total mules for transportation purposes age 3 years and older

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-5] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=1387 /-] [Invalid=0 /-] [Mean=0.888 /-] [StdDev=0.486 /-]
<b>Definition</b>	Total mules for transportation purposes age 3 years and older
<b>Literal question</b>	Total mules for transportation purposes age 3 years and older

Value	Label	Cases	Percentage
0		228	16.4%
1		1102	79.5%
2		46	3.3%
3		7	0.5%
4		3	0.2%
5		1	0.1%

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### #21 P155: Male mules for transportation purposes age 3 years and older

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=1387 /-] [Invalid=0 /-] [Mean=0.445 /-] [StdDev=0.527 /-]
<b>Definition</b>	Male mules for transportation purposes age 3 years and older
<b>Literal question</b>	Male mules for transportation purposes age 3 years and older

Value	Label	Cases	Percentage
0		789	56.9%
1		581	41.9%
2		15	1.1%
3		2	0.1%

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### #22 P156: Female mules for transportation purposes age 3 years and older

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-5] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=1387 /-] [Invalid=0 /-] [Mean=0.443 /-] [StdDev=0.547 /-]
<b>Definition</b>	Female mules for transportation purposes age 3 years and older

**File MULE****#22 P156: Female mules for transportation purposes age 3 years and older**

<b>Literal question</b>	Female mules for transportation purposes age 3 years and older
-------------------------	--

Value	Label	Cases	Percentage
0		797	57.5%
1		572	41.2%
2		14	1.0%
3		2	0.1%
4		1	0.1%
5		1	0.1%

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

**#23 P157: Total mules for other purpose age 3 years and older**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-4] [Missing=*]
--------------------	--

<b>Statistics [NW/ W]</b>	[Valid=1387 /-] [Invalid=0 /-] [Mean=0.0209 /-] [StdDev=0.198 /-]
---------------------------	---

<b>Definition</b>	Total mules for other purpose age 3 years and older
-------------------	---

<b>Literal question</b>	Total mules for other purpose age 3 years and older
-------------------------	---

Value	Label	Cases	Percentage
0		1367	98.6%
1		14	1.0%
2		4	0.3%
3		1	0.1%
4		1	0.1%

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

**#24 P158: Male mules for other purpose age 3 years and older**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]
--------------------	--

<b>Statistics [NW/ W]</b>	[Valid=1387 /-] [Invalid=0 /-] [Mean=0.013 /-] [StdDev=0.125 /-]
---------------------------	--

<b>Definition</b>	Male mules for other purpose age 3 years and older
-------------------	--

Value	Label	Cases	Percentage
0		1371	98.8%
1		14	1.0%
2		2	0.1%

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

**#25 P159: Female mules for other purpose age 3 years and older**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]
--------------------	--

<b>Statistics [NW/ W]</b>	[Valid=1387 /-] [Invalid=0 /-] [Mean=0.00793 /-] [StdDev=0.104 /-]
---------------------------	--

<b>Definition</b>	Female mules for other purpose age 3 years and older
-------------------	--

<b>Literal question</b>	Female mules for other purpose age 3 years and older
-------------------------	--

Value	Label	Cases	Percentage
0		1378	99.4%
1		7	0.5%
2		2	0.1%

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

File NEWBIRTH			
<b>#1 REC\$TYPE</b>			
Information		[Type= discrete] [Format=character] [Missing=*]	
Statistics [NW/ W]		[Valid=145696 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
17		145696	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b>#2 REG: Region</b>			
Information		[Type= discrete] [Format=numeric] [Range= 1-15] [Missing=*]	
Statistics [NW/ W]		[Valid=145696 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
1	Tigray	10796	7.4%
2	Afar	3523	2.4%
3	Amhara	30963	21.3%
4	Oromia	48208	33.1%
5	Somalia	4454	3.1%
6	Benshangul_Gumz	5565	3.8%
7	S.N.N.P.R	35528	24.4%
12	Gambella	3426	2.4%
13	Harari	1274	0.9%
14	Addis_Ababa	0	0.0%
15	Dire_Dawa	1959	1.3%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b>#3 ZONE: Zone</b>			
Information		[Type= continuous] [Format=numeric] [Range= 1-25] [Missing=*]	
Statistics [NW/ W]		[Valid=145696 /-] [Invalid=0 /-] [Mean=7.308 /-] [StdDev=5.706 /-]	
<b>#4 DIST: Wereda</b>			
Information		[Type= continuous] [Format=numeric] [Range= 1-24] [Missing=*]	
Statistics [NW/ W]		[Valid=145696 /-] [Invalid=0 /-] [Mean=6.096 /-] [StdDev=4.745 /-]	
<b>#5 FA: FA</b>			
Information		[Type= continuous] [Format=numeric] [Range= 1-403] [Missing=*]	
Statistics [NW/ W]		[Valid=145696 /-] [Invalid=0 /-] [Mean=14.473 /-] [StdDev=17.813 /-]	
<b>#6 EA: EA</b>			
Information		[Type= discrete] [Format=numeric] [Range= 1-17] [Missing=*]	
Statistics [NW/ W]		[Valid=145696 /-] [Invalid=0 /-] [Mean=3.013 /-] [StdDev=2.095 /-]	
Definition		Farmers Association	
Value	Label	Cases	Percentage
1		40440	27.8%
2		33901	23.3%
3		24689	16.9%
4		16800	11.5%
5		12333	8.5%
6		7925	5.4%

## File NEWBIRTH

### #6 EA: EA

Value	Label	Cases	Percentage
7		4144	2.8%
8		2178	1.5%
9		1565	1.1%
10		572	0.4%
11		543	0.4%
12		346	0.2%
13		106	0.1%
16		76	0.1%
17		78	0.1%

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### #7 HH: HH

<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 1-733] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=145696 /-] [Invalid=0 /-] [Mean=89.205 /-] [StdDev=60.943 /-]
<b>Definition</b>	Enumeration Area Household

### #8 V07: HHolder

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=145696 /-] [Invalid=0 /-] [Mean=1.036 /-] [StdDev=0.231 /-]
<b>Definition</b>	Holder Number
<b>Literal question</b>	Holder Number

Value	Label	Cases	Percentage
0		1	0.0%
1		141293	97.0%
2		3721	2.6%
3		535	0.4%
4		111	0.1%
5		12	0.0%
6		8	0.0%
7		6	0.0%
8		3	0.0%
9		6	0.0%

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### #9 PQ161: Serial No.

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=145696 /-] [Invalid=0 /-]
<b>Definition</b>	Serial Number
<b>Literal question</b>	Serial Number

Value	Label	Cases	Percentage
0		1	0.0%
1		43620	29.9%
2		26374	18.1%
3		22599	15.5%

## File NEWBIRTH

### #9 PQ161: Serial No.

Value	Label	Cases	Percentage
4		2209	1.5%
5		6970	4.8%
6		545	0.4%
7		989	0.7%
8		42389	29.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### #10 PQ1631: Born\_Total

<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-626] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=145696 /-] [Invalid=0 /-] [Mean=3.668 /-] [StdDev=7.451 /-]
<b>Definition</b>	Born_Total

### #11 PQ1632: Born\_Male

<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-313] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=145696 /-] [Invalid=0 /-] [Mean=1.725 /-] [StdDev=3.624 /-]
<b>Definition</b>	Born_Male

### #12 PQ1633: Born\_Female

<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-421] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=145696 /-] [Invalid=0 /-] [Mean=1.943 /-] [StdDev=4.151 /-]
<b>Definition</b>	Born_Female

### #13 PQ1641: Bought\_Total

<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-215] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=145696 /-] [Invalid=0 /-] [Mean=0.585 /-] [StdDev=1.613 /-]
<b>Definition</b>	Bought_Total

### #14 PQ1642: Bought\_Male

<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-123] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=145696 /-] [Invalid=0 /-] [Mean=0.276 /-] [StdDev=1.023 /-]
<b>Definition</b>	Bought_Male

### #15 PQ1643: Bought\_Female

<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-100] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=145696 /-] [Invalid=0 /-] [Mean=0.309 /-] [StdDev=0.926 /-]
<b>Definition</b>	Bought_Female

### #16 PQ1651: Gift\_Total

<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-30] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=145696 /-] [Invalid=0 /-] [Mean=0.0729 /-] [StdDev=0.491 /-]
<b>Definition</b>	Gift_Total

### #17 PQ1652: Gift\_Male

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-18] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=145696 /-] [Invalid=0 /-] [Mean=0.0205 /-] [StdDev=0.221 /-]
<b>Definition</b>	Gift_Male

## File NEWBIRTH

### #17 PQ1652: Gift\_Male

Value	Label	Cases	Percentage
0		143613	98.6%
1		1587	1.1%
2		328	0.2%
3		90	0.1%
4		32	0.0%
5		17	0.0%
6		9	0.0%
7		2	0.0%
8		5	0.0%
9		1	0.0%
10		6	0.0%
11		1	0.0%
12		3	0.0%
15		1	0.0%
18		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### #18 PQ1653: Gift\_Female

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-16] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=145696 /-] [Invalid=0 /-] [Mean=0.0524 /-] [StdDev=0.37 /-]
<b>Definition</b>	Gift_Female

Value	Label	Cases	Percentage
0		140854	96.7%
1		3319	2.3%
2		980	0.7%
3		277	0.2%
4		125	0.1%
5		56	0.0%
6		25	0.0%
7		8	0.0%
8		11	0.0%
9		6	0.0%
10		15	0.0%
11		6	0.0%
12		4	0.0%
13		4	0.0%
14		4	0.0%
15		1	0.0%
16		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### #19 PQ1661: Sold\_Total

<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-214] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=145696 /-] [Invalid=0 /-] [Mean=0.918 /-] [StdDev=2.227 /-]

<b>File NEWBIRTH</b>	
<b>#19 PQ1661: Sold_Total</b>	
<b>Definition</b>	Sold_Total
<b>#20 PQ1662: Sold_Male</b>	
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-114] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=145696 /-] [Invalid=0 /-] [Mean=0.52 /-] [StdDev=1.384 /-]
<b>Definition</b>	Sold_Male
<b>#21 PQ1663: Sold_Female</b>	
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-100] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=145696 /-] [Invalid=0 /-] [Mean=0.398 /-] [StdDev=1.182 /-]
<b>Definition</b>	Sold_Female
<b>#22 PQ1671: Sloughed_Total</b>	
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-120] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=145696 /-] [Invalid=0 /-] [Mean=0.54 /-] [StdDev=1.459 /-]
<b>Definition</b>	Sloughed_Total
<b>#23 PQ1672: Sloughed_Male</b>	
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-70] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=145696 /-] [Invalid=0 /-] [Mean=0.346 /-] [StdDev=0.953 /-]
<b>Definition</b>	Sloughed_Male
<b>#24 PQ1673: Sloughed_Female</b>	
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-50] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=145696 /-] [Invalid=0 /-] [Mean=0.194 /-] [StdDev=0.735 /-]
<b>Definition</b>	Sloughed_Female
<b>#25 PQ1681: Given out_Total</b>	
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-54] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=145696 /-] [Invalid=0 /-] [Mean=0.0704 /-] [StdDev=0.604 /-]
<b>Definition</b>	Given out_Total
<b>#26 PQ1682: Given out_Male</b>	
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-54] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=145696 /-] [Invalid=0 /-] [Mean=0.0225 /-] [StdDev=0.27 /-]
<b>Definition</b>	Given out_Male
<b>#27 PQ1683: Given out_Female</b>	
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-30] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=145696 /-] [Invalid=0 /-] [Mean=0.0479 /-] [StdDev=0.445 /-]
<b>Definition</b>	Given out_Female
<b>#28 PQ1691: Died due to diseases_Total</b>	
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-200] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=145696 /-] [Invalid=0 /-] [Mean=1.157 /-] [StdDev=3.724 /-]
<b>Definition</b>	Died due to diseases_Total

<b>File NEWBIRTH</b>			
<b>#29 PQ1692: Died due to diseases_male</b>			
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-100] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=145696 /-] [Invalid=0 /-] [Mean=0.46 /-] [StdDev=1.655 /-]		
<b>Definition</b>	Died due to diseases_male		
<b>#30 PQ1693: Died due to diseases_female</b>			
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-115] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=145696 /-] [Invalid=0 /-] [Mean=0.698 /-] [StdDev=2.289 /-]		
<b>Definition</b>	Died due to diseases_female		
<b>#31 PQ16101: Died due to other reason_Total</b>			
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-237] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=145696 /-] [Invalid=0 /-] [Mean=0.992 /-] [StdDev=3.594 /-]		
<b>Definition</b>	Died due to other reason_Total		
<b>#32 PQ16102: Died due to other reason_male</b>			
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-137] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=145696 /-] [Invalid=0 /-] [Mean=0.46 /-] [StdDev=1.798 /-]		
<b>Definition</b>	Died due to other reason_male		
<b>#33 PQ16103: Died due to other reason_female</b>			
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-100] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=145696 /-] [Invalid=0 /-] [Mean=0.532 /-] [StdDev=1.925 /-]		
<b>Definition</b>	Died due to other reason_female		
<b>File POULTRY</b>			
<b>#1 REG: Region</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-15] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=39538 /-] [Invalid=0 /-]		
<b>Definition</b>	Region		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
1	Tigray	3700	9.4%
2	Afar	90	0.2%
3	Amhara	8973	22.7%
4	Oromia	12847	32.5%
5	Somalia	334	0.8%
6	Benshangul_Gumz	2055	5.2%
7	S.N.N.P.R	9599	24.3%
12	Gambella	1156	2.9%
13	Harari	307	0.8%
14	Addis_Ababa	0	0.0%
15	Dire_Dawa	477	1.2%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b>#2 ZONE: Zone</b>			
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 1-25] [Missing=*]		



File POULTRY			
<b>#2 ZONE: Zone</b>			
Statistics [NW/ W]	[Valid=39538 /-] [Invalid=0 /-] [Mean=7.2 /-] [StdDev=5.744 /-]		
Definition	Zone		
<b>#3 DIST: Wereda</b>			
Information	[Type= continuous] [Format=numeric] [Range= 1-24] [Missing=*]		
Statistics [NW/ W]	[Valid=39538 /-] [Invalid=0 /-] [Mean=6.08 /-] [StdDev=4.762 /-]		
Definition	Wereda		
<b>#4 FA: FA</b>			
Information	[Type= continuous] [Format=numeric] [Range= 1-403] [Missing=*]		
Statistics [NW/ W]	[Valid=39538 /-] [Invalid=0 /-] [Mean=14.082 /-] [StdDev=16.926 /-]		
Definition	Farmers Association		
<b>#5 EA: EA</b>			
Information	[Type= discrete] [Format=numeric] [Range= 1-17] [Missing=*]		
Statistics [NW/ W]	[Valid=39538 /-] [Invalid=0 /-] [Mean=3.069 /-] [StdDev=2.115 /-]		
Definition	Enumeration Area		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
1		10450	26.4%
2		9203	23.3%
3		6775	17.1%
4		4754	12.0%
5		3413	8.6%
6		2215	5.6%
7		1238	3.1%
8		601	1.5%
9		397	1.0%
10		150	0.4%
11		137	0.3%
12		114	0.3%
13		41	0.1%
16		23	0.1%
17		27	0.1%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b>#6 HH: HH</b>			
Information	[Type= continuous] [Format=numeric] [Range= 1-705] [Missing=*]		
Statistics [NW/ W]	[Valid=39538 /-] [Invalid=0 /-] [Mean=90.665 /-] [StdDev=61.26 /-]		
Definition	Household Number		
<b>#7 V07: HHolder</b>			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=39538 /-] [Invalid=0 /-] [Mean=1.043 /-] [StdDev=0.253 /-]		
Definition	Holder Number		
Literal question	Holder Number		

## File POULTRY

### #7 V07: HHolder

Value	Label	Cases	Percentage
1		38162	96.5%
2		1134	2.9%
3		189	0.5%
4		40	0.1%
5		7	0.0%
6		2	0.0%
7		2	0.0%
8		1	0.0%
9		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### #8 P201: poultry Total

<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-78] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=39538 /-] [Invalid=0 /-] [Mean=6.154 /-] [StdDev=5.638 /-]
<b>Definition</b>	poultry Total
<b>Literal question</b>	Total poultry

### #9 P202: poultry Total\_Indigenous

<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-66] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=39538 /-] [Invalid=0 /-] [Mean=5.989 /-] [StdDev=5.605 /-]
<b>Definition</b>	poultry Total_Indigenous
<b>Literal question</b>	Indigenes Total poultry

### #10 P203: poultry Total\_hybrid

<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-78] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=39538 /-] [Invalid=0 /-] [Mean=0.131 /-] [StdDev=1.14 /-]
<b>Definition</b>	poultry Total_hybrid
<b>Literal question</b>	Hybrid Total poultry

### #11 P204: poultry Total\_foreign

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-20] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=39538 /-] [Invalid=0 /-] [Mean=0.033 /-] [StdDev=0.387 /-]
<b>Definition</b>	poultry Total_foreign
<b>Literal question</b>	Foreign total poultry

Value	Label	Cases	Percentage
0		39008	98.7%
1		233	0.6%
2		125	0.3%
3		65	0.2%
4		50	0.1%
5		20	0.1%
6		16	0.0%
7		3	0.0%
8		3	0.0%

## File POULTRY

### #11 P204: poultry Total\_foreign

Value	Label	Cases	Percentage
9		3	0.0%
10		4	0.0%
11		2	0.0%
12		1	0.0%
14		2	0.0%
15		1	0.0%
20		2	0.0%

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### #12 P205: Laying hens

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-20] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=39538 /-] [Invalid=0 /-] [Mean=1.899 /-] [StdDev=1.49 /-]
<b>Definition</b>	Laying hens
<b>Literal question</b>	Laying hens

Value	Label	Cases	Percentage
0		4107	10.4%
1		14101	35.7%
2		11530	29.2%
3		5453	13.8%
4		2448	6.2%
5		1013	2.6%
6		407	1.0%
7		184	0.5%
8		116	0.3%
9		46	0.1%
10		67	0.2%
11		10	0.0%
12		14	0.0%
13		7	0.0%
14		5	0.0%
15		7	0.0%
16		5	0.0%
17		2	0.0%
18		2	0.0%
19		1	0.0%
20		13	0.0%

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### #13 P206: Laying hens\_Indigenous

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-20] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=39538 /-] [Invalid=0 /-] [Mean=1.83 /-] [StdDev=1.458 /-]
<b>Definition</b>	Laying hens_Indigenous
<b>Literal question</b>	Laying hens Indigenes

## File POULTRY

### #13 P206: Laying hens\_Indigenous

Value	Label	Cases	Percentage
0		4862	12.3%
1		14037	35.5%
2		11326	28.6%
3		5289	13.4%
4		2309	5.8%
5		920	2.3%
6		376	1.0%
7		161	0.4%
8		104	0.3%
9		39	0.1%
10		59	0.1%
11		10	0.0%
12		10	0.0%
13		7	0.0%
14		4	0.0%
15		7	0.0%
16		4	0.0%
17		2	0.0%
18		1	0.0%
19		1	0.0%
20		10	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### #14 P207: Laying hens\_hybrid

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-20] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=39538 /-] [Invalid=0 /-] [Mean=0.0503 /-] [StdDev=0.398 /-]
<b>Definition</b>	Laying hens_hybrid
<b>Literal question</b>	Laying hens hybrid

Value	Label	Cases	Percentage
0		38515	97.4%
1		555	1.4%
2		235	0.6%
3		120	0.3%
4		50	0.1%
5		31	0.1%
6		15	0.0%
7		6	0.0%
8		5	0.0%
9		3	0.0%
12		1	0.0%
16		1	0.0%
20		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File POULTRY			
<b>#15 P208: Laying hens_foreign</b>			
Information	[Type= discrete] [Format=numeric] [Range= 0-10] [Missing=*]		
Statistics [NW/ W]	[Valid=39538 /-] [Invalid=0 /-] [Mean=0.0187 /-] [StdDev=0.226 /-]		
Definition	Laying hens_foreign		
Literal question	Laying hens foreign		
Value	Label	Cases	Percentage
0		39147	99.0%
1		203	0.5%
2		102	0.3%
3		42	0.1%
4		27	0.1%
5		9	0.0%
6		6	0.0%
8		1	0.0%
10		1	0.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b>#16 P209: Non-laying hens</b>			
Information	[Type= discrete] [Format=numeric] [Range= 0-15] [Missing=*]		
Statistics [NW/ W]	[Valid=39538 /-] [Invalid=0 /-] [Mean=0.192 /-] [StdDev=0.638 /-]		
Definition	Non-laying hens		
Literal question	Non-laying hens		
Value	Label	Cases	Percentage
0		34840	88.1%
1		2871	7.3%
2		1216	3.1%
3		362	0.9%
4		147	0.4%
5		59	0.1%
6		17	0.0%
7		10	0.0%
8		7	0.0%
9		1	0.0%
10		4	0.0%
11		1	0.0%
12		1	0.0%
15		2	0.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b>#17 P210: Non-laying hens_Indigenous</b>			
Information	[Type= discrete] [Format=numeric] [Range= 0-15] [Missing=*]		
Statistics [NW/ W]	[Valid=39538 /-] [Invalid=0 /-] [Mean=0.187 /-] [StdDev=0.626 /-]		
Definition	Non-laying hens_Indigenous		
Literal question	Non-laying hensIndigenes		

## File POULTRY

### #17 P210: Non-laying hens\_Indigenous

Value	Label	Cases	Percentage
0		34932	88.4%
1		2823	7.1%
2		1192	3.0%
3		356	0.9%
4		143	0.4%
5		53	0.1%
6		16	0.0%
7		9	0.0%
8		6	0.0%
9		1	0.0%
10		3	0.0%
11		1	0.0%
12		1	0.0%
15		2	0.0%

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### #18 P211: Non-laying hens\_hybrid

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-6] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=39538 /-] [Invalid=0 /-] [Mean=0.00329 /-] [StdDev=0.0856 /-]
<b>Definition</b>	Non-laying hens_hybrid
<b>Literal question</b>	Non-laying hens_hybrid

Value	Label	Cases	Percentage
0		39452	99.8%
1		62	0.2%
2		13	0.0%
3		7	0.0%
4		1	0.0%
5		1	0.0%
6		2	0.0%

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### #19 P212: Non-laying hens\_foreign

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-10] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=39538 /-] [Invalid=0 /-] [Mean=0.00154 /-] [StdDev=0.0768 /-]
<b>Definition</b>	Non-laying hens_foreign
<b>Literal question</b>	Non-laying hens_foreign

Value	Label	Cases	Percentage
0		39505	99.9%
1		22	0.1%
2		7	0.0%
3		1	0.0%
5		1	0.0%
7		1	0.0%

## File POULTRY

### #19 P212: Non-laying hens\_foreign

Value	Label	Cases	Percentage
10		1	0.0%

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### #20 P213: Cocks-males

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-20] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=39538 /-] [Invalid=0 /-] [Mean=0.661 /-] [StdDev=0.987 /-]
<b>Definition</b>	Cocks-males
<b>Literal question</b>	Cocks-males

Value	Label	Cases	Percentage
0		21586	54.6%
1		12916	32.7%
2		3324	8.4%
3		983	2.5%
4		423	1.1%
5		158	0.4%
6		63	0.2%
7		25	0.1%
8		21	0.1%
9		9	0.0%
10		18	0.0%
11		2	0.0%
12		3	0.0%
13		1	0.0%
15		2	0.0%
17		2	0.0%
20		2	0.0%

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### #21 P214: Cocks-males\_Indigenous

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-20] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=39538 /-] [Invalid=0 /-] [Mean=0.642 /-] [StdDev=0.977 /-]
<b>Definition</b>	Cocks-males_Indigenous
<b>Literal question</b>	Cocks-males Indigenes

Value	Label	Cases	Percentage
0		22069	55.8%
1		12585	31.8%
2		3233	8.2%
3		950	2.4%
4		405	1.0%
5		151	0.4%
6		64	0.2%
7		24	0.1%
8		20	0.1%

**File POULTRY****#21 P214: Cocks-males\_Indigenous**

Value	Label	Cases	Percentage
9		9	0.0%
10		17	0.0%
11		2	0.0%
12		2	0.0%
13		1	0.0%
15		2	0.0%
17		2	0.0%
20		2	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

**#22 P215: Cocks-males\_hybrid**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-10] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=39538 /-] [Invalid=0 /-] [Mean=0.0143 /-] [StdDev=0.161 /-]
<b>Definition</b>	Cocks-males_hybrid
<b>Literal question</b>	Cocks-males_hybrid

Value	Label	Cases	Percentage
0		39108	98.9%
1		343	0.9%
2		57	0.1%
3		18	0.0%
4		9	0.0%
5		2	0.0%
10		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

**#23 P216: Cocks-males\_foreign**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-10] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=39538 /-] [Invalid=0 /-] [Mean=0.00463 /-] [StdDev=0.0941 /-]
<b>Definition</b>	Cocks-males_foreign
<b>Literal question</b>	ocks-males foreign

Value	Label	Cases	Percentage
0		39393	99.6%
1		122	0.3%
2		17	0.0%
3		4	0.0%
5		1	0.0%
10		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

**#24 P217: Cockerels**

<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-25] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=39538 /-] [Invalid=0 /-] [Mean=0.346 /-] [StdDev=1.012 /-]
<b>Definition</b>	Cockerels
<b>Literal question</b>	Cockerels



File POULTRY			
<b>#25 P218: Cockerels_Indigenous</b>			
Information	[Type= continuous] [Format=numeric] [Range= 0-25] [Missing=*]		
Statistics [NW/ W]	[Valid=39538 /-] [Invalid=0 /-] [Mean=0.338 /-] [StdDev=0.997 /-]		
Definition	Cockerels_Indigenous		
Literal question	Cockerels Indigenes		
<b>#26 P219: Cockerels_hybrid</b>			
Information	[Type= discrete] [Format=numeric] [Range= 0-10] [Missing=*]		
Statistics [NW/ W]	[Valid=39538 /-] [Invalid=0 /-] [Mean=0.00688 /-] [StdDev=0.154 /-]		
Definition	Cockerels_hybrid		
Literal question	Cockerels hybrid		
Value	Label	Cases	Percentage
0		39404	99.7%
1		75	0.2%
2		27	0.1%
3		12	0.0%
4		11	0.0%
5		3	0.0%
6		1	0.0%
7		2	0.0%
8		1	0.0%
10		2	0.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b>#27 P220: Cockerels_foreign</b>			
Information	[Type= discrete] [Format=numeric] [Range= 0-7] [Missing=*]		
Statistics [NW/ W]	[Valid=39538 /-] [Invalid=0 /-] [Mean=0.00116 /-] [StdDev=0.0591 /-]		
Definition	Cockerels_foreign		
Literal question	Cockerels foreign		
Value	Label	Cases	Percentage
0		39513	99.9%
1		16	0.0%
2		4	0.0%
3		1	0.0%
4		3	0.0%
7		1	0.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b>#28 P221: Pullets</b>			
Information	[Type= continuous] [Format=numeric] [Range= 0-21] [Missing=*]		
Statistics [NW/ W]	[Valid=39538 /-] [Invalid=0 /-] [Mean=0.61 /-] [StdDev=1.297 /-]		
Literal question	Pullets		
<b>#29 P222: Pullets_Indigenous</b>			
Information	[Type= continuous] [Format=numeric] [Range= 0-21] [Missing=*]		
Statistics [NW/ W]	[Valid=39538 /-] [Invalid=0 /-] [Mean=0.593 /-] [StdDev=1.272 /-]		

File POULTRY			
<b>#29 P222: Pullets_Indigenous</b>			
Literal question	Pullets Indigenes		
<b>#30 P223: Pullets_hybrid</b>			
Information	[Type= discrete] [Format=numeric] [Range= 0-20] [Missing=*]		
Statistics [NW/ W]	[Valid=39538 /-] [Invalid=0 /-] [Mean=0.0131 /-] [StdDev=0.233 /-]		
Literal question	Pullets hybrid		
Value	Label	Cases	Percentage
0		39320	99.4%
1		97	0.2%
2		52	0.1%
3		27	0.1%
4		14	0.0%
5		15	0.0%
6		6	0.0%
7		4	0.0%
10		2	0.0%
20		1	0.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b>#31 P224: Pullets_foreign</b>			
Information	[Type= discrete] [Format=numeric] [Range= 0-10] [Missing=*]		
Statistics [NW/ W]	[Valid=39538 /-] [Invalid=0 /-] [Mean=0.00395 /-] [StdDev=0.124 /-]		
Literal question	Pullets foreign		
Value	Label	Cases	Percentage
0		39466	99.8%
1		38	0.1%
2		14	0.0%
3		11	0.0%
4		4	0.0%
5		1	0.0%
7		1	0.0%
9		1	0.0%
10		2	0.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b>#32 P225: Chicks</b>			
Information	[Type= continuous] [Format=numeric] [Range= 0-30] [Missing=*]		
Statistics [NW/ W]	[Valid=39538 /-] [Invalid=0 /-] [Mean=2.444 /-] [StdDev=3.897 /-]		
Literal question	Chicks		
<b>#33 P226: Chicks_Indigenous</b>			
Information	[Type= continuous] [Format=numeric] [Range= 0-30] [Missing=*]		
Statistics [NW/ W]	[Valid=39538 /-] [Invalid=0 /-] [Mean=2.398 /-] [StdDev=3.865 /-]		
Definition	Chicks_Chicks_ind		
Literal question	Chicks Indigenes		

**File POULTRY****#34 P227: Chicks\_hybrid**

<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-30] [Missing=*]
--------------------	---

<b>Statistics [NW/ W]</b>	[Valid=39538 /-] [Invalid=0 /-] [Mean=0.0436 /-] [StdDev=0.634 /-]
---------------------------	--

<b>Definition</b>	Chicks_hybrid
-------------------	---------------

<b>Literal question</b>	Chicks hybrid
-------------------------	---------------

**#35 P228: Chicks\_foreign**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-20] [Missing=*]
--------------------	---

<b>Statistics [NW/ W]</b>	[Valid=39538 /-] [Invalid=0 /-] [Mean=0.00296 /-] [StdDev=0.151 /-]
---------------------------	---

<b>Definition</b>	Chicks_foreign
-------------------	----------------

<b>Literal question</b>	Chicks foreign
-------------------------	----------------

Value	Label	Cases	Percentage
0		39508	99.9%
1		6	0.0%
2		9	0.0%
3		4	0.0%
4		4	0.0%
5		1	0.0%
6		1	0.0%
7		1	0.0%
8		2	0.0%
11		1	0.0%
20		1	0.0%

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

**File SHEEP****#1 REG: Region**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-15] [Missing=*]
--------------------	---

<b>Statistics [NW/ W]</b>	[Valid=23913 /-] [Invalid=0 /-]
---------------------------	---------------------------------

<b>Definition</b>	Region
-------------------	--------

Value	Label	Cases	Percentage
1	Tigray	1050	4.4%
2	Afar	856	3.6%
3	Amhara	4698	19.6%
4	Oromia	7993	33.4%
5	Somalia	1170	4.9%
6	Benshangul_Gumz	412	1.7%
7	S.N.N.P.R	6882	28.8%
12	Gambella	313	1.3%
13	Harari	85	0.4%
14	Addis_Ababa	0	0.0%
15	Dire_Dawa	454	1.9%

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

File SHEEP			
<b>#2 ZONE: Zone</b>			
Information	[Type= continuous] [Format=numeric] [Range= 1-25] [Missing=*]		
Statistics [NW/ W]	[Valid=23913 /-] [Invalid=0 /-] [Mean=7.555 /-] [StdDev=5.89 /-]		
Definition	Zone		
<b>#3 DIST: Wereda</b>			
Information	[Type= continuous] [Format=numeric] [Range= 1-24] [Missing=*]		
Statistics [NW/ W]	[Valid=23913 /-] [Invalid=0 /-] [Mean=6.29 /-] [StdDev=4.804 /-]		
Definition	Wereda		
<b>#4 FA: FA</b>			
Information	[Type= continuous] [Format=numeric] [Range= 1-402] [Missing=*]		
Statistics [NW/ W]	[Valid=23913 /-] [Invalid=0 /-] [Mean=14.943 /-] [StdDev=16.48 /-]		
Definition	Farmers Association		
<b>#5 EA: EA</b>			
Information	[Type= discrete] [Format=numeric] [Range= 1-17] [Missing=*]		
Statistics [NW/ W]	[Valid=23913 /-] [Invalid=0 /-] [Mean=2.936 /-] [StdDev=1.98 /-]		
Definition	Enumeration Area		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
1		6791	28.4%
2		5585	23.4%
3		4061	17.0%
4		2805	11.7%
5		2076	8.7%
6		1245	5.2%
7		600	2.5%
8		331	1.4%
9		242	1.0%
10		68	0.3%
11		57	0.2%
12		38	0.2%
13		5	0.0%
16		4	0.0%
17		5	0.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b>#6 HH: HH</b>			
Information	[Type= continuous] [Format=numeric] [Range= 1-642] [Missing=*]		
Statistics [NW/ W]	[Valid=23913 /-] [Invalid=0 /-] [Mean=87.006 /-] [StdDev=58.882 /-]		
Definition	Household Number		
<b>#7 V07: HHolder</b>			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=23913 /-] [Invalid=0 /-] [Mean=1.052 /-] [StdDev=0.271 /-]		
Definition	Holder Number		

<b>File SHEEP</b>			
<b>#7 V07: HHolder</b>			
Literal question	Holder NUMBER		
Value	Label	Cases	Percentage
1		22892	95.7%
2		848	3.5%
3		142	0.6%
4		25	0.1%
5		4	0.0%
8		1	0.0%
9		1	0.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b>#8 P47: Total sheep of all age</b>			
Information	[Type= continuous] [Format=numeric] [Range= 0-260] [Missing=*]		
Statistics [NW/ W]	[Valid=23913 /-] [Invalid=0 /-] [Mean=5.465 /-] [StdDev=8.302 /-]		
Definition	Total sheep of all age		
Literal question	Total sheep of all age		
<b>#9 P48: Male sheep of all age</b>			
Information	[Type= continuous] [Format=numeric] [Range= 0-100] [Missing=*]		
Statistics [NW/ W]	[Valid=23913 /-] [Invalid=0 /-] [Mean=1.466 /-] [StdDev=2.77 /-]		
Definition	Male sheep of all age		
Literal question	Male sheep of all age		
<b>#10 P49: Female sheep of all age</b>			
Information	[Type= continuous] [Format=numeric] [Range= 0-230] [Missing=*]		
Statistics [NW/ W]	[Valid=23913 /-] [Invalid=0 /-] [Mean=3.999 /-] [StdDev=6.09 /-]		
Definition	Female sheep of all age		
Literal question	Female sheep of all age		
<b>#11 P50: Total sheep age less than 6 months</b>			
Information	[Type= continuous] [Format=numeric] [Range= 0-93] [Missing=*]		
Statistics [NW/ W]	[Valid=23913 /-] [Invalid=0 /-] [Mean=1.354 /-] [StdDev=1.961 /-]		
Definition	Total sheep age less than 6 months		
Literal question	Total sheep age less than 6 months		
<b>#12 P51: Male sheep age less than 6 months</b>			
Information	[Type= continuous] [Format=numeric] [Range= 0-50] [Missing=*]		
Statistics [NW/ W]	[Valid=23913 /-] [Invalid=0 /-] [Mean=0.643 /-] [StdDev=1.093 /-]		
Definition	Male sheep age less than 6 months		
Literal question	Male sheep age less than 6 months		
<b>#13 P52: Female sheep age less than 6 months</b>			
Information	[Type= continuous] [Format=numeric] [Range= 0-43] [Missing=*]		
Statistics [NW/ W]	[Valid=23913 /-] [Invalid=0 /-] [Mean=0.711 /-] [StdDev=1.251 /-]		
Definition	Female sheep age less than 6 months		

<b>File SHEEP</b>			
<b>#13 P52: Female sheep age less than 6 months</b>			
<b>Literal question</b>	Female sheep age less than 6 months		
<b>#14 P53: Total sheep age 6 months to 1 year</b>			
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-34] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=23913 /-] [Invalid=0 /-] [Mean=0.589 /-] [StdDev=1.459 /-]		
<b>Definition</b>	Total sheep age 6 months to 1 year		
<b>Literal question</b>	Total sheep age 6 months to 1 year		
<b>#15 P54: Male sheep age 6 months to 1 year</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-18] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=23913 /-] [Invalid=0 /-] [Mean=0.246 /-] [StdDev=0.758 /-]		
<b>Definition</b>	Male sheep age 6 months to 1 year		
<b>Literal question</b>	Male sheep age 6 months to 1 year		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
0		20067	83.9%
1		2688	11.2%
2		771	3.2%
3		214	0.9%
4		80	0.3%
5		34	0.1%
6		21	0.1%
7		7	0.0%
8		4	0.0%
9		5	0.0%
10		11	0.0%
11		2	0.0%
12		1	0.0%
13		1	0.0%
14		1	0.0%
15		1	0.0%
17		3	0.0%
18		2	0.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b>#16 P55: Female sheep age 6 months to 1 year</b>			
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-27] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=23913 /-] [Invalid=0 /-] [Mean=0.343 /-] [StdDev=1.011 /-]		
<b>Definition</b>	Female sheep age 6 months to 1 year		
<b>Literal question</b>	Female sheep age 6 months to 1 year		
<b>#17 P56: Total sheep age 1 years to 2 years</b>			
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-120] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=23913 /-] [Invalid=0 /-] [Mean=0.632 /-] [StdDev=1.951 /-]		
<b>Definition</b>	Total sheep age 1 years to 2 years		
<b>Literal question</b>	Total sheep age 1 years to 2 years		

<b>File SHEEP</b>	
<b>#18 P57: Male sheep age 1 years to 2 years</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-36] [Missing=*]
Statistics [NW/ W]	[Valid=23913 /-] [Invalid=0 /-] [Mean=0.215 /-] [StdDev=0.856 /-]
Definition	Male sheep age 1 years to 2 years
Literal question	Male sheep age 1 years to 2 years
<b>#19 P58: Female sheep age 1 years to 2 years</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-110] [Missing=*]
Statistics [NW/ W]	[Valid=23913 /-] [Invalid=0 /-] [Mean=0.416 /-] [StdDev=1.452 /-]
Definition	Female sheep age 1 years to 2 years
Literal question	Female sheep age 1 years to 2 years
<b>#20 P59: Total sheep age 2 years and older</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-162] [Missing=*]
Statistics [NW/ W]	[Valid=23913 /-] [Invalid=0 /-] [Mean=2.89 /-] [StdDev=4.69 /-]
Definition	Total sheep age 2 years and older
Literal question	Total sheep age 2 years and older
<b>#21 P60: Male sheep age 2 years and older</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-68] [Missing=*]
Statistics [NW/ W]	[Valid=23913 /-] [Invalid=0 /-] [Mean=0.362 /-] [StdDev=1.393 /-]
Definition	Male sheep age 2 years and older
Literal question	Male sheep age 2 years and older
<b>#22 P61: Female sheep age 2 years and older</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-150] [Missing=*]
Statistics [NW/ W]	[Valid=23913 /-] [Invalid=0 /-] [Mean=2.528 /-] [StdDev=3.843 /-]
Definition	Female sheep age 2 years and older
Literal question	Female sheep age 2 years and older
<b>#23 P62: Total sheep for meet age 2 years and older</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-30] [Missing=*]
Statistics [NW/ W]	[Valid=23913 /-] [Invalid=0 /-] [Mean=0.122 /-] [StdDev=0.695 /-]
Definition	Total sheep for meet age 2 years and older
Literal question	Total sheep for meet age 2 years and older
<b>#24 P63: Male sheep for meet age 2 years and older</b>	
Information	[Type= continuous] [Format=numeric] [Range= 0-30] [Missing=*]
Statistics [NW/ W]	[Valid=23913 /-] [Invalid=0 /-] [Mean=0.112 /-] [StdDev=0.666 /-]
Definition	Male sheep for meet age 2 years and older
Literal question	Male sheep for meet age 2 years and older
<b>#25 P64: Female sheep for meet age 2 years and older</b>	
Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]
Statistics [NW/ W]	[Valid=23913 /-] [Invalid=0 /-] [Mean=0.00991 /-] [StdDev=0.166 /-]
Definition	Female sheep for meet age 2 years and older

## File SHEEP

### #25 P64: Female sheep for meet age 2 years and older

**Literal question** Female sheep for meet age 2 years and older

Value	Label	Cases	Percentage
0		23776	99.4%
1		84	0.4%
2		36	0.2%
3		6	0.0%
4		2	0.0%
5		4	0.0%
6		2	0.0%
7		2	0.0%
9		1	0.0%

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### #26 P65: Total sheep for Wool only age 2 years and older

**Information** [Type= continuous] [Format=numeric] [Range= 0-27] [Missing=\*]

**Statistics [NW/ W]** [Valid=23913 /-] [Invalid=0 /-] [Mean=0.00991 /-] [StdDev=0.256 /-]

**Definition** Total sheep for Wool only age 2 years and older

**Literal question** Total sheep for Wool only age 2 years and older

### #27 P66: Male sheep for Wool only age 2 years and older

**Information** [Type= discrete] [Format=numeric] [Range= 0-3] [Missing=\*]

**Statistics [NW/ W]** [Valid=23913 /-] [Invalid=0 /-] [Mean=0.00151 /-] [StdDev=0.0541 /-]

**Definition** Male sheep for Wool only age 2 years and older

**Literal question** Male sheep for Wool only age 2 years and older

Value	Label	Cases	Percentage
0		23890	99.9%
1		14	0.1%
2		5	0.0%
3		4	0.0%

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### #28 P67: Female sheep for Wool only age 2 years and older

**Information** [Type= continuous] [Format=numeric] [Range= 0-24] [Missing=\*]

**Statistics [NW/ W]** [Valid=23913 /-] [Invalid=0 /-] [Mean=0.00841 /-] [StdDev=0.228 /-]

**Definition** Female sheep for Wool only age 2 years and older

**Literal question** Female sheep for Wool only age 2 years and older

### #29 P68: Total sheep for breeding only age 2 years and older

**Information** [Type= continuous] [Format=numeric] [Range= 0-159] [Missing=\*]

**Statistics [NW/ W]** [Valid=23913 /-] [Invalid=0 /-] [Mean=2.732 /-] [StdDev=4.519 /-]

**Definition** Total sheep for breeding only age 2 years and older

**Literal question** Total sheep for breeding only age 2 years and older

### #30 P69: Male sheep for breeding only age 2 years and older

**Information** [Type= continuous] [Format=numeric] [Range= 0-50] [Missing=\*]



<b>File SHEEP</b>			
<b>#30 P69: Male sheep for breeding only age 2 years and older</b>			
<b>Statistics [NW/ W]</b>	[Valid=23913 /-] [Invalid=0 /-] [Mean=0.236 /-] [StdDev=1.155 /-]		
<b>Definition</b>	Male sheep for breeding only age 2 years and older		
<b>Literal question</b>	Male sheep for breeding only age 2 years and older		
<b>#31 P70: Female sheep for breeding only age 2 years and older</b>			
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-150] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=23913 /-] [Invalid=0 /-] [Mean=2.497 /-] [StdDev=3.83 /-]		
<b>Definition</b>	Female sheep for breeding only age 2 years and older		
<b>Literal question</b>	Female sheep for breeding only age 2 years and older		
<b>#32 P71: Total sheep for other purpose age 2 years and older</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-14] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=23913 /-] [Invalid=0 /-] [Mean=0.0255 /-] [StdDev=0.306 /-]		
<b>Definition</b>	Total sheep for other purpose age 2 years and older		
<b>Literal question</b>	Total sheep for other purpose age 2 years and older		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
0		23618	98.8%
1		162	0.7%
2		63	0.3%
3		32	0.1%
4		13	0.1%
5		9	0.0%
6		6	0.0%
7		2	0.0%
8		2	0.0%
9		3	0.0%
10		1	0.0%
12		1	0.0%
14		1	0.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b>#33 P72: Male sheep for other purpose age 2 years and older</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-12] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=23913 /-] [Invalid=0 /-] [Mean=0.0122 /-] [StdDev=0.195 /-]		
<b>Definition</b>	Male sheep for other purpose age 2 years and older		
<b>Literal question</b>	Male sheep for other purpose age 2 years and older		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
0		23746	99.3%
1		107	0.4%
2		35	0.1%
3		12	0.1%
4		4	0.0%
5		4	0.0%
6		1	0.0%

<b>File SHEEP</b>			
<b>#33 P72: Male sheep for other purpose age 2 years and older</b>			
Value	Label	Cases	Percentage
7		1	0.0%
9		2	0.0%
12		1	0.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b>#34 P73: Female sheep for other purpose age 2 years and older</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-14] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=23913 /-] [Invalid=0 /-] [Mean=0.0133 /-] [StdDev=0.223 /-]		
<b>Definition</b>	Female sheep for other purpose age 2 years and older		
<b>Literal question</b>	Female sheep for other purpose age 2 years and older		
Value	Label	Cases	Percentage
0		23767	99.4%
1		74	0.3%
2		32	0.1%
3		18	0.1%
4		8	0.0%
5		4	0.0%
6		6	0.0%
7		1	0.0%
8		1	0.0%
9		1	0.0%
14		1	0.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b>#35 P74: Total Grand</b>			
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-260] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=23913 /-] [Invalid=0 /-] [Mean=5.465 /-] [StdDev=8.302 /-]		
<b>Definition</b>	Total Grand		
<b>Literal question</b>	Total Grand		
<b>#36 P75: Male Total Grand</b>			
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-100] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=23913 /-] [Invalid=0 /-] [Mean=1.466 /-] [StdDev=2.77 /-]		
<b>Definition</b>	Male Total Grand		
<b>Literal question</b>	Male Total Grand		
<b>#37 P76: Female Total Grand</b>			
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-230] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=23913 /-] [Invalid=0 /-] [Mean=3.999 /-] [StdDev=6.09 /-]		
<b>Definition</b>	Female Total Grand		
<b>Literal question</b>	Female Total Grand		
<b>#38 P77: Total Local breed</b>			
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-260] [Missing=*]		

<b>File SHEEP</b>			
<b>#38 P77: Total Local breed</b>			
<b>Statistics [NW/ W]</b>	[Valid=23913 /-] [Invalid=0 /-] [Mean=5.458 /-] [StdDev=8.294 /-]		
<b>Definition</b>	Total Local breed		
<b>Literal question</b>	Total Local breed		
<b>#39 P78: Male Total Local breed</b>			
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-100] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=23913 /-] [Invalid=0 /-] [Mean=1.464 /-] [StdDev=2.768 /-]		
<b>Definition</b>	Male Total Local breed		
<b>Literal question</b>	Male Local breed		
<b>#40 P79: Female Total Local breed</b>			
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-230] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=23913 /-] [Invalid=0 /-] [Mean=3.995 /-] [StdDev=6.084 /-]		
<b>Definition</b>	Female Total Local breed		
<b>Literal question</b>	Female Total Local breed		
<b>#41 P80: Total Exotic</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-7] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=23913 /-] [Invalid=0 /-] [Mean=0.00163 /-] [StdDev=0.0841 /-]		
<b>Definition</b>	Total Exotic		
<b>Literal question</b>	Total Exotic		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
0		23898	99.9%
1		7	0.0%
2		4	0.0%
5		1	0.0%
6		2	0.0%
7		1	0.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b>#42 P81: Male Total Exotic</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=23913 /-] [Invalid=0 /-] [Mean=0.000376 /-] [StdDev=0.0233 /-]		
<b>Definition</b>	Male Total Exotic		
<b>Literal question</b>	Male Total Exotic		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
0		23906	100.0%
1		5	0.0%
2		2	0.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b>#43 P82: Female Total Exotic</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-7] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=23913 /-] [Invalid=0 /-] [Mean=0.00125 /-] [StdDev=0.0743 /-]		
<b>Definition</b>	Female Total Exotic		

**File SHEEP****#43 P82: Female Total Exotic**

Literal question	Female Total Exotic
------------------	---------------------

Value	Label	Cases	Percentage
0		23903	100.0%
1		3	0.0%
2		3	0.0%
4		2	0.0%
6		1	0.0%
7		1	0.0%

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

**#44 P83: Total Hybrid**

Information	[Type= continuous] [Format=numeric] [Range= 0-28] [Missing=*]
-------------	---

Statistics [NW/ W]	[Valid=23913 /-] [Invalid=0 /-] [Mean=0.00531 /-] [StdDev=0.225 /-]
--------------------	---

Definition	Total Hybrid
------------	--------------

Literal question	Total Hybrid
------------------	--------------

**#45 P84: Male Total Hybrid**

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
-------------	--

Statistics [NW/ W]	[Valid=23913 /-] [Invalid=0 /-] [Mean=0.00217 /-] [StdDev=0.0867 /-]
--------------------	--

Definition	Male Total Hybrid
------------	-------------------

Literal question	Male Total Hybrid
------------------	-------------------

Value	Label	Cases	Percentage
0		23883	99.9%
1		20	0.1%
2		8	0.0%
8		2	0.0%

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

**#46 P85: Female Total Hybrid**

Information	[Type= discrete] [Format=numeric] [Range= 0-20] [Missing=*]
-------------	---

Statistics [NW/ W]	[Valid=23913 /-] [Invalid=0 /-] [Mean=0.00314 /-] [StdDev=0.155 /-]
--------------------	---

Definition	Female Total Hybrid
------------	---------------------

Literal question	Female Total Hybrid
------------------	---------------------

Value	Label	Cases	Percentage
0		23886	99.9%
1		13	0.1%
2		6	0.0%
3		2	0.0%
4		2	0.0%
5		2	0.0%
6		1	0.0%
20		1	0.0%

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

File VACCIN			
<b>#1 REG: Region</b>			
Information	[Type= discrete] [Format=numeric] [Range= 1-15] [Missing=*]		
Statistics [NW/ W]	[Valid=26634 /-] [Invalid=0 /-]		
Definition	Region		
Value	Label	Cases	Percentage
1	Tigray	3402	12.8%
2	Afar	170	0.6%
3	Amhara	3028	11.4%
4	Oromia	10014	37.6%
5	Somalia	567	2.1%
6	Benshangul_Gumz	1112	4.2%
7	S.N.N.P.R	7431	27.9%
12	Gambella	224	0.8%
13	Harari	59	0.2%
14	Addis_Ababa	0	0.0%
15	Dire_Dawa	627	2.4%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b>#2 ZONE: Zone</b>			
Information	[Type= continuous] [Format=numeric] [Range= 1-25] [Missing=*]		
Statistics [NW/ W]	[Valid=26634 /-] [Invalid=0 /-] [Mean=7.866 /-] [StdDev=5.865 /-]		
Definition	Zone		
<b>#3 DIST: Wereda</b>			
Information	[Type= continuous] [Format=numeric] [Range= 1-24] [Missing=*]		
Statistics [NW/ W]	[Valid=26634 /-] [Invalid=0 /-] [Mean=6.274 /-] [StdDev=4.715 /-]		
Definition	Wereda		
<b>#4 FA: FA</b>			
Information	[Type= continuous] [Format=numeric] [Range= 1-403] [Missing=*]		
Statistics [NW/ W]	[Valid=26634 /-] [Invalid=0 /-] [Mean=14.136 /-] [StdDev=14.259 /-]		
Definition	Farmers Association		
<b>#5 EA: EA</b>			
Information	[Type= discrete] [Format=numeric] [Range= 1-17] [Missing=*]		
Statistics [NW/ W]	[Valid=26634 /-] [Invalid=0 /-] [Mean=2.992 /-] [StdDev=2.084 /-]		
Definition	Enumeration Area		
Value	Label	Cases	Percentage
1		7107	26.7%
2		6660	25.0%
3		4606	17.3%
4		3089	11.6%
5		2207	8.3%
6		1160	4.4%
7		861	3.2%
8		246	0.9%

## File VACCIN

### #5 EA: EA

Value	Label	Cases	Percentage
9		376	1.4%
10		99	0.4%
11		118	0.4%
12		52	0.2%
13		20	0.1%
16		13	0.0%
17		20	0.1%

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### #6 HH: HH

<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 1-575] [Missing=*
<b>Statistics [NW/ W]</b>	[Valid=26634 /-] [Invalid=0 /-] [Mean=90.722 /-] [StdDev=60.211 /-]
<b>Definition</b>	Household Number

### #7 V07: HHolder

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*
<b>Statistics [NW/ W]</b>	[Valid=26634 /-] [Invalid=0 /-] [Mean=1.033 /-] [StdDev=0.216 /-]
<b>Definition</b>	Holder Number
<b>Literal question</b>	Holder NUmber

Value	Label	Cases	Percentage
1		25891	97.2%
2		651	2.4%
3		76	0.3%
4		12	0.0%
7		1	0.0%
8		1	0.0%
9		2	0.0%

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### #8 PQ171: Serial No.

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*
<b>Statistics [NW/ W]</b>	[Valid=26634 /-] [Invalid=0 /-] [Mean=1.416 /-] [StdDev=0.728 /-]
<b>Definition</b>	Serial No.
<b>Literal question</b>	Serial Number

Value	Label	Cases	Percentage
1		19259	72.3%
2		3798	14.3%
3		3455	13.0%
4		122	0.5%

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### #9 PQ1731: vaccinated\_Total

<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-558] [Missing=*
<b>Statistics [NW/ W]</b>	[Valid=26634 /-] [Invalid=0 /-] [Mean=5.555 /-] [StdDev=8.388 /-]

<b>File VACCIN</b>	
<b>#9 PQ1731: vaccinated_Total</b>	
<b>Definition</b>	vaccinated_Total
<b>#10 PQ1732: vaccinated_Male</b>	
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-278] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=26634 /-] [Invalid=0 /-] [Mean=2.17 /-] [StdDev=3.759 /-]
<b>Definition</b>	vaccinated_Male
<b>#11 PQ1733: vaccinated_Female</b>	
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-280] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=26634 /-] [Invalid=0 /-] [Mean=3.385 /-] [StdDev=5.348 /-]
<b>Definition</b>	vaccinated_Female
<b>#12 PQ1741: Vaccinated for "Abasenga"_Total</b>	
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-102] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=26634 /-] [Invalid=0 /-] [Mean=1.266 /-] [StdDev=2.755 /-]
<b>Definition</b>	Vaccinated for "Abasenga"_Total
<b>#13 PQ1742: Vaccinated for "Abasenga"_Male</b>	
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-56] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=26634 /-] [Invalid=0 /-] [Mean=0.549 /-] [StdDev=1.323 /-]
<b>Definition</b>	Vaccinated for "Abasenga"_Male
<b>#14 PQ1743: Vaccinated for "Abasenga"_Female</b>	
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-52] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=26634 /-] [Invalid=0 /-] [Mean=0.717 /-] [StdDev=1.717 /-]
<b>Definition</b>	Vaccinated for "Abasenga"_Female
<b>#15 PQ1751: Vaccinated for "Abagorba"_Total</b>	
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-102] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=26634 /-] [Invalid=0 /-] [Mean=1.24 /-] [StdDev=2.815 /-]
<b>Definition</b>	Vaccinated for "Abagorba"_Total
<b>#16 PQ1752: Vaccinated for "Abagorba"_Male</b>	
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-50] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=26634 /-] [Invalid=0 /-] [Mean=0.545 /-] [StdDev=1.322 /-]
<b>Definition</b>	Vaccinated for "Abagorba"_Male
<b>#17 PQ1753: Vaccinated for "Abagorba"_Female</b>	
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-54] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=26634 /-] [Invalid=0 /-] [Mean=0.695 /-] [StdDev=1.717 /-]
<b>Definition</b>	Vaccinated for "Abagorba"_Female
<b>#18 PQ1761: Vaccinated for Tuberculosis_Total</b>	
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-203] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=26634 /-] [Invalid=0 /-] [Mean=1.224 /-] [StdDev=5.788 /-]
<b>Definition</b>	Vaccinated for Tuberculosis_Total

File VACCIN			
<b>#19 PQ1762: Vaccinated for Tuberculosis_Male</b>			
Information	[Type= continuous] [Format=numeric] [Range= 0-92] [Missing=*]		
Statistics [NW/ W]	[Valid=26634 /-] [Invalid=0 /-] [Mean=0.432 /-] [StdDev=2.251 /-]		
Definition	Vaccinated for Tuberculosis_Male		
<b>#20 PQ1763: Vaccinated for Tuberculosis_Female</b>			
Information	[Type= continuous] [Format=numeric] [Range= 0-111] [Missing=*]		
Statistics [NW/ W]	[Valid=26634 /-] [Invalid=0 /-] [Mean=0.792 /-] [StdDev=3.766 /-]		
Definition	Vaccinated for Tuberculosis_Female		
<b>#21 PQ1771: Vaccinated for "Gororsa"_Total</b>			
Information	[Type= continuous] [Format=numeric] [Range= 0-157] [Missing=*]		
Statistics [NW/ W]	[Valid=26634 /-] [Invalid=0 /-] [Mean=1.113 /-] [StdDev=3.168 /-]		
Definition	Vaccinated for "Gororsa"_Total		
<b>#22 PQ1772: Vaccinated for "Gororsa"_Male</b>			
Information	[Type= continuous] [Format=numeric] [Range= 0-57] [Missing=*]		
Statistics [NW/ W]	[Valid=26634 /-] [Invalid=0 /-] [Mean=0.398 /-] [StdDev=1.268 /-]		
Definition	Vaccinated for "Gororsa"_Male		
<b>#23 PQ1773: Vaccinated for "Gororsa"_Female</b>			
Information	[Type= continuous] [Format=numeric] [Range= 0-100] [Missing=*]		
Statistics [NW/ W]	[Valid=26634 /-] [Invalid=0 /-] [Mean=0.715 /-] [StdDev=2.156 /-]		
Definition	Vaccinated for "Gororsa"_Female		
<b>#24 PQ1781: Vaccinated for "Desta"_Total</b>			
Information	[Type= continuous] [Format=numeric] [Range= 0-29] [Missing=*]		
Statistics [NW/ W]	[Valid=26634 /-] [Invalid=0 /-] [Mean=0.0165 /-] [StdDev=0.353 /-]		
Definition	Vaccinated for "Desta"_Total		
<b>#25 PQ1782: Vaccinated for "Desta"_Male</b>			
Information	[Type= discrete] [Format=numeric] [Range= 0-7] [Missing=*]		
Statistics [NW/ W]	[Valid=26634 /-] [Invalid=0 /-] [Mean=0.00413 /-] [StdDev=0.112 /-]		
Definition	Vaccinated for "Desta"_Male		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
0		26579	99.8%
1		29	0.1%
2		13	0.0%
3		5	0.0%
4		4	0.0%
5		1	0.0%
6		2	0.0%
7		1	0.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b>#26 PQ1783: Vaccinated for "Desta"_Female</b>			
Information	[Type= continuous] [Format=numeric] [Range= 0-22] [Missing=*]		



<b>File VACCIN</b>	
<b>#26 PQ1783: Vaccinated for "Desta"_Female</b>	
<b>Statistics [NW/ W]</b>	[Valid=26634 /-] [Invalid=0 /-] [Mean=0.0124 /-] [StdDev=0.27 /-]
<b>Definition</b>	Vaccinated for "Desta"_Female
<b>#27 PQ1791: Vaccinated for other_Total</b>	
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-150] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=26634 /-] [Invalid=0 /-] [Mean=0.695 /-] [StdDev=2.745 /-]
<b>Definition</b>	Vaccinated for other_Total
<b>#28 PQ1792: Vaccinated for other_Male</b>	
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-78] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=26634 /-] [Invalid=0 /-] [Mean=0.241 /-] [StdDev=1.082 /-]
<b>Definition</b>	Vaccinated for other_Male
<b>#29 PQ1793: Vaccinated for other_Female</b>	
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-72] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=26634 /-] [Invalid=0 /-] [Mean=0.454 /-] [StdDev=1.9 /-]
<b>Definition</b>	Vaccinated for other_Female

# Documentation

<a href="#">Reports and analytical documents</a> .....	126
<a href="#">Agricultural Sample survey Livestock and Livestock Characteristics Report</a> .....	126
<a href="#">Questionnaires</a> .....	126
<a href="#">Agricultural Sample survey Livestock and Livestock Characteristics Questionnaire</a> .....	126
<a href="#">Technical documents</a> .....	126
<a href="#">Instruction Manual</a> .....	126
<a href="#">Data Request Form</a> .....	126

## Reports and analytical documents

**Agricultural Sample survey Livestock and Livestock Characteristics Report**, Central Statistical Agency, Ethiopia [eth], English [eng], "Doc\Report\Livestock Report 2005 EC\_2012\_13.pdf"

## Questionnaires

**Agricultural Sample survey Livestock and Livestock Characteristics Questionnaire**, Central Statistical Agency, Ethiopia [eth], English [eng], "Doc\Questiannaries\Livestock\_2005\_ Questionnaire.pdf"

## Technical documents

**Instruction Manual**, Central Statistical Agency, Ethiopia [eth], Amharic [amh], "Doc\Technical \Instruction\_Manual\_Agrsample\_2003\_GPS\_edited.pdf"

**Data Request Form**, Central Statistical Agency, Ethiopia [eth], English [eng], "Doc\Technical \CSA\_Data\_Request\_Form.pdf"